

69361-3

06-16-2011

1/2



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7504P)
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, D.C. 20460

EPA Registration Number:
 69361-3

Date of Issuance:
 JUN 16 2011

NOTICE OF PESTICIDE:
 Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance: **Unconditional**

Name of Pesticide Product:
 Repar Broad Spectrum Weed and Feed

Name and Address of Registrant (include ZIP Code):
 Repar Corporation
 c/o Mandava Associates, LLC
 1050 Connecticut Ave., NW, Suite 1000
 Washington, DC 20036

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.


EPA received a label amendment request submitted on June 13, 2011. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistration Eligibility Decision (RED) for **Chlorflurenol and Dicamba** have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

As stated in the June 13, 2011 email, the outstanding one-year Storage Stability and Corrosion Characteristics studies will be submitted to the Agency by the end of 2012 upon completion.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products shipped after twelve (12) months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions regarding this Notice, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Signature of Approving Official:
 Kable Bo Davis
 Product Manager 25
 Herbicide Branch
 Registration Division (7505P)



Date:
 JUN 16 2011

ACCEPTED
 JUN 16 2011
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under
 EPA Reg. No. 69361-3

**Net Wt. 17.5 Lbs. (7.93 kg)
 Treats Up To 5,000 Sq. Ft.**

REPAR BROAD SPECTRUM WEED & FEED

- **Recommended for use on warm and cool season turf types as listed.**
- **Controls dandelions, clover, dollarweed, chickweed and 200 common lawn weeds (as listed).**
- **For a thick green weed free lawn.**

ACTIVE INGREDIENTS:

Chlorfurenol	
Methyl 2-Chloro-9-Hydroxyfluorene-9-Carboxylate	0.12%
Methyl 9-Hydroxyfluorene-9-Carboxylate	0.03%
Methyl 2,7-Dichloro-9-Hydroxyfluorene-9-Carboxylate	0.02%
Dicamba Acid	0.11%
Related Acids of Dicamba	0.02%
OTHER INGREDIENTS:	99.70%
Total	100.00%

EPA Reg. No. 69361-3

EPA Est. No. -

Fertilizer and Carrier information will be supplied by registrants/sub-registrants to States and other regulatory authorities who have jurisdiction over these ingredients.

ENVIRONMENTAL HAZARDS
 To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide of the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.

For Use on Established Turfs, including sensitive species such as Centipede and St. Augustine, except Desirable Clovers, Bent, Dichondra and Carpet Grass. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purpose.

WEED CONTROL

Repar Broad Spectrum Weed and Feed controls a wide range of perennial and annual weeds including Dandelion, Buckhorn Plaimain, Common Chickweed, White and Red Clover, Hop Clover, Marestail, Heal All, Henbit, Ground Ivy, Knotweed, Black Medic, Purslane, Yellow Rocket, Thistles, & other listed Broadleaf Weeds

WEED LIST

Annuals

Amaranth, Spiny (Spiny Pigweed)	Goosefoot, Nettleleaf	Pennycress, Field	Senna, Coffee
Aster, Slender	Henbit	Fanweed,	Sesbania, Hemp
Bedstraw	Jimsonweed	Frenchweed,	Shepherdspurse
Beggarweed, Florida	Knotweed	Stinkweed)	Sicklepod
Broomweed, Common	Kochia	Pepperweed, Virginia	Sida, Prickly (Teaweed)
Buckwheat, Wild	Kochia	(Peppergrass)	Smartweed, Green
Buffalobur	Ladythumb	Pigweed, Prostrate	Smartweed,
Burclover, California	Lambsquarters,	P weed, Redroot	Pennsylvania
Burcumber	Common	(Carelessweed)	Sneezeweed, Bitter
Buttercup, Roughseed	Lambsquarters,	Pigweed, Rough	Sowthistle, Annual
Carpetweed	(triazine resistant)	(Carelessweed)	Sowthistle, Spiny
Catchfly, Nightflowering	Lettuce, Prickly	Pigweed, Rough	Spanishrteddes
Chamomile, Corn	Mallow, Common	(triazine resistant)	Spikeweed, Common
Chickweed, Common	Mallow, Venice	Poorjoe	Spurge
Clovers, Annual	Marestail	Puncturevine	Spurr, Corn
Cockle, Corn	Mayweed	Purslane, Common	Starbur, Bristly
Cockle, Cow	Medic, Black	Pusley, Florida	Sunflower, Common
Cocklebur, Common	Morningglory, Ivyleaf	Radish, Wild	(Wild)
Croton, Tropic	Morningglory, Tall	Ragweed, Common	Sunflower, Volunteer
Croton, Woolly	Mustard, Tansy	Ragweed, Giant	Thistle, Russian
Daisy, English	Mustard, Wild	(Buffaloweed)	Velvetleaf
Eveningprimrose,	Mustard (Yellowwraps)	Ragweed, Lance-Leaf	Waterhemp
Cutleaf	Nightshade, Black	Rubberweed, Bitter	Waterprimrose, Winged
Fleabane, Annual		(Bitterweed)	Wormwood, Annual

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear goggles, face shield or safety glasses and waterproof gloves when handling.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOT LINE NUMBER

For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire or Accident) call CHEMTREC at 1-800-424-9300.

SEE REVERSE SIDE FOR ADDITIONAL INFORMATION

WIR

Biennials

Burdock, Common
Carrot, Wild
(Queen Anne's Lace)
Cockle, White
Eveningprimrose,
Common

Plantain, Bracted
Ragwort, Tansy
Starthistle, Yellow
Sweetclover
Teasel

Thistle, Bull
Thistle, Milk
Thistle, Musk
Thistle, Plumelless

Perennials

Alfalfa*
Arnichoke, Jerusalem
Aster, Spiny
Aster, Whitehead
Bedstraw, Smooth
Bindweed, Field
Bindweed, Hedge
Bindweed, Texas
Bursage*
(Bur Ragweed,
Lakeweed,
Povertyweed)
Bursage, Woollyleaf
Buttercup, tall
Campion, Bladder
Chickweed, Field
Chickweed, Mouseear
(Canada)
Chicory

Clover, Hop*
Dandelion, Common*
Deck, Broadleaf*
(Bitterdock)
Dock, Curly*
Dogbane, Hemp
Dogfennel*
(Cypressweed)
Fern, Bracken
Garlic, Wild
Goldenrod, Canada
Goldenrod, Missouri
Goldenweed, Common
Hawkweed
Henbane, Black
Horsenettle, Carolina
Ironweed
Ivy, Ground
Knappweed, Black
Knappweed, Russian

Milkweed, Climbing
Milkweed, Common
Milkweed, Honeyvine
Milkweed, Western
Whorled
Nettle, Stinging
Nightshade, Silvertleaf
(White Horsenettle)
Onion, Wild
Pennywort
(Dollarweed)
Plantain, Broadleaf*
Plantain, Buckhorn
Pokeweed
Ragweed, Western
Senecio Lespedeza
Reedvine
Smartweed, Swamp
Snakeweed, Broom
Sorrel, Red*
(Sheep Sorrel)

Southwest
Sowthistle, Perennial
Sponge, Leafy
Sundrop, Halfshrub
(Eveningprimrose)
Thistle, Canada
Toadflax Delimitation
Tropical Soda Apple
Trumpet creeper
(Buckvine)
Veich
Violet, Wild
Waterhemp
Waterprimrose
Creeping
Woodsorrel, Creeping*
(Common Yellow)
Wormwood, Common
Wormwood, Louisiana
Yankee weed*

* Noted perennials may be controlled using Repair Broad Spectrum Weed and Feed at rates lower than those directed for other listed perennial weeds.

Woody

Ailanthus
Sassafras
Oak, Poison
Honeysuckle
Husatche

Sagebrush, Fringe
Wild Grape
Tartar
Huckleberry

Kudzu
Serviceberry
Brazilian Pepper
Witchhazel

For Use on Established Turfs, including sensitive species such as Centipede and St. Augustine, except Desirable Clovers, Bent, Dichondra and Carpet Grass.

EFFECTIVE APPLICATION OF REPAIR BROAD SPECTRUM WEED AND FEED FOR MOST WEED LEAVES SHOULD BE DAMP FROM RAIN, DEW OR SPRINKLING TO ALLOW THE PRODUCT TO STICK TO THE LEAF. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CONTROL.

WHAT TO LOOK FOR:

Repair Broad Spectrum Weed and Feed, properly applied, first reduces or eliminates the formation of most flower heads and the seeds they produce and then attacks and removes the mature weed itself. Look for an absence or stunting of seed heads in flowering weeds such as clover or dandelions. Some weeds may also show twisting stems and dwarfed appearance with curling of the leaves.

Repair Broad Spectrum Weed and Feed is designed with an excellent turf nutrient diet to allow grass plants to gradually fill in the areas around dying weeds. This allows for a more natural recovery of the turf and minimizes reinfestations of bare areas by wind-borne weed seeds. Applied as directed, the rich green color will not be affected.

UNDER NORMAL GROWING CONDITIONS, WEED KILL SHOULD BE COMPLETE WITHIN 21 TO 35 DAYS

SPREADER SETTINGS

Spreader	Rate: 3.5#/M	Pattern Setting	Width
Earthway Broadcast	11	-	8
Lely	4 1/2	III - B	42
Lesco Broadcast	D 1/2	0.0	11
Prizelawn Broadcast	4 1/4	A	7
Scotts Broadcast	1	5	10
Spyker	3	-	9
Vicon	29	-	4
Cyclone Broadcast	3 1/4	-	5

Important: These are approximate settings. Age and condition of your spreader can cause wide variation. Be sure to calibrate your spreader with each application.

WHEN TO APPLY:

Apply any time weeds are actively growing and temperature is above 60°F. Do not apply when turf is under stress from heat, excessive moisture or drought. Control is quicker and more complete if applied in Spring prior to weed flower formation. Control is slower if applied when weather is cool. On new seeded areas, wait until grass has been cut two or three times before using. Delay planting new grass for at least three weeks as the active ingredients may temporarily inhibit seed germination.

HOW TO APPLY:

EFFECTIVE APPLICATION OF REPAIR BROAD SPECTRUM WEED AND FEED REQUIRES THE WEED LEAVES TO BE DAMP FROM RAIN, DEW OR SPRINKLING PRIOR TO APPLICATION. A LACK OF MOISTURE ON THE WEED LEAVES WILL REDUCE WEED CONTROL. Apply evenly over the entire lawn at the rate of 3.5 lbs/4,000 sq.ft. Rain or heavy sprinkling with 24 hours of application will temporarily delay weed control. Mowing within 24 hours may reduce effectiveness. Wait at least 45 days before making a second application. Do not make more than two applications per year.

Use the suggested spreader settings as a guide being sure to check your spreader at the beginning of the application. Adjust your spreader if necessary. Be sure to shut off spreader while turning or stopping to prevent accidental over application and burning of grass. SPECIAL NOTE: Repair Broad Spectrum Weed And Feed is designed to be absorbed by plant leaves. Accidental application of this product to the foliage of ornamentals such as roses may result in the loss of flowers. For this reason, extra care should be taken when using a broadcast or rotary type spreader.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store in original container in a locked storage area. Keep container closed and away from food, feedstuffs and domestic water supplies.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. If empty, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER and LIMITATION of LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.
LEGAL RIGHTS: THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE JURISDICTION TO STATE JURISDICTION.

Manufactured for.

Repair Corporation, P.O. Box 4321
Silver Spring, Maryland 20914