

69361-4

07/02/2002

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505C)  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg.  
Number:

69361-4

Date of Issuance:

JUL 2 2002

NOTICE OF PESTICIDE:  
\_\_\_\_ Registration  
 X  Reregistration

Term of Issuance:

Unconditional

Name of Pesticide Product:

Streptomycin 3000 Dust

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Repar Corp.  
P.O. Box 4321  
Silver Spring, MD 20914

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Streptomycin Reregistration Eligibility Decision (RED) document, EPA has reregistered the product listed above. Enclosed is a copy of the label stamped "Accepted". This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain registration of your product.

Note: The word "eye" was omitted in the first sentence under Precautionary Statements. Correct the statement to "Causes moderate eye irritation."

Enclosure

Signature of Approving Official:

*Mary L. Waller*  
Mary L. Waller, PM (21)

Date:

7/2/02

2/5

# STREPTOMYCIN 3000 DUST

### Bactericide

#### ACTIVE INGREDIENT:

Streptomycin Sulfate* .....	By Wt. 0.75%
INERT INGREDIENTS .....	99.25%

TOTAL ..... 100.00%

\*As Streptomycin 0.30% (Contains 3000 ppm Actual Streptomycin)

KEEP OUT OF REACH OF CHILDREN  
CAUTION

FIRST AID	
If in eyes:	<ul style="list-style-type: none"> <li>•Hold eye open and rinse slowly with a steady, gentle stream of water for 15-20 minutes.</li> <li>•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye</li> <li>•Call a poison control center or physician for treatment advice.</li> </ul>
If on skin or : clothing	<ul style="list-style-type: none"> <li>•Take off contaminated clothing.</li> <li>•Wash skin with plenty of water for 15-20 minutes.</li> <li>•Call a poison control center or physician for treatment advice, if irritation persists.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT: 50 POUNDS

MANUFACTURED FOR  
REPAR CORPORATION  
P.O. BOX 4321  
SILVER SPRING, MD 20914

EPA Reg No.: 69361-4  
EPA Est. No.: 69361-

<b>ACCEPTED</b>
JUL 2 2002
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 69361-4

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

#### CAUTION

Cause moderate irritation. Avoid contact with eyes and clothing. Do not breathe dust. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly after handling.

#### PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions of Category A in an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- A. Long-sleeved shirt and long pants.
- B. Chemical-resistant gloves made of any waterproof material
- C. Shoes plus socks
- D. Dust/mist filtering respirator (NIOSH approval number prefix TC-21C)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. This material is not to be used for medical, veterinary, or human purposes.

#### User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

Do not apply when weather conditions favor drift from the areas treated. Do not apply where run-off is likely to occur. This product may be hazardous to aquatic plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instruction and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants soil or water is:

Coveralls

Chemical-resistant gloves made of any waterproof material.

Shoes plus socks

### **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

#### **STORAGE**

Keep tightly closed. Storage should be at a cool temperature when possible, and with minimum exposure to the atmosphere.

#### **PESTICIDE DISPOSAL**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **CONTAINER DISPOSAL**

Completely empty container or bag into application equipment. Then dispose of container or bag in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### **APPLICATIONS**

**STREPTOMYCIN 3000 DUST** is a specially formulated Streptomycin-pyrophylite dust containing 3000 ppm actual Streptomycin. Apply this material as a dust by ground or air. Full coverage is essential.

**APPLES (West Coast): Fire Blight** - Use 20 pounds per acre. Begin application in full bloom. Repeat in petal fall and late secondary bloom. Do not apply within 50 days of harvest.

**PEARS (West Coast): Fire Blight** - Use 20 pounds per acre. Start at 10% bloom and repeat at 5 day intervals until end of bloom. All blossoms should be protected ahead of periods of high humidity. Final application should not exceed 10 weeks after first bloom. Do not apply within 30 days of harvest.

**TOBACCO: Wildfire and Bluemold** - Use 8 pounds per acre within 1 week after setting tobacco plants in the field. Make 3 additional weekly applications at 10 pounds, 12 pounds and 14 pounds per acre, respectively. If weather conditions favor disease development thereafter, apply 15 pounds per acre, as needed, until harvest.

**Dealers Should Sell in Original Packages Only.**

**IMPORTANT NOTICE** - Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.