11/1/2012





U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460

EPA Registration Number:

Date of Issuance:

69361-6

NOV - 1 2012

NOTICE OF PESTICIDE:

X Registration
X Reregistration

(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:

Maintain CF 125

Name and Address of Registrant (include ZIP Code):

Repar Corporation

c/o Mandava Associates, LLC

1050 Connecticut Ave., NW, Suite 1000

Washington, DC 20036

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

EPA received a label amendment request submitted on October 26, 2012. EPA grants this request under the authority of section 3(c)(5) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. With this accepted labeling, all requirements set forth in the Reregistation Eligibility Decision (RED) for chlorflurenol have been satisfied. Therefore, EPA reregisters the product listed above. This action is taken under the authority of section 4(g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

The Basic Confidential Statement of Formula (CSF) dated October 25, 2012 is acceptable, and supersedes all previously-accepted CSFs.

Regarding the Special Local Need (SLN) registration (HI980007) associated with this parent product registration, the Agency has no adverse comments regarding the labeling submitted in connection with registration under FIFRA section 24(c) and in response to the RED.

Submit one (1) copy of final printed labeling. Amended labeling will supersede all previously accepted labels. A copy of your label stamped "Accepted" is enclosed for your records. Products released for shipment after twelve (12) months from the date of this Notice or the next printing of your label, whichever occurs first, must bear the new revised label.

If you have any questions regarding this Notice, please contact Mindy Ondish at (703)605-0723 or at ondish.mindy@epa.gov.

Signature of Approving Official:

Kable Bo Davis Product Manager 25 Herbicide Branch

Registration Division (7505P)

Date:

NOV - 1 201

EPA Form 8570-6

MAINTAIN® CF 125

A PLANT GROWTH RETARDANT

for furf and associated broadleaf weeds trees shrubs vines

for turi and associated broadiear weeds, trees, sin abs, vines	
ACTIVE INGREDIENTS:	By Wt
Chlorflurenol, Methyl Ester	12.5%
Consisting of:	
Methyl 2-chloro-9-hydroxyfluorene-9-carboxylate	8.8%
Methyl 9-hydroxyfluorene-9-carboxylate	2.1%
Methyl 2,7-dichloro-9-hydroxyfluorene-9-carboxylate	1.6%
OTHER INGREDIENTS.	87.5%
TOTAL	
*Contains petroleum distillates	

Contains 1.0 pound per gallon active ingredients.

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail)

	FIRST AID
IF IN EYES	 Hold eye open and rinse slowly with a steady, gentle stream of water for 15-20 minutes Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or physician for treatment advice.
IF	Immediately call a poison control center or doctor.
SWALLOWED	Do not give any liquid to the person.
	Do not induce vomiting unless told to by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Wash skin with plenty of water for 15-20 minutes. Call a poison control center or physician for treatment advice.
IF INHALED	
	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably, mouth-to-mouth, if possible. Call a poison control center or physician for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergency Assistance, call the National Pesticide Information Center 1-800-858-7378. For chemical emergency: spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Symptoms of Poisoning: The compound does not cause any definite symptoms that would be diagnostic. Contact with the eyes may cause irritation.

SEE SIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For: Repar Corporation, P.O. Box 4321, Silver Spring, MD 20914

EPA Est. No.: 72465-SC-001

EPA Reg. No.: 69361-6 **NET CONTENTS: 1 GALLON**

MAINTAIN® CF 125 is a registered trademark of Repar Corporation

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of barrier laminate or viton. If you want more options, follow the instructions for category H on EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers, except for rights-of-way applicators, must wear:

- Long-sleeved shirt,
- Long pants,
- · Goggles or face shield and
- Chemical-resistant gloves.

Rights-of-way applicators must wear:

- · Coveralls over long-sleeved shirt and long pants,
- Chemical-resistant footwear plus socks,
- Chemical-resistant gloves,
- · Goggles or face shield, and
- Chemical-resistant headgear for overhead exposure.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. **Do not contaminate water when disposing of equipment** washwater or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Do not apply this product through any irrigation system.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instruction and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants soil or water is:

Coveralls

Shoes plus socks

Chemical-resistant gloves made of any waterproof material.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Do not enter or allow to enter the treated are until sprays have dried.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIE STORAGE: Store above 4°C. Store in a cool, dry area away from heat or open flame.

PESTICIDE DISPOSAL: Pesticides wastes are acutely hazardous. Open dumping is prohibited. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed if by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill empty container.

Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the

flow begins to drip. Repeat this procedure two more times.

CHEMIGATION: Do not apply this product through any type of irrigation system.

SPRAY DRIFT MANAGEMENT:

Avoid spray drift (Coarse sprays are less likely to drift.)
Apply in a manner which confines spray to target areas.

Leave an adequate buffer zone between sensitive plants and spray area.

RESTRICTIONS:

Not for use on sod farms.

Aerial applications are prohibited.

Not for use in greenhouses.

Do not use on food or feed crops.

Keep livestock off treated area.

Do not feed treated vegetation to livestock

Do not treat woody plants used for food production.

Use only on non-crop land.

IMPORTANT: This material is not selective in action and may affect all types of vegetation. Care should be taken to confirm the use or application to the particular area intended to be treated, and to avoid its contact with crops and other desirable plants. Mechanical equipment should be thoroughly cleaned after use. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL.

GRASS SPECIES EFFECTIVELY RETARDED WITH MAINTAIN® CF 125: Annual bluegrass, Bahia grass, creeping red fescue, crested wheatgrass, Kentucky bluegrass, Kentucky 31 fescue, quackgrass, ryegrass, smooth brome, tall wheatgrass, timothy.

BROADLEAF WEED SPECIES EFFECTIVELY CONTROLLED WITH MAINTAIN® CF 125: Blackmedic, bladder campion, chickweed, chicory, cinquefoil, clovers, cudweed, dandelion, docks, fleabane, hawksbear, kudzu, oxalis, plantain, ragweed, yarrow, and similar miscellaneous species.

GRASSES, BROADLEAF WEEDS

WHERE TO USE: MAINTAIN® CF 125 is for use on areas where regular mowing and trimming maintenance are difficult; such as, under security fences and guard rails, around sign posts, delineator posts, culverts, right of way, median strips, and ditch or steep banks.

WHEN TO USE: On established turf and associated broadleaf weeds, best results are obtained when treatments are applied in the spring when grasses are just beginning to green up and are 2 to 3 inches high, or 3 to 5 days after first spring mowing in situations where ample rainfall promotes rapid and sustained summer regrowth. Applications generally maintain the turf by inhibiting the development of seed and retarding vegetative growth. The general appearance of the turf is enhanced by an extended period of dark green color of the grass and by excellent control of broadleaf weeds. Applications may be made throughout the growing season for effective broadleaf weed control.

RATES: On established turf and associated broadleaf weed species, apply 0.5 gallons of

MAINTAIN® CF 125 (0.5 pounds of active ingredients) per acre in 50 gallons of water. Even application to ensure uniform wetting of the grass and herbaceous weed foliage is essential for most effective results. Continue agitation during spraying operation. Do not apply more than 0.5 gallon per acre. Do not apply more than one application per year.

On rights-of-way, apply up to 1 gallon of MAINTAIN® CF 125 (1 pound of active ingredients) per acre. Do not apply more than 1 gallon per acre. Do not apply more than one application per year.

Do not mow turf and weeds until all evidence of growth retardant has disappeared. Early mowing will greatly reduce the effectiveness of growth retardant treatment.

TREES, SHRUBS, VINES

USES: MAINTAIN® CF 125, applied to the foliage, effectively retards the growth of most trees, shrubs, and vines.

WHERE TO USE: On trees, shrubs, and vines growing under utility lines, as screens or ground cover and adjacent to highways, in hedge rows and parks.

WHEN TO USE: A foliage spray should be made after a flush of growth or after pruning and the new leaves have fully developed so that the plant is in the desired density, size, and shape. Tender new growth may curl or twist. Flowering species treated before bud expansion may have a blossom reduction.

Applications generally maintain woody plants by inhibiting terminal growth. MAINTAIN® CF 125 will effectively retard woody plant growth for two months (on rapidly growing, and frequently trimmed hedges) to six months on vines such as Algerian Ivy and up to a year or more on deciduous hardwoods.

Gymnosperms (conifers, junipers, etc.) must be treated before buds expand in order to prevent distortion of new growth. Treatment when candles are tender often causes developing branches to droop.

RATES: On trees, shrubs, and vines, apply up to 1 gallon of MAINTAIN® CF 125 (1 pound of active ingredients) per 100 gallons of water depending on the species listed in the table below. Do not apply more than 1 gallon per acre. Do not apply more than one application per year.

RATES: 1 pint/100 gal, of water = 1 tsp./gal = 150 ppm

	pts/100 gal		pts/100 gal
Deciduous Hardwood:		Other Trees and Shrubs:	
Alder Red	2-6	Abelia	1 - 2
Ash	1	Acacia	1 - 3
Cottonwood Black	6 - 8	Bamboo Heavenly	1
Elm Siberian	1	Calliandra	$\frac{1}{2} - \frac{3}{4}$
Maple Big Leaf	8	Carolina Laurel Cherry	2
Maple Vine	8	Chilian Guava, Ugni	1
Maple Silver	4 - 8	Cotoneaster spp.	1
Willow Golden	2-6	Grape Myrtle	2
Gymnosperms:		Elaeagnus	1 - 2

Fir	1/3	Escallonia spp.	1
Juniper	$^{1}/_{3}$ - 1	Euonymus	1-2
Liquidambar (sweet gum)*	2	Hibiscus	$^{1}/_{3}-1$
Pine Austrian	$^{1}/_{3}$ - 1	Honeysuckle	$\frac{1}{2} - 1$
Pine Lodgepole	$^{1}/_{3}$ - 1	Indian Hawthorne	2
Spruce Sitka	$^{1}/_{3}$ - 1	Jasmine	1-2
Redwood	$^{1}/_{3}$ - 1	Melaleuca	1
Vines and Ground Cover:		Oleander	8
Ice Plant	4	Ornamental Citrus**	2
Ivy Algerian	8	Ornamental Olives	2
Ivy English (Hahns)	1-2	Photinia spp***	1
Kudza	6 - 8	Plumbago	1
Periwinkle	1	Privet	$\frac{1}{2} - 1$
		Pyracantha	2
		Xylosma	1

^{*} Liquidambar (sweet gum): To eliminate seed balls, spray in the late dormant period before the buds swell. Entire coverage is needed.

FOR BARK BANDING TO INHIBIT TREE GROWTH

For tree bark banding, do not apply more than 1 gallon of MAINTAIN® CF 125 (1 pound of active ingredients) per 11 gallons of spray mixture as indicated below. Do not apply more than one application per year.

PREPARING A SPRAY MIX: Add 1 gallon of MAINTAIN® CF 125 to 11 gallons of a mixture containing 70% oil carrier (such as No. 2 diesel) plus 30% toluene. The resulting spray mix will contain approximately 1% active ingredient. Frequent agitation of the mix is necessary. An emulsifier mixture containing 9 parts of Span 80**** and 1 part of Tween 80**** has been effective in stabilizing the spray mix (use 1 gallon of emulsifier mixture to each gallon of MAINTAIN® CF 125 and 10 gallons of oil).

Span 80 and Tween 80 - Trademark of ICI United States Inc.

APPLICATION OF SPRAY MIX

- Apply to trunk or scaffold branch a band width determined by multiplying the diameter of the trunk or branch and the species factor.
- Three-gallon hand carried sprayers are adequate.
- DO NOT apply to trees which have been heavily pruned (50% or more of foliage removed)
- DO NOT TREAT small or diseased trees or trees under stress.
- Pine trees must have developed a set of full new leaves and also must not be in candle stage.
- Deciduous trees must have a minimum of four or five full leaves on terminals before treatment.

Species:	Species Factor	
Abies concolor, White fir	1	
Acer saccarinium, Silver maple	1-2	
Ailanthus altissma, Tree of heaven	2	
Arbutus menziesii, Madrone	2 - 3	
Eucalyptus globulus, Blue gum	8	

^{**} Ornamental Citrus: To prevent fruit set, spray 1 to 2 months before bloom.

^{***}Photinia spp.: Spray at time of pruning only.

Eucalyptus sideroxylon, Ironbark	6
Ficus nitida, Laurel fig	4
Fraxinus spp., Ash species	2
Grevillea robusta, Silk Oak	1/4
Laurus nobillis, Sweet bay	1
Liquidamber styraciflua, Sweet gum	1
Nerium oleander, Oleander	6
Pinus canariensis, Canary Island pine	1
Pinus halapensis, Aleppo pine	1/2
Pinus radiata, Monterey pine	1
Pistacia chinensis, Chinese pistache	3
Pseudotzuga menziesii, Douglas fir	1
Quercus spp., Oak species	2 - 3
Salix Babylonica, Weeping willow	2
Schinus molle, California pepper	1/4
Schinus terebinthifolius, Brazilian pepper	1/4
Sequoia sempervirens, Coast redwood	2
Sorbus aucuparia, Mountain ash	2
Tamarix aphylla, Athel tree	2
Ulmus parvifolia, Paperbark elm	2
Ulmus pumila, Siberian elm	1
Umbellularia californica, California bay	2

IMPORTANT NOTICE - To the extent consistent with applicable law, Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.



NOV - 1 2012

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under

EPA Reg. No. 69361-6