

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

NOV 1 3 2013

Madhu Mandava, Agent for Repar Corporation c/o Mandava Associates, LLC 6860 N. Dallas Parkway, Suite 200 Plano, TX 75024

Subject:

Imida-Teb Garden SC

EPA Reg. No. 69361-19

EPA Decision Number: 483236

Your label submitted on 8/26/13 and resubmitted on 11/7/13 to incorporate

pollinator protective labeling

Dear Mr. Mandava:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act is acceptable. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. See 40 CFR 156.10(a)(6).

Under 40 CFR 152.130(d), EPA may establish dates by which all products distributed or sold by the registrant must bear revised labeling. The following paragraphs set forth the schedule for ensuring that that your product bears revised labeling within a reasonable time period.

• Any product released for shipment after 2/28/14 must bear the new label.

If these conditions are not complied with, EPA will take appropriate action against this registration. If you have any questions please contact Heather Garvie by phone at: 703-308-0034 or via email at: <a href="mailto:garvie.heather@epa.gov">garvie.heather@epa.gov</a>.

Sincerely,

Hope A. Johnson Product Manager 21 Fungicide Branch

Fungicide Branch

Registration Division (7505P)

Enclosure: Stamped label "Accepted"

### **IMIDA-TEB GARDEN SC**

ACTIVE INGREDIENT:	
Tebuconazole: alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-	
1 <i>H</i> -1,2,4-triazole-1-ethanol	0.80%
Imidacloprid	0.15%
OTHER INGREDIENTS	99.05%
TOTAL	100.00%

# KEEP OUT OF REACH OF CHILDREN CAUTION/ CUIDADO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID			
IN CASE OF ACCIDENTAL	IMMEDIATELY		
Contact with Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing the eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>		
seeking treatment medical personne	ng poison control center, have this product label accessible. If that an emergency room or doctor's office bring this label to show the state of the		

See Side Panel for Precautionary Statements

Manufactured For: Repar Corporation, P.O. Box 4321 Silver Spring, MD 20914

EPA Reg. No. 69361-19

<b>EPA</b>	Est.	No.:	

NET WEIGHT: ozs.	
Batch Code/ Lot #	

ACCEPTED

NOV 1 3 2013

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg No. 1002101-19

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **CAUTION**

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing
- Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material.
- Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco will reduce exposure.

#### **ENVIRONMENTAL HAZARDS**

- Do not apply directly to water.
- This product is highly toxic to aquatic invertebrates.
- This product is highly toxic to bees exposed to direct treatment or residues in blooming plants or weeds.
- To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PROTECTION OF POLLINATORS

APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.

Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- o Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat.
   Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx.

Pesticide incidents (for example, bee kills) should immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html. Pesticide incidents should also be reported to the National Pesticide Information Center at: <a href="www.npic.orst.edu">www.npic.orst.edu</a> or directly to EPA at: beekill@epa.gov

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



Do not apply Imida-Teb Garden SC while bees are foraging. Do not apply Imida-Teb Garden SC to plants that are flowering. Only apply after all flower petals have fallen off.

#### FOR OUTDOOR RESIDENTIAL USE ONLY

#### BEFORE YOU USE: Read and follow these directions when using:

- Do not apply near lakes, streams, rivers or ponds.
- · Do not apply to plants grown for food
- Do not treat plants grown in pots, flower boxes or other containers.
- Do not apply to soils which are water-logged or frozen
- Measuring utensils such as measuring cups and measuring spoons must not be used for any food or drinking water purposes after use with this product.

#### **HOW TO USE: Shake Well Before Use:**

- Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water (add last).
  - Single Plants

Slowly pour as close to the base of the plant as possible, being careful not to get on leaves.

- Flowerbeds:

Sprinkle over the tops of the plants and cover the entire area.

**NOTE:** The Flowerbed solution is diluted with more water than the Single Plant solution to ensure safety to plant leaves when sprinkling over the top.

 When finished, rinse the bucket/watering can with clean water and pour onto treated area.

#### **HOW MUCH TO USE:**

#### Roses

2 fl.oz. (4 TBSP) in 1 quart of water treats 1 plant

#### **Flowerbeds**

2 fl. oz. (4 TBSP) in 2 gallons of water treats 12 sq. ft.

#### Azaleas, Camellias, Rhododendrons, and Other Shrubs

1 fl. oz. (2 TBSP) in 1 quart of water per foot of plant height

#### FOR BEST RESULTS:

- Begin using this product in the spring when plants are actively growing
- Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 5 weeks for a total of 4 applications per year.
- Ensure the product gets down into the root zone by:
  - Pulling mulch away from plants to be treated.
  - Building a well around individual plants.
  - Pouring the drench solution slowly to allow the soil to absorb it.
- Keep rose, flower, and shrub beds clean.

This minimizes harborage sites for diseases and insects (for additional cultural practices, consult your County Extension Service).

#### **HOW IMIDA-TEB GARDEN SC WORKS:**

Water moves the product down into the root zone where it is taken up and moved into the plant. The entire plant, even new growth, is fed and protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.

Do Not Allow Children and Pets to Enter the Treated Area Until It Has Dried
INSECTS CONTROLLED

## Label Amendme...-Protection Of Pollinators 69361-19.20130826.ReparImidaTeb.PDF

Adelgids	Leafhoppers (including Glassy-
Aphids	winged Sharpshooters)
Black Vine Weevil Larvae	Leafminers (including Birch
Borers	Leafminers and Holly Leafminers)
Flatheaded (including Bronze	Mealybugs
Birch and Alder Borers)	Pine Tip Moth Larvae
Roundheaded (including	Psyllids .
Eucalyptus Longhorned Borers)	Royal Palm Bugs
Japanese Beetles, Adult	Sawfly Larvae
Lace Bugs	Scales (including Armored Scale
Leaf Beetles (including Elm Leaf	[suppression] and Soft Scale)
Beetles and Viburnum Leaf	Thrips
Beetles)	Whiteflies

DISEASES CONTROLLED			
Diseases	Plants		
Black Spot Powdery Mildew Rust	Roses		
Powdery Mildew Rust Southern Blight	Flowers		
Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons and Other Landscape [Ornamental] Shrubs		

**FEEDS** XX-XX-XX fertilizer for strong roots, shoots, and blooms

WHERE TO USE Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons

and other shrubs

WHEN TO USE Every 6 weeks throughout the growing season (See seasonal

limitations in Directions for Use.)

COVERAGE: Treats up to 16 roses & other shrubs or 200 square feet of

flowerbed (32 fl.oz)

Questions or comments, contact Repar Corporation.

#### STORAGE AND DISPOSAL

#### Do not contaminate water, food or feed by storage or disposal.

#### **Pesticide Storage:**

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **Container Handling:**

If empty: Non-Refillable Container. Do not refill or reuse this container.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### CONDITIONS OF SALE AND LIMITED WARRANTY:

REPAR CORPORATION warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use herein described when used in accordance with the directions for use. The Directions for Use are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of REPAR CORPORATION (REPAR) or the SELLER. To the extent consistent with applicable law, Repar Corporation shall not be liable for the consequential, special or indirect damages resulting from the handling or use of this product. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Except as expressly provided herein, Repar Corporation makes no warranties, guarantees, or representations of any kind, either express or impaired, or by usage of trade, statutory or otherwise, with regard to the product sold, including but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.