



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 18, 2021

N. Bhushan Mandava, Ph.D.
Agent for Repar Corporation
Repar Corporation
P.O.Box 4321
Silver Spring, MD 20914

Subject: Label Amendment – Update marketing claims, updated directions for use and incorporate label language
Product Name: IMIDA-TEB GARDEN SC
EPA Registration Number: 69361-19
Application Date: 01/01/2019
Decision Number: 548291

Dear Dr. Mandava:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 69361-19
Decision No. 548291

with FIFRA section 6. If you have any questions, please contact Senedu Alemu by phone at 703 305-6178, or via email at alemu.senedu@epa.gov.



Nathan Mellor, Acting Product Manager 21
Fungicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

IMIDA-TEB GARDEN SC

ACTIVE INGREDIENT:

Tebuconazole: alpha-[2-(4-chlorophenyl)ethyl]-alpha-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol.....	0.80%
Imidacloprid.....	0.15%
OTHER INGREDIENTS	<u>99.05%</u>
TOTAL	100.00%

FOR OUTDOOR RESIDENTIAL USE ONLY

GUARANTEED ANALYSIS

Total Nitrogen (N)	X%
Available Phosphate (P ₂ O ₅).....	X%
Soluble Potash (K ₂ O).....	X%

Information regarding the contents and levels of metals in this product will be provided by the registrants to States and other regulatory authorities who have jurisdiction over these ingredients.

KEEP OUT OF REACH OF CHILDREN CAUTION/ CUIDADO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(TO THE USER: If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Contact with Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing the eye. • Call a poison control center or doctor for treatment advice.
<p>Note: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office bring this label to show medical personnel. For Medical Emergency Assistance, call the National Pesticide Information Center 1-800-858-7378.</p>	


See Side Panel for Precautionary Statements

Manufactured For:
Repar Corporation,
P.O. Box 4321
Silver Spring, MD 20914

EPA Reg. No. 69361-19

EPA Est. No.: _____

NET WEIGHT: _____ ozs.
Batch Code/ Lot # _____



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and gloves made of any waterproof material. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water. This product is highly toxic to aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues in blooming plants or weeds. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PROTECTION OF POLLINATORS



APPLICATION RESTRICTIONS EXIST FOR THIS PRODUCT BECAUSE OF RISK TO BEES AND OTHER INSECT POLLINATORS. FOLLOW APPLICATION RESTRICTIONS FOUND IN THE DIRECTIONS FOR USE TO PROTECT POLLINATORS.



Look for the bee hazard icon in the Directions for Use for each application site for specific use restrictions and instructions to protect bees and other insect pollinators.

This product can kill bees and other insect pollinators.

Bees and other insect pollinators will forage on plants when they flower, shed pollen, or produce nectar.

Bees and other insect pollinators can be exposed to this pesticide from:

- Direct contact during foliar applications, or contact with residues on plant surfaces after foliar applications
- Ingestion of residues in nectar and pollen when the pesticide is applied as a seed treatment, soil, tree injection, as well as foliar applications.

When Using This Product Take Steps To:

- Minimize exposure of this product to bees and other insect pollinators when they are foraging on pollinator attractive plants around the application site.
- Minimize drift of this product on to beehives or to off-site pollinator attractive habitat. Drift of this product onto beehives or off-site to pollinator attractive habitat can result in bee kills.

Information on protecting bees and other insect pollinators may be found at the Pesticide Environmental Stewardship website at:

<http://pesticidestewardship.org/PollinatorProtection/Pages/default.aspx>.

Pesticide incidents (for example, bee kills) must immediately be reported to the state/tribal lead agency. For contact information for your state, go to: www.aapco.org/officials.html. Pesticide incidents must also be reported to the National Pesticide Information Center at: www.npic.orst.edu or directly to EPA at: beekill@epa.gov

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



DO NOT apply Imida-Teb Garden SC while bees are foraging. **DO NOT** apply Imida-Teb Garden SC to plants that are flowering. Only apply after all flower petals have fallen off.

FOR OUTDOOR RESIDENTIAL USE ONLY

BEFORE YOU USE: Read and follow these restrictions when using:

- **DO NOT** apply near lakes, streams, rivers or ponds.
- **DO NOT** apply to plants grown for food
- **DO NOT** apply to foliage or blooms. Apply only as a soil treatment
- **DO NOT** treat plants grown in pots, flower boxes or other containers.
- **DO NOT** apply to soils which are water-logged or frozen
- **DO NOT** use measuring utensils for example measuring cups and measuring spoons for any food or drinking water purposes after use with this product.
- **DO NOT** apply this product, by any application method, to linden, basswood, or other Tilia species.
- **DO NOT** apply more than 0.4lbs Imidacloprid active ingredient per acre per year.
- **DO NOT** apply more than 0.15 lbs per application.
- **DO NOT** apply more than 3 applications per year.
- **DO NOT** apply less than 6 weeks between applications.
- **DO NOT** allow people or pets into treated areas until drench solution has dried.

HOW TO USE: Shake Well Before Use:

- Fill a bucket or watering can with the appropriate amounts of concentrate (add first) and water (add last).
Slowly pour as close to the base of the plant as possible, being careful not to get on leaves.
- When finished, rinse the bucket/watering can with clean water and pour onto treated area.

HOW MUCH TO USE:

Roses

2 fl.oz. (4 TBSP) (12.3 lbs amount of active ingredients) in 1 quart of water treats 1 plant

Flowerbeds

2 fl. oz. (4 TBSP) (6.13 lbs amount of active ingredients) in 2 gallons of water treats 12 sq. ft.

Azaleas, Camellias, Rhododendrons, and Other Shrubs

1 fl. oz. (2 TBSP) (12.3 lbs of active ingredients) in 1 quart of water per foot of plant height

FOR BEST RESULTS:

- Begin using this product in the spring when plants are actively growing
- Reapply every 6 weeks for a total of 3 applications per year. In areas where disease occurs frequently and the soil is sandy, the application interval can be shortened to 4 - 5 weeks for a total of 4 applications per year.
- Ensure the product gets down into the root zone by:
 - Pulling mulch away from plants to be treated.
 - Building a well around individual plants.
 - Pouring the drench solution slowly to allow the soil to absorb it.
- Keep rose, flower, and shrub beds clean.
This minimizes harborage sites for diseases and insects (for additional cultural practices, consult your County Extension Service).

HOW IMIDA-TEB GARDEN SC WORKS:

Water moves the product down into the root zone where it is taken up and moved into the plant. The entire plant, even new growth, is fed and protected against insects and disease. Rain or watering cannot wash off this long-lasting systemic protection.

DO NOT Allow Children and Pets to Enter the Treated Area Until It Has Dried

INSECTS CONTROLLED	
Adelgids Aphids Black Vine Weevil Larvae Borers <ul style="list-style-type: none"> • Flatheaded (including Bronze Birch and Alder Borers) • Roundheaded (including Eucalyptus Longhorned Borers) Japanese Beetles, Adult Lace Bugs Leaf Beetles (including Elm Leaf Beetles and Viburnum Leaf Beetles)	Leafhoppers including (Glassy-winged Sharpshooters) Leafminers (including Birch Leafminers and Holly Leafminers) Mealybugs Pine Tip Moth Larvae Psyllids Royal Palm Bugs Sawfly Larvae Scales (including Armored Scale [suppression] and Soft Scale) Thrips Whiteflies

DISEASES CONTROLLED	
Diseases	Plants
Black Spot Powdery Mildew Rust	Roses
Powdery Mildew Rust Southern Blight	Flowers
Black Spot Powdery Mildew Rust Southern Blight	Azaleas Camellias Rhododendrons and Other Landscape [Ornamental] Shrubs

FEEDS XX-XX-XX fertilizer for strong roots, shoots, and blooms

WHERE TO USE Roses, flowers, iris, hibiscus, azaleas, camellias, rhododendrons and other shrubs

WHEN TO USE Every 6 weeks throughout the growing season (See seasonal limitations in Directions for Use.)

COVERAGE: Treats up to 16 roses & other shrubs or 200 square feet of flowerbed (32 fl.oz)

Questions or comments, contact Repair Corporation.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling:

If empty: Non-Refillable Container. **DO NOT** refill or reuse this container.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

NOTICE

Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TEBUCONAZOLE 0.8% + IMIDACLOPRID 0.15% CONCENTRATE FUNGICIDE/INSECTICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

CONDITIONS OF SALE AND LIMITED WARRANTY:

REPAR CORPORATION warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use herein described when used in accordance with the directions for use. The Directions for Use are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of REPAR CORPORATION (REPAR) or the SELLER. To the extent consistent with applicable law, Repar Corporation shall not be liable for the consequential, special or indirect damages resulting from the handling or use of this product. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Except as expressly provided herein, Repar Corporation makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage.

[Bulleted Items of Optional Marketing Claims]

- Triple Action
- No Spraying, mix and pour around base of plant
- Controls listed insects and diseases on roses, flowers and other ornamentals

- 3 Systemic Products in One
 - Fertilizer – Feeds & Renews
 - Insect Control
 - Disease Control
- Plant Nutrient – Feeds & Renews
- All-in-One Rose Care
- Total/Complete Rose and Flower Care
- Feeds and Protects Against Insects & Diseases in One Easy Step
- Protects Against listed Insects[*] & Diseases[*] for up to 6 Weeks
- Promotes Strong Roots and Beautiful Blooms
- Rainproof Protection
- Even Protects New Growth
- Easy-to-Use . . . Mix in Water and Pour Around Rose/Flower/Shrub
- One Quart Makes up to 32 Gallons of Solution
- One Quart Treats up to 16 Rose Bushes, Azaleas, Camellias, Rhododendrons, and Other Shrubs or up to 200 Square Feet of Flowerbed
- For Control of Specified Diseases on Roses, Flowers, and Shrubs
- Prevents and Stops Specified Diseases of Roses, Flowers, and Shrubs
- Controls All Specified Fungal Diseases That Harm Roses and Flowers
- Controls Specified Diseases That Harm Roses, Flowers, and Shrubs
- Rescues Roses, Flowers, and Shrubs from listed Insects [*] & Diseases [*]
- Restores Beauty to Roses, Flowers, and Shrubs
- A New Way to Feed and Protect Your Roses, Flowers, and Shrubs from Insects & Diseases
- Fertilizer-feeds and renews
- No spraying, [just] mix [in water] and pour [at plant base] [around roses, flowers, or shrubs]
- 1 application protects for up to 6 weeks
- INSECT CONTROL – [Japanese Beetles (adults)], [Aphids], and other listed pests
- DISEASE CONTROL- [Black Spot], [Powdery Mildew], [Rust], & [Southern Blight]
- [New] Bonus Size
- [New][XX oz.] Bonus Size
- Great Value- Bonus Size
- [New] XX oz Bonus Size- 25% More vs. 32 oz. Size
- 25% More vs. 32 oz Size

*listed (Note to PM: The word "listed" can appear as a footnote with the appropriate phrase, as *listed pests/insects/diseases)