69461-1

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

5-30-2002

## MAY 3 0 2002

Ana Rodriguez-Koster Agent for MAREVA, Inc. Lewis & Harrison, LLC 122 C Street, NW #740 Washington, DC 20001

Subject: Notification per PR Notice 98-10 Revacil EPA Registration No. 69461-1 Application Dated: May 7, 2002

Dear Ms. Ana Rodriguez-Koster:

This letter acknowledges receipt of your notification, submitted in connection with registration under FIFRA 3(c)9 and PR Notice 98-10.

# **Proposed Notification**

- Addition of marketing language
- Addition of consumer access number
- Revision of warranty statement

## **General Comments**

Based on a review of submitted material, the following comment applies:

The application for notification is acceptable and has been made a part of the records for this file.

Should you have any questions regarding this letter, please contact me at 703-308-6422.

Sincerely.

Adam Heyward Product Manager 34 Regulatory Management Branch II

			CONCURRENC	<b>M</b> ntimicrobia	Is Division (	7510 C)
SYMBOL	7.510C					
SURNAME	Shay					
DATE	5:30-01					
		· · · ·		_		

					2	
	before completing form. United States Environmental Protectio Washington, DC 20	on Agenc	C Regist	ration	OPP Identifier Number 265394	
	Applicati	on for Pe	sticide - Sectior	٦l		
1. Company/Product Number 69461-1		2. EPA Adam H	Product Manager eyward		3. Proposed Classification	
4. Company/Product (Name) Revacil		PM# Team 34			None Restricted	
5. Name and Address of Applicar MAREVA, Inc. 604 A Greentree Road Chesapeake, VA 23320	ORRESPONDENCE TO STED BELOW	6. Exp (b)(l), 1 to: EPA R	edited Review. Ir	ar or identica	with FIFRA Section 3(c)(3) I in composition and labeling	
		Section	on - ll			
Notification - Explain below	to Agency letter dated	(For Sect	Me Too" Applic	ation pelow	D Agency letter dated	
	NOTIFICATION OF MIN	ORIABEL	RHANCES DERER	NOTIOE985	IG	
	to enforcement action and penalt	ies under sec	tions 12 and 14 of FIFR. $5/7$		46, this product may be in violation c	
,		Sectio	on - III			
Material This Product Will Be Child-Resistant Packaging     Yes*     No     'Certification must	Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Pack	No. per container	2. Type of Container  Metal  Plastic  Glass Paper	
be submitted 3. Location of Net Contents Info		Potoil Contain		5 Location	Other (Specify)	
	Container	On Lab				
6. Manner in Which Label is Aff	ixed to Product Lithog Paper	glued	Other:			
		Sectio	n - IV			
1. Contact Point (Complete item	s directly below for identification o	f individual to	be contacted, if necessa	ary, to process th	is application)	
Jame Ana Rodriguez-Koster, Lewis & 22 C Street, NW #740, WDC 20		e gent for MAI	REVA, Inc.		Telephone No. (Include Area Code) (202) 393-3903 x.17	
	Certificati e made on this form and all attach false or misleading statement may	ments thereto			6. Date Application Received <b>(Stamped)</b>	
2. Signature		3. Title Agent for MAREVA, Inc.				
4. Typed Name Ana Rodrigue		5. Date 5/2/02			_	

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete

۸

# REVACIL

[SWIMMING POOL] [SPA] [AND] [HOT TUB] [SANITIZER] [AND] [ALGISTAT] [Do not use in freestanding [spas][hot tubs].]

[Do not use in unpainted plaster pools previously exposed to metals which may cause staining (See current "pool [care] [owner's] guide" for specific information] [Chlorine Free]

[1-877-REVACIL]

#### **Active Ingredient:**

Poly	
(iminoimidocarbonyliminoimido-	
carbonyliminohexamethylene hydrochloride	20.0%
Inert Ingredients:	80.0%

# **KEEP OUT OF REACH OF CHILDREN**

# WARNING

See [Side] [Back] Panel for [Additional] [Precautions] [Precautionary Statements] and First Aid [Treatment]

Net Contents:

MAREVA, Inc. 604A Greentree Road Chesapeake, VA 23320 USA EPA Reg. No. 69461-1 EPA Est. No. 69461-FRA-1

[Product of France] [Made in France]

[Member of National Spa & Pool Institute logo]

#### PRECAUTIONARY STATEMENTS HAZAI TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Harmful if swallowed. Do not get concentrate in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or mist. Wash thoroughly with soap and water after handling. Wear goggles or shield when handling concentrate. Keep container closed.

(Note to Reviewer: Boxed format or bullets may be used in First Aid Section if label space permits.)

	FIRST AID
IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Avoid alcohol.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
IF INHALED:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

(If container size is 5 gallons or greater, use the following statement:) ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a national Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of EPA.

(If container size is less than 5 gallons, use the following statement:) ENVIRONMENTAL HAZARDS

This product is toxic to fish.



[This product] [REVACIL] [sanitizer] is registered as a swimming pool, spa and hot tub sanitizer, not as a disinfectant.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### [Treating the pool Pools Previously Treated with Chlorinating Chemicals

Important – REVACIL [sanitizer] is incompatible with chlorinating chemical products. Consult your authorized [Dealer of REVACIL] [REVACIL Dealer] for information on balancing your pool water.

Check with chlorine test kit for free and combined chlorine prior to the beginning of neutralization. To destroy chlorine, add STOP CHLORE chlorine neutralizer per label directions. Filter overnight.

Check with chlorine test kit. If free chlorine is detected, repeat neutralizer treatment.

(Note to reviewer: Directions may be lettered or numbered on final printed labeling.)

**Freshly Filled and Dechlorinated Pools** 

#### Start up with REVACIL [sanitizer]

Note: If the pool water contains algae or is hazy, consult the problem-solving section of the "Pool [Owner's] [Care] Guide," available from your authorized [Dealer of REVACIL] [REVACIL Dealer].

\* Backwash or clean pool filter. Check pool pH; adjust to 7,0 - 7,8 if necessary.

\* Add REVACIL [sanitizer] to give a content of 50 ppm (1/2 gallon product/10,000 gallons of [pool] water).

\* After 24 hours, check pH and REVACIL [sanitizer] concentration with the test kit for REVACIL [sanitizer] and adjust if necessary

#### Normal Pool Routine

\* Every week, check REVACIL [sanitizer] concentration and pH.

\* Maintain REVACIL [sanitizer] concentration at about 50 ppm. If concentration falls 10 ppm or more, add a top-up dose. The level should not be allowed to drop below 30 ppm. For example, to raise the REVACIL [sanitizer] level 10ppm, add 1 pint per 10,000 gallons of [pool] water. Consult the booklet, "The Pool [Owner's] [Care] Guide for REVACIL [sanitizer]," for calculation instructions.

NOTE: REVACIL [sanifizer] AND CHLORINE ARE INCOMPATIBLE.

Refer to the Pool [Owner's] [Care] Guide for REVACIL [sanitizer] for information on how to deal with accidental chlorination.

REVACIL®, REVATOP®, STOP CHLORE®, and STOP METAL® are trademarks of Mareva, Inc.

#### Problem-Solving and Supplemental Pool Information.

Do not use in free ( nding spas/hot tubs. Do not use in unpainted plaster pools previously exposed to metals which may cause staining.

REVACIL [sanitizer] is not compatible with many detergents and some supplemental algaecides (such as those based on copper).

If algae development, cloudiness, or pool problems occur or additional information on water quality is desired, consult "The Pool [Owner's] [Care] Guide for REVACIL," available from your [Authorized Dealer of REVACIL [sanitizer]] [REVACIL [sanitizer] Authorized Dealer].]

#### [Treating the spa or hot tub

Important - REVACIL [sanitizer] is incompatible with chlorinating [and] [or] brominating chemical products.

(Note to reviewer: Directions may be lettered or numbered on final printed labeling.)

#### Start up with REVACIL [sanitizer]

- \* Remove chlorine or bromine source and disconnect feeder. Discontinue use of ionizers and electrochlorinators if present.
- \* Drain existing water in spa.
- \* Clean spa/hot tub with water.
- \* Fill spa/hot tub surface with water.
- \* Bring a sample of [spa] [hot tub] water to your [REVACIL [sanitizer] Authorized dealer] [Authorized Dealer of Revacil [sanitizer]] to check it for proper water balance.
- \* After your [spa] [hot tub] water has been balanced, add REVACIL [sanitizer] to give a concentration of 50 ppm. (1 oz. of product for 150 gallon of [spa] [hot tub] water)
- \* Circulate for 30 minutes then check the REVACIL [sanitizer] level. Adjust if necessary.

#### Spa/Hot Tub Maintenance

- \* Every week, check REVACIL [sanitizer] concentration and pH. Adjust if necessary.
- \* The [level of] REVACIL [sanitizer] [level] should be maintained between 30 and 50 ppm.
- \* The REVACIL level should never drop below 30 ppm.
- \* To raise the sanitizer level 10 ppm, add 0.2 oz. per 150 gal. of water.

#### STORAGE AND DISPOSAL

(Bulk/Non-Residential Label:)

Do not contaminate water, food or feed by storage and disposal.

**Pesticide storage:** Keep container closed when not in use. Store in original container in an area inaccessible to children. Protect from freezing. In case of a leak or spill, soak up with absorbent, such as sand earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with pesticide disposal instructions.

**Pesticide disposal:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional Office for guidance.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### (Residential/Small Container Label:)

[Pesticide] Storage: Keep container closed when not in use. Store in original container in an area inaccessible to children. Protect from freezing. In case of a leak or spill, soak up with absorbent, such as sand earth, or sawdust, and shovel into waste container. Remove waste to chemical waste area, and dispose of in accordance with pesticide disposal instructions.

**[Pesticide] Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

#### NOTICE TO BUYER [AND USER] [- LIMITED WARRANTY FROM MAREVA INC.(N. JONAS AI( 20., INC.)<sup>1</sup>]

Mareva, Inc. (N. Jonas and Co., Inc.) warrants that this product conforms to the chemical description on the label and that it is reasonably fit for the purposes stated on the label when used in accordance with Mareva's (N. Jonas and Co., Inc.'s) directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Mareva (N. Jonas and Co., Inc.), and you as buyer or user assume the risk of any such use. Mareva (N. Jonas and Co., Inc.) will replace the product or refund the purchase price at your option should this warranty be breached within one year of sale. THE DURATION OF ANY IMPLIED WARRANTIES UNDER APPLICABLE STATE LAWS SHALL LIKEWISE BE LIMITED TO A PERIOD OF ONE YEAR.

Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you.

IN NO EVENT SHALL MAREVA (N. JONAS AND CO., INC.) BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ON ANY THEORY WHATSOEVER, INCLUDING NEGLIGENCE, and no person is authorized to alter the terms of Mareva's (N. Jonas and Co., Inc.'s) warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

For warranty assistance, write Business Manager, [product name] [REVACIL] (BIGUAN), Mareva, Inc. (N. Jonas and Co., Inc.), Chesapeake, VA 23320 (4520 Adams Circle; Bensalem, PA 19020) or contact your [product name] [REVACIL] (BIGUAN) authorized dealer. This warranty gives you specific legal rights, and you may have other rights that vary from state to state.

YOUR AUTHORIZED DEALER GIVES NO WARRANTY IN ADDITION TO MAREVA'S (N. JONAS AND CO., INC.'S) [WARRANTY] [WARRANTIES] AND DISCLAIMS ALL OTHER WARRANTIES INCLUDING THOSE OF FITNESS OR MERCHANTABILITY.

I 1() Parenthesis denotes alternate text for distributor labels. *N.Jonas & Co., Inc.* is used solely for illustrative purposes. Additional distributor names may be substituted for Jonas.