

69470-19

1/3

September 9, 2002

Robert Rosenwasser
Manager, Regulatory Affairs
Clearon Corporation
2115 Linwood Avenue
Fort Lee, NJ 07024

Subject: CDB-90 Industrial Water Biocide 7 Ounce Tablets
EPA Registration Number 69470-19
Amendment Dated: June 24, 2002
Receipt Date: June 26, 2002

Dear Mr. Rosenwasser:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended to add new directions for use statements, is acceptable subject to the comment listed below.

You must place the "Reentry Language" after the **For Start Up Of Newly Filled Pools & For Superchlorination** directions for use sections.

"Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine due to risk of bodily injury."

A stamped copy of your labeling is enclosed for your records. Submit one copy of the final printed label prior to release of the product for shipment.

If you have any questions concerning this letter, please contact Wanda Mitchell at (703) 308-6345.

Sincerely,



Robert S. Brennis
Product Manager - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL	7510C						
SURNAME	Mitchell						
DATE	9-9-02						

CDB®-90 INDUSTRIAL WATER BIOCIDES 7 OUNCE TABLETS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER
CORROSIVE
CAUSES IRREVERSIBLE EYE DAMAGE OR SKIN BURNS
MAY BE FATAL IF INHALED
MAY BE FATAL IF ABSORBED THROUGH SKIN

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide, registered under EPA Reg. No. 67470-19

Active Ingredient: Trichloro-s-triazinetriene: 99%
Inert Ingredients: 1%
Total: 100%
Available Chlorine: 90%

KEEP OUT OF REACH OF CHILDREN
DANGER
SEE PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION BELOW

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks and all sources of heat. Avoid contact with organic material.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

FOR SWIMMING POOL DISINFECTANT

When used as directed, this product is effective as a swimming pool water disinfectant. The dosage necessary for your pool will change considerably depending upon those factors that burden the disinfection system. Some of the factors that will vary the required dosages are water temperature, bather load, exposure to windblown debris, thunder or rain storms and length of filtration cycle

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Add stabilizer to establish a minimum level of 30-40 ppm to reduce degradative effects of sunlight upon the chlorine residual. Check for metals. Before using this product, add stain and scale inhibitor to prevent staining of pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

REENTRY

Reentry into treated swimming pools is prohibited above levels of 3ppm of chlorine due to risk of bodily injury.

FOR START UP

Before using this and operating pool, 7.6 using suitable the water to a reading. To initially achieve 1,000 gallons of or as needed to

DIRECTIONS FOR

With pump running every week into into a skimmer b residual of 1-3 p a test kit. Regular necessary to add 1-3 ppm available is recommended weekly basis.

HOW TO CALCULATE

SHAPE OF POOL

Rectangular

Circular

Oval with straight

Irregular

FOR SUPERCHLORINATION

The pool water: seven days or above 0.5 ppm between total a test kit. Add a product directly available chlorine readings. If the ppm (mg/L), re For example, the triazinetrione p 1,000 liters) w available chlorine below 0.5 ppm to its normal c above.

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<p align="center">NOTE TO PHYSICIAN</p> <p align="center">*Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.*</p>	

Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

ACCEPTED FOR COMMERCIAL DISTRIBUTION
EPA Letter # 67470-19
SEP - 9 1982

**FOR USE IN INDUSTRIAL RECIRCULATING
WATER COOLING TOWERS, AIR WASHERS &
EVAPORATIVE CONDENSERS:**

NET WT. _____

Made in U.S.A. Printed in U.S.A. 12/01 CLR04/02

CDB® is a registered trademark of Clearon Corp.

Treatment with this product is an effective way to control the growth of bacteria and algae in industrial recirculating water cooling towers, air washers and evaporative condensers. 1. Badly fouled systems should be cleaned prior to initiating treatment. 2. Initial Dosage - When the system is just noticeably fouled, add 8 oz. of this product per 10,000 gallons of water contained in the system. Repeat this dosage, if necessary, until free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit). 3. Maintenance Dosage - To obtain a FAC of 0.5 - 1.0 ppm, add 0.8-1.6 oz. of this product per 10,000 gallons of water daily or as needed. 4. This product should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand and flow rate will affect the dissolution rate. Warmer seasons may require an upward adjustment of the FAC.

Air Washers For use only in industrial air washer systems that maintain effective mist eliminating components. Hypochlorite controls slime-forming bacteria and fungi in air washer systems. This product may be added to the system either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend on the severity of the problem. **BADLY FOULED SYSTEMS** should be cleaned prior to initiating treatment.

1. Initial Dosage - When the system is just noticeably fouled, add 0.4-0.5 lbs. of this product per 10,000 gallons of water contained in the system. Repeat this dosage, if necessary, until a free available chlorine level (FAC) of 0.5-1.0 ppm is obtained (as determined by use of a reliable test kit). 2. Maintenance Dosage - To maintain a FAC of 0.5-1.0 ppm, add 0.8-1.6 oz. of this product per 10,000 gallons of water, daily or as needed. 3. This product should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand and flow rate will affect the dissolution rate. Warmer seasons may require an upward adjustment of the FAC.

EPA REG. NO. 69470-19
EPA EST. NO. 69470-WV-2

CLEARON CORP.
95 MacCORKLE AVENUE, SW
SOUTH CHARLESTON, WV 25303-
1411

W/W