

November 14, 2002

Robert Rosenwasser
 Manager, Regulatory Affairs
 Clearon Corporation
 2115 Linwood Avenue
 Fort Lee, NJ 07024

Subject: Clearon Chlorinating Sticks
 EPA Registration Number 69470-27
 Amendment Dated: 8/27/02
 Receipt Date: 8/29/02

Dear Mr. Rosenwasser:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below.

- Add "Maintenance Treatment" "Superchlorination" and "Start Up of Newly Filled Pools" directions for use

Condition

You must place the "Reentry Language" after the **For Start Up Of Newly Filled Pools & For Superchlorination** directions for use sections.

"Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine due to risk of bodily injury."

A stamped copy of the labeling accepted with the condition is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

CONCURRENCES							
SYMBOL	7510 C						
SURNAME	Mitchell						
DATE	11-14-02						

Should you have any questions or comments concerning this letter, please contact Wanda Mitchell at (703) 308-6345.

Sincerely,

A handwritten signature in black ink, appearing to read 'R. Brennis', written in a cursive style.

*Robert S. Brennis
Product Manager - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)*



CLEARON® CHLORINATING STICKS

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

Active Ingredient:

- Trichloro-s-triazinetrons: 99%
- Inert Ingredients: 1%
- Total: 100%
- Available Chlorine: 90%

DANGER

**CORROSIVE
CAUSES IRREVERSIBLE EYE DAMAGE
AND SKIN BURNS
MAY BE FATAL IF INHALED OR
ABSORBED THROUGH SKIN**

Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flammable or burning material such as a lit cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstable chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING: In case of contamination or decomposition do not reuse container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

**KEEP OUT OF REACH OF CHILDREN
DANGER**

**SEE PRECAUTIONARY STATEMENTS AND
FIRST AID INFORMATION
BELOW**

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	<ul style="list-style-type: none"> Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p> <p>NOTE TO PHYSICIAN *Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.*</p>	

CLEARON CORP.
95 MACCORKLE AVENUE, SW
SOUTH CHARLESTON, WV 25303-1411

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks and all sources of heat. Avoid contact with organic material.

HAZARDOUS DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning, if burned, stay out of smoke.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label.

FOR SWIMMING POOL DISINFECTANT

When used as directed, this product is effective as a swimming pool water disinfectant. The dosage necessary for your pool will change considerably depending upon those factors that burden the disinfection system. Some of the factors that will vary the required dosages are water temperature, bather load, exposure to windblown debris, thunder or rain storms and length of filtration cycle.

FOR START UP OF NEWLY FILLED POOLS

Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading. To initially achieve 1-3 ppm available chlorine, add 1.25 oz. product per 1,000 gallons of water. Add 1/2 oz. product per 1,000 gallons of water daily or as needed to maintain that level.

DIRECTIONS FOR USE

Ensure all pool equipment is working properly. Backwash the filter system following manufacturer's directions. Adjust pH to between 7.2-7.6. Add stabilizer which a minimum level of 30-40 ppm to reduce degradation effects of sunlight upon the chlorine residual. Check for metals. Before using this product, add stain and scale inhibitor to prevent staining of

pool surface due to metals. When using other products as outlined in the directions for this product, always follow directions on those products.

With pump running, place one (1) swimmer stick per 10,000 gallons pool water every week into a suitable feeder or directly into a stick swimmer basket. Repeat additions until a residual of 1-3 ppm chlorine is established as determined by the use of a test kit. Regular use of a test kit is necessary to determine when it is necessary to add another dose of this product to maintain a residual of 1-3 ppm available chlorine in the pool water. After use of this product it is recommended that a preventative algae treatment be added on a weekly basis.

FOR SUPERCHLORINATION

The pool water should be superchlorinated or shocked every seven days or whenever the combined chlorine level is above 0.6 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit.

Add a sufficient amount of an appropriate shock product directly to the surface of circulating water to raise the available chlorine level to 5-6 ppm (mg/L), based on test kit readings. If the combined chlorine reading is not below 0.5 ppm (mg/L), repeat the shock treatment described above. For example, the addition of 10 ounces of sodium dichloro-s-triazinetrons per 10,000 gallons of water (7.5 grams per 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine. If the combined chlorine reading is not below 0.5 ppm (mg/L), and the water has not been returned to its normal clarity, repeat the shock treatment described above.

HOW TO CALCULATE POOL CAPACITY

SHAPE OF POOL	GAL. OF WATER (Dimensions in feet)
Rectangular	Average depth X average length X average width X 7.5
Circular	Diameter X diameter X average depth X 6.9
Oval with straight sides	Full length X full length X average depth X 5.7
Irregular	Longest pool building length X widest pool building width X 4.2

REENTRY

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine due to risk of respiratory injury.

Made in U.S.A. Printed in U.S.A. 1201 CLR802

NET WT.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 69470-27