

69470-30

4-19-2002

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

69470-30

Date of Issuance:

APR 19 2002

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

CDB Clearon® 14 Gram Tablets

Name and Address of Registrant (include ZIP Code):

Clearon Corporation
2115 Linwood Avenue
Fort Lee, NJ 07024

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following changes before you release the product for shipment:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 69470-30".
- b. Under the product name add a (s) to the word tablet.

3. Submit two copies of the revised final printed label for the record.

4. You must submit a new confidential statement of formula. It needs to indicate the percentage of the active ingredient, including the upper and lower limits. You may do this by placing the percentages in brackets in each of the appropriate boxes under the percentages you have indicated for your product in (boxes 13a, 14a and 14b of form 8670-4).

Page 1 of 2

Signature of Approving Official:

Robert S. Brennis, PM 32


Date:

APR 19 2002

Page 2 of 2
EPA Reg. No. 69470-30

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

A handwritten signature in black ink, appearing to be "J. H. [unclear]", is written in a cursive style.

CDB CLEARON® 14 GRAM TABLET

APR 19 2002

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

**DANGER
CORROSIVE**

**CAUSES IRREVERSIBLE EYE DAMAGE
MAY BE FATAL IF INHALED
HARMFUL IF SWALLOWED OR ABSORBED
THROUGH SKIN**

Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

EMERGENCY HANDLING: In case of contamination or decomposition do not reseal container. If possible, isolate container in open well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed.

Active Ingredient:

Sodium Dichloro-s-Triazinetrione
Hydrated 99%
Inert Ingredients: 1%
Total: 100%
Available Chlorine: 55.5%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE PRECAUTIONARY STATEMENTS AND
FIRST AID INFORMATION
BELOW

FIRST AID	
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If on skin clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
<p>NOTE TO PHYSICIAN "Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage."</p>	

STORAGE AND HANDLING (continued): Oxidizing material. Keep away from flames, sparks and other sources of heat. Avoid contact with organic materials.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

FOR SWIMMING POOL DISINFECTANT: When used as directed, this product is effective as a swimming pool water disinfectant.

DIRECTIONS FOR USE
This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions. Re-entry into treated swimming pools is prohibited above levels of 3 ppm chlorine.

START-UP: Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L) based on the test kit reading.

Add a sufficient amount of this product to a floating dispenser, automatic chlorinator or feeder designed for this product to raise the free available chlorine level in the water to 5-6 ppm (mg/L), based on reading from a suitable test kit. The addition of 20 tablets of this product per 10,000 gallons of water. (7.5 grams per 1,000 liters) will provide approximately 5 ppm (mg/L) of available chlorine:

SHOCK TREATMENT: The pool water should be superchlorinated or shocked every seven days or whenever the combined chlorine level is above 0.5 ppm (mg/L). Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit.

Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5-6

ppm (mg/L). of this produ (mg/L) will chlorine. If th the water ha shock treat 64 70-30 Do not ente 3ppm (mg/L) water is rest MAINTENAN needed to m ppm (mg/L) tablets of thi 1,000 liters) chlorine). If (mg/L) and t repeat the st

When the tot whenever th should be dr

WINTERIZIN
water is still each 10,000 filtration sys chlorine by heater, filter manufacture

DIRECTION
It is a violat inconsistent

FOR SPA A
This product hot tubs. Th destroying a

START-UP:
filtration sys the water to a minimum reliable test water tempe

Add a suffi raise the fre on suitable product per increase the

SHOCK TF
superchlorir product dire

level to 5-6 ppm (mg/L) based on test kit readings. The addition of 2 tablets of this product per 1,000 gallons (0.75 grams per 100 liter) of water will increase the available chlorine by 5 ppm (mg/L). If combined chlorine reading is not below 0.5 ppm (mg/L) and the water has not been restored to its normal clarity, repeat shock treatment described above. Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit.

MAINTENANCE TREATMENT: Add this product daily or as needed to maintain the free available chlorine level in the water at 3-5 ppm (mg/L) as indicated by a suitable test kit. The addition of 1 tablet of this product per 1,000 gallons of water (0.38 grams per 100 liters) will increase the available chlorine by 2.5 ppm (mg/L). Weather and usage effect sanitizer levels. In addition, some oils lotions, fragrances, cleaners etc. may cause foaming or cloudy water as well as reduce the efficiency of this product. Maintain the pH at 7.2-7.6 and alkalinity at a minimum of 125 ppm (mg/L).

DIRECTIONS FOR USE

This product may be used on food contact surfaces in accordance with 21CFR 178.1010 of the Federal Food Drug and Cosmetic Act.

SOLUTION PREPARATION: Prepare a 100 ppm (mg/L) sanitizing solution by thoroughly mixing 1 tablet of this product with 25 gallons of water (0.15 gram per liter). Solution containing an initial concentration of 100 ppm (mg/L) available chlorine must be tested with a suitable chlorine test kit and adjusted periodically to insure the available chlorine level drop below 50 ppm (mg/L) either discard the solution and add 1 tablet of this product per 50 gallons of water (75 milligrams per liter) to increase the available chlorine level 50 ppm (mg/L) and maintain the 100 ppm (mg/L) solution strength.

SANITIZATION OF NON-POROUS FOOD CONTACT SURFACES:

This product is recommended for use in poultry houses, egg handling equipment, dairy farm milk handling facilities/equipment, dairy farm milking equipment, household/domestic dwelling indoor food handling areas, food processing plant premises and equipment (food and non food contact, dairies/cheese processing plant premises and equipment (food and non-food contact), meat processing plant premises and equipment (food and non-food contact), poultry processing plant premises and equipment (food and non-food contact), eating establishments, eating establishment equipment/utensils (food contact), milk shake machines, soft serve ice cream machines.

RINSE OR SPRAY METHOD: Clean equipment surfaces in the normal manner and rinse with potable water. It may be necessary to remove gross filth and heavy soil from surfaces by a pre-scrape, pre-flush, and where necessary, a pre-soak treatment. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for 2 to 5 minutes. Do not rinse equipment with water after treatment.

The same solution may be used in feed tanks of spray type machines providing at least one minute contact time to sanitize equipment

IMMERSION METHOD: Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for 2 to 5 minutes and allow the sanitizer to drain. Do not rinse equipment with water after treatment.

EGG WASHING:

This product is recommended for use in commercial egg washing treatments and hatching egg washing treatments.

The eggs should be washed in a continuous operation and shall be completed as rapidly as possible. The eggs shall not be allowed to stand or soak in water. Immersion-type washer shall not be used. After washing, the eggs shall be spray rinsed with the sanitizing solution. At intervals during use, this product should be added to the circulating spray rinse solution to maintain 100 ppm (mg/L) available chlorine.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING WATER SYSTEMS:

This product is intended for the control of bacteria, fungi and algae in the following aquatic sites: Air Washer, Water Systems, Commercial/Industrial Water Cooling Systems, Evaporative Condenser Water Systems, Heat Exchange Water Systems, Lagoons (Without Human or Wildlife Use) Industrial Scrubbing Systems.

This product may be added to the system by direct placement into the water at a point where the product will be uniformly mixed with water. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatments begins.

INTERMITTENT OR SLUG METHOD:

Initial Dose When the system is noticeably fouled, add this product at the rate of 5 to 25 tablets per 1000 gallons (18 to 90 grams per 1000 liters) in the system to achieve 0.5-10 ppm (mg/L) available chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 1 to 5 tablets per 1000 gallons (3.6 to 18 grams per liter) in the system to achieve 0.5-1 ppm (mg/L) available chlorine, as measured by a suitable test kit. Repeat periodically as needed to maintain control.

CONTINUOUS FEED METHOD:

Initial Dose: when the system is noticeably fouled, add this product at the rate of 5 to 25 tablets per 1000 gallons (18 to gram per 1000 liters) in the system to achieve 0.5-10 ppm (mg/L) available chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 1 to 5 tablets per 1000 gallons (3.6 to 18

grams per liter) in the system to achieve 0.5-1 ppm (mg/L) available chlorine, as measured by a suitable test kit. Repeat periodically as needed to maintain control.

EPA Reg. No. 69470-GN
EPA Est. No. 69470-WV-2

Clearon Corporation
2115 Linwood Avenue
Fort Lee, NJ 07024
(201) 242-6590

IN CASE OF EMERGENCY, CONTACT
CHEMTREC (800) 424-9300

NET WT. _____ LBS.

CLR3/02

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR 19 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

69470-30

h/7