

69470-30

6/24/2014

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

Levi Howell  
c/o Clearon Corporation  
95 MacCorkle Avenue, S.W.  
South Charleston, WV 25303

JUN 24 2014

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Subject: CDB® CLEARON 14 GRAM TABLETS  
EPA Registration No. 69470-30  
Application Dated: February 27, 2014  
Receipt Dated: March 5, 2014

Dear Mr. Howell:

This acknowledges the receipt of your Amendment application dated February 27, 2014 in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) Section 3(c)(5), as amended.

**Submission and Proposed Changes**

To amend the Precautionary Statement, to revise the dilution and concentration values throughout the label under the Directions for Use in order to provide a simpler use directions to users by providing the proper calculated chlorine concentration and dilution values. The original proposed label dated 02/27/2014 (pin punch 02/28/14) was updated on May 16, 2014 (pin punch 5/19/14).

Based on the submitted materials, the latest amended label noted above dated May 16, 2014 (pin punch 5/19 /14) is **acceptable**.

**A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.**

This latest amended label and a copy of this letter have been inserted in your file for future reference.

If you have any questions or comments concerning this letter, please contact David Liem at [liem.david@epa.gov](mailto:liem.david@epa.gov) or call (703) 305-1284.

Sincerely,



Demson Fuller  
Product Manager - Team 32  
Regulatory Management Branch II  
Antimicrobials Division (7510P)

**Encl:** Accepted Stamped label

{All text in brackets [xxx] is optional and may or may not be intended on a final label.}  
{All text in braces {xxx} is administrative and will not appear on a final label.}

# CDB® CLEARON 14 GRAM TABLETS

{Optional marketing statements. May or may not appear on the market label.}

[Chlorinated Sanitizer Tablet]

[14 gram Tablet is equivalent to 0.5 oz. of product]

Active Ingredient:

Dichloro-s-triazinetrione, hydrated .....	99%
Other Ingredients:.....	1%
Total:.....	100%
Available Chlorine:.....	55.5%

KEEP OUT OF REACH OF CHILDREN

## DANGER

FIRST AID	
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>• Call a poison control center, or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center, or doctor, or when going for treatment.	
YOU MAY ALSO CONTACT [1-800-420-9236] FOR EMERGENCY MEDICAL TREATMENT INFORMATION.	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

See [back] [side] panel[s] for additional precautionary statements [and first aid].

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## DANGER

**CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE.**

**MAY BE FATAL IF INHALED.**


**HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.**

Do not breathe dust or spray mist. Irritating to nose and throat. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles or face shield), protective clothing, and chemical-resistant gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS:

{For end-use products packaged in containers with sizes of less than 50 pounds.}

[This product is toxic to fish and aquatic organisms.]



{For end-use products packaged in containers with sizes of greater than or equal to 50 pounds.} [This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.]

**PHYSICAL OR CHEMICAL HAZARDS**

**STRONG OXIDIZING AGENT.** Do not mix with other chemicals. Mix with water only. Use only clean dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g., calcium hypochlorite). Such use may cause fire or explosion.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

{Added when labeled for food use sites only.}

[This product may be used on food contact surfaces in accordance with 21 CFR 178.1010 of the Federal Food Drug and Cosmetic Act.]

**[FOR SWIMMING POOL DISINFECTANT:]**

[When used as directed, this product is effective as a swimming pool water disinfectant. This product is intended for use in controlling bacteria and algae in swimming pools. This product should be added directly to the surface of circulating water according to the directions.

Re-entry into treated swimming pools is prohibited above levels of 3 ppm chlorine.]

**[START-UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2 – 7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm, based on the test kit reading.

Add a sufficient amount of this product to a floating dispenser, automatic chlorinator, or feeder designed for this product to raise the free available chlorine level in the water to 5 – 6 ppm, based on reading from a suitable test kit. The addition of [24 tablets] [12 oz. of this product] per 10,000 gallons of water will provide approximately 5 ppm of available chlorine.]

**[SHOCK TREATMENT:** The pool water should be super-chlorinated or shocked every seven days or whenever the combined chlorine level is above 0.5 ppm. Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit.

Add a sufficient amount of this product directly to the surface of circulating water to raise the available chlorine level to 5 – 6 ppm, based on test kit readings. The addition of [24 tablets] [12 oz. of this product] per 10,000 gallons of water will provide approximately 5 ppm of available chlorine. If combined chlorine is not below 0.5 ppm and the water has not been restored to its normal clarity, repeat the shock treatment described above. Do not enter water until free available chlorine reading is below 3 ppm, combined chlorine is below 0.5 ppm, and the water is restored to its normal clarity.]

**[MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain free available chlorine level in the water at 1 – 3 ppm as indicated by a reliable test kit. The addition of [5 tablets] [2.5 oz. of this product] per 10,000 gallons of water will provide approximately 1 ppm of available chlorine. If the combined chlorine reading is not below 0.5 ppm and the water has not been restored to its normal clarity, repeat the shock treatment described above.

When the total dissolved solid (TDS) reaches 3,000 ppm or whenever the water becomes difficult to manage, the water should be drained and fresh water added to the pool.]

**[WINTERIZING:** Thoroughly clean and vacuum the pool. While the water is still clear and clean, apply [39 tablets] [19.5 oz. of this product] for each 10,000 gallons of water, while filtration system is running. This will increase the available chlorine by 8 ppm. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.]

**[HOW TO CALCULATE POOL CAPACITY**

Shape of Pool	Gal. of Water (Dimensions in feet)
Rectangular:	Average depth x average length x average width 7.5
Circular:	Diameter x diameter x average depth x 5.9
Oval with straight sides:	Full width x full length x average depth x 6.7
Irregular:	Consult pool builder]

**[FOR SPA AND HOT TUB DISINFECTANT:]**

[This product is intended for use in controlling bacteria in spas and hot tubs. This product is also highly effective in controlling and destroying algae in outdoor spas and hot tubs.]

**[START-UP:** Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to the range of 7.2 – 7.6 and the alkalinity of the water to a minimum of 125 ppm, using suitable products and reliable test kits. For bather safety, it is not recommended that water temperatures exceed 104° F (40° C).

Add a sufficient amount of this product to a suitable feeder to raise the free chlorine level in the water to 5 – 6 ppm, based on suitable test kit readings. The addition of [2 tablets] [1 oz. of this product] per 800 gallons of water will increase the available chlorine by 5 ppm.]

**[SHOCK TREATMENT:** After each use, the water should be super-chlorinated or shocked. Add a sufficient amount of this product directly to a suitable feeder to raise the available chlorine level to 5 – 6 ppm based on test kit readings. The addition of [2 tablets] [1 oz. of this product] per 800 gallons of water will increase the available chlorine by 5 ppm. If combined chlorine reading is not below 0.5 ppm and the water has not been restored to its normal clarity, repeat the shock treatment described above. Combined chlorine is the difference between total and free chlorine, as measured by a suitable test kit.]

**[MAINTENANCE TREATMENT:** Add this product daily or as needed to maintain free available chlorine level in the water at 3 – 5 ppm as indicated by a suitable test kit. The addition of [2 tablets] [1 oz. of this product] per 1,000 gallons of water will increase the available chlorine by 4 ppm. Weather and usage affect sanitizer levels. In addition, some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well, which reduce the efficiency of this product. Maintain the pH at 7.2 – 7.6 and alkalinity at a minimum of 125 ppm.]

**[SANITIZATION OF NON-POROUS FOOD CONTACT SURFACES:]**

[This product is recommended for use in poultry houses, egg handling equipment, dairy farm milk handling facilities/equipment, milking equipment, household/domestic dwelling indoor food handling areas, food processing plant premises and equipment (food and non-food contact), dairies/cheese processing plant premises and equipment (food and non-food contact), meat processing plant premises and equipment (food and non-food contact), poultry processing plant premises and equipment (food and non-food contact), eating establishments, eating establishment equipment/utensils (food contact), milk shake machines, soft serve ice cream machines.]

**[RINSE OR SPRAY METHOD:** Clean equipment surfaces in the normal manner and rinse with potable water. It may be necessary to remove gross filth and heavy soil from surfaces by a pre-scrape, pre-flush, and where necessary, a pre-soak treatment. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for 2 – 5 minutes. Do not rinse equipment with water after treatment. The same solution may be used in feed tanks of spray type machines provided there is at least one minute contact time to sanitize equipment. See instructions below for preparing Sanitizing Solution.]

**[IMMERSION METHOD:** Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for 2 – 5 minutes and allow the sanitizer to drain. Do no rinse equipment with water after treatment. See instructions below for preparing Sanitizing Solution.]

**[EGG WASHING:**

This product is recommended for use in commercial egg washing treatments and hatching egg washing treatments. The eggs should be washed in a continuous operation and shall be completed as rapidly as possible. The eggs shall not be allowed to stand or soak in water. Immersion-type washer shall not be used. After washing, the eggs shall be spray rinsed with the sanitizing solution. At intervals during use, this product

should be added to the circulating spray rinse solution to maintain 100 ppm available chlorine. See instructions below for preparing Sanitizing Solution.]

**[SANITIZING SOLUTION PREPARATION:** Prepare a 100 ppm sanitizing solution by thoroughly mixing [1 tablet] [0.5 oz. of this product] with 20.5 gallons of water. Solution containing an initial concentration of 100 ppm available chlorine must be tested with a suitable chlorine test kit and adjusted periodically.

NOTE: To prevent the available chlorine level from dropping below 50 ppm, add [1 tablet] [0.5 oz. of this product] per 40 gallons of water to increase the available chlorine level 50 ppm and maintain the 100 ppm solution strength.]

**[DISINFECTION OF DRINKING WATER]  
[EMERGENCY][.][PUBLIC][.][AND][INDIVIDUAL][SYSTEMS]**

**[PUBLIC SYSTEM:** Feed [2 tablets] [1 oz. of this product] per 18,000 gallons for a free available chlorine residual of 0.2 ppm in the distribution system. Check water frequently with a chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Contact your local Health Department for further details.]

**[INDIVIDUAL SYSTEMS: DUG WELLS-** Upon completion of the [casing] [lining], wash the interior of the [casing] [lining], with a 100 ppm available chlorine solution using a stiff brush. This solution can be made by dissolving [2 tablets] [1 oz. of this product] into 40 gallons of water. After covering the well, pour the disinfectant solution into the well through both the pipe sleeve opening and the pipeline. Wash the exterior of the pump cylinder also with the disinfectant solution. Start pump and pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours, flush well until all traces of chlorine have been removed from the water. Contact your local Health Department for further details.]

**[INDIVIDUAL WATER SYSTEMS: DRILLED, DRIVEN & BORED WELLS-** Run pump until water is as free from turbidity as possible. Pour a 100 ppm available chlorine disinfecting solution into the well. This solution can be made by dissolving [2 tablets] [1 oz. of this product] into 40 gallons of water. Add 5 – 10 gallons of clean, chlorinated water to the well in order to force the disinfectant into the rock formation. Wash the exterior of pump cylinder with the disinfecting solution. Drop pipeline into well, start pump and pump water until strong odor of chlorine in water is noted. Stop pump and wait at least 24 hours. After 24 hours, flush well until all traces of chlorine have been removed from the water. Deep wells with high water levels may necessitate the use of special methods for introduction of the disinfectant into the well. Consult your local Health Department for further details.]

**[INDIVIDUAL WATER SYSTEMS: FLOWING ARTESIAN WELLS-** Artesian wells generally do not require disinfection. If analyses indicate persistent contamination the well should be disinfected. Consult your local Health Department for further details.]

**[EMERGENCY DISINFECTION:]**

[This product is recommended for disinfecting raw or pre-treated (settled, coagulated and/or filtered) water supplies intended for use as drinking water for humans and domestic animals.

The source of the water to be treated may be a river, lake, well, cistern or similar system. To obtain the desired disinfectant results, the water to be treated should be clear and free of dirt and organic debris. If the source of the water is cloudy and contains dirt and organic debris, the water should be held in holding tanks or ponds, treated with coagulating agents and filtered to remove the dirt and organic debris.

Dissolve [2 tablets] [1 oz. of this product] into 400 gallons of water to obtain a concentration of 10 ppm of available chlorine. Let the water stand for one hour before using. A residual of 1 ppm of available chlorine, as measured by a reliable test kit, should be maintained in the water to ensure disinfection.

Alternate Solution Preparation for Emergency Disinfection

Preparation of Stock Solution—Dissolve [30 tablets] [14.5 oz. of this product] into 10 gallons of water. The mixture will produce a 0.6% stock chlorine solution (6,000 ppm). Add 20 drops of this stock solution to each liter of water to be treated. The stock solution should be prepared fresh weekly.]

**[PUBLIC WATER SYSTEMS:]**

**[RESERVOIRS: ALGAE CONTROL-** Continuous chlorination is the most effective method for destroying algae, however, slug treatment can also be effective. Suitable chlorine feeding points should be selected on each

stream at least 50 yards upstream from the points of entry into the reservoir. Add this product at the following rates:

**Initial Dose:** When the system is noticeably fouled, add this product at the rate of [12 – 36 tablets] [6 – 18 oz.] per 50,000 gallons to achieve 0.5 – 1.5 ppm available chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

**Subsequent Dose:** When control is evident, add this product at the rate of [5 – 12 tablets] [2.5 – 6 oz.] per 50,000 gallons to maintain 0.2 – 0.5 ppm available chlorine, as measured by a suitable test kit.]

**[MAINS-** Thoroughly flush section to be disinfected by discharging from hydrants. Permit a pressurized water flow of at least 1.5 feet per minute to continue while injecting this product by means of a chlorinator. Stop water flow when a tested chlorine residual of 50 ppm is obtained at the low pressure end of the new main section after a 24 hour retention time. When chlorination is completed, the system must be flushed free of all heavily chlorinated water.]

**[NEW TANKS, BASIN, ETC.-** Remove all physical soil from surfaces. Place [18 tablets] [9 oz. of this product] for each 10 cubic feet of moving capacity (500 ppm available chlorine). Fill to working capacity and allow it to stand for at least 4 hours. Drain and flush with potable water and return to service.]

**[NEW SAND FILTER-** Apply [32 tablets] [16 oz. of this product] for each 150 – 200 cubic feet of sand. The action of the product dissolving as the water passes through the bed will aid in disinfecting the new sand.]

**[NEW WELLS-** Flush the casing with a 50 ppm available chlorine solution of water containing [12 tablets] [6 oz. of this product] for each 500 gallons of water. The solution should be pumped or fed by gravity into the well after thorough mixing with agitation. After 24 hours, flush well until all traces of chlorine have been removed from the water. It may then be pumped until a representative raw water sample is obtained. Bacterial examination of the water will indicate whether further treatment is necessary. Contact your local Health Department for further details.]

**[EXISTING EQUIPMENT-** Remove equipment from service and thoroughly clean surfaces of all physical soil. Sanitize by placing [18 tablets] [9 oz. of this product] for each 10 cubic feet capacity (500 ppm available chlorine). Fill to working capacity and let stand at least 4 hours. Drain and place in service. If the previous treatment is not practical, surfaces may be sprayed with a solution containing [12 tablets] [6 oz. of this product] for each 25 gallons of water (1000 ppm available chlorine). After drying, flush with water and return to service.]

**[EMERGENCY DISINFECTION:]**

**[AFTER FLOODS:]**

**[WELLS-** Thoroughly flush contaminated casing with 500 ppm available chlorine solution. Prepare this solution by mixing [12 tablets] [6 oz. of this product] with 50 gallons of water. Backwash the well to increase yield and reduce turbidity, adding sufficient chlorinating solution to the backwash to produce a 10 ppm available chlorine residual, as determined by a chlorine test kit. After the turbidity has been reduced and the casing has been treated, add sufficient chlorinating solution to produce a 50 ppm available chlorine residual. After 24 hours, flush well until all traces of chlorine have been removed from the water. It may then be pumped until a representative raw water sample is obtained. Bacterial examination of the water will indicate whether further treatment is necessary. Retreat well if water samples are biologically unacceptable. Contact your local Health Department for further details.]

**[RESERVOIRS-** In case of contamination by overflowing streams, establish chlorinating stations upstream of the reservoir. Chlorinate the inlet water until the entire reservoir obtains a 0.2 ppm available chlorine residual, as determined by a suitable chlorine test kit. In case of contamination from surface drainage, apply sufficient product directly to the reservoir to obtain a 0.2 ppm available chlorine residual in all parts of the reservoir.]

**[BASIN, TANKS, FLUMES, ETC.-** Thoroughly clean all equipment, then apply [18 tablets] [9 oz. of product] per 10 cu. ft. of water to obtain 500 ppm available chlorine, as determined by a suitable test kit. After 24 hours, drain, flush, and return to service. If the previous method is not suitable, spray or flush the equipment with a solution containing [12 tablets] [6 oz. of this product] for each 25 gallons of water (1000 ppm available chlorine). Allow to stand for 2 – 4 hours, flush, and return to service.]

**[FILTERS-** When the sand filter needs replacement, apply [32 tablets] [16 oz. of this product] for each 150 – 200 cubic feet of sand. When the filter is severely contaminated, additional product should be distributed over the

8/9

surface at the rate of [32 tablets] [16 oz.] per 20 sq. ft. Water should stand at a depth of 1 foot above the surface of the filter bed for 4 – 24 hours. When filter beds can be back-washed of mud and silt, apply [32 tablets] [16 oz. of this product] per each 50 sq. ft., allowing the water to stand at a depth of 1 foot above the filter sand. After 30 minutes, drain water to the level of the filter. After 4 – 6 hours drain, and proceed with normal back-washing.]

**[DISTRIBUTION SYSTEM-** Flush the repaired or replaced section with water. Establish a chlorinating station and apply sufficient product until a consistent available chlorine residual of a least 10 ppm (as measured by a chlorine test kit) remains after a 24 hour retention time.]

**[AFTER FIRES:]**

**[CROSS CONNECTIONS OR EMERGENCY CONNECTIONS-** Set up a chlorine feed system near the intake of the untreated water supply. Add [1 tablet] [0.5 oz. of this product] per 10,000 gallons of water until a chlorine residual of at least 0.2 ppm (as measured by a chlorine test kit) at the point where the untreated supply enters the regular distribution system.]

**[AFTER DROUGHT:]**

**[SUPPLEMENTARY WATER SUPPLIES-** A chlorine feed system should be set up on the supplementary water line. The product should be added at [1 tablet] [0.5 oz.] per 10,000 gallons until a minimum chlorine residual of 0.2 ppm (as measured by a chlorine test kit) is achieved. The water should be held for 20 minutes before use.]

**[WATER SHIPPED IN BY TANKS, TANK CARS, ETC.-** Thoroughly clean all containers and equipment. Spray a 500 ppm available chlorine solution and rinse with potable water after 5 minutes. This solution is made by mixing [6 tablets] [3 oz. of this product] for each 25 gallons of water. During the filling of the containers, dose with sufficient amounts of this product to provide at least a 0.2 ppm chlorine residual, as measured by a chlorine test kit.]

**[AFTER MAIN BREAKS:]**

**[MAINS—**Before assembly of the repair section, flush out mud and soil. Permit a water flow of at least 2.5 feet per minute to continue under pressure while injecting this product by means of chlorinator. Stop water flow when a chlorine residual test of 50 ppm is obtained at the low pressure end of the new main section after a 24 hour retention time. When chlorination is completed, the system must be flushed free of all heavily chlorinated water.]

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE**

Store in a dry, cool, and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks, and all sources of heat. Avoid contact with organic material.

**PESTICIDE DISPOSAL**

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING**

{Nonrefillable container – household/residential use; size: 50 pounds or less.}

[Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling, if available.]

{Nonrefillable container – single-use, non-resealable package; size: 50 pounds or more, less than 50 pounds.}

[Nonrefillable container. Do not reuse or refill this container. Rinse and discard empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling, if available.]

{Nonrefillable container – Fiber Drums with Liners; size: 50 pounds or more.}

[Nonrefillable container. Do not reuse or refill this container. Completely empty liner into application equipment by shaking and tapping sides and bottom to loosen clinging particles. If not emptied in this manner, the bag may be considered an acute hazardous waste and must be disposed of in accordance to local, state and federal regulations. When completely empty, offer for recycling, if available.]



{Nonrefillable container- non-household/residential use; size: 50 pounds or less, 50 pounds or more.}  
[Nonrefillable container. Do not reuse or refill this container. Rinse empty container thoroughly with water to dissolve all material prior to disposal. Offer for recycling, if available.]

{Refillable container- non-household/residential use; size: 50 pounds or more, 50 pounds or less.}  
[Refillable container. Refill this container with this product only. Do not use this container for any other purpose. Cleaning of this container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. Rinse empty container thoroughly with water to dissolve all material prior to disposal.]

**EMERGENCY HANDLING**

In case of contamination or decomposition do not reseal container. If possible, isolate container in open, well-ventilated area. Flood with large volumes of water. Dispose of contaminated material in an approved landfill area.


**SPILLS**

When handling or dealing with spills, use goggles with side-shields, or face shield; protective clothing, including chemical-resistant gloves and boots; use a dust respirator if dusting occurs. Sweep up dry spills and dispose of as described for pesticide disposal. If contents are contaminated or decomposing, do not reseal container; isolate unsealed container in the open or in a well-ventilated area; flood with large volumes of water, if necessary.

**[WARRANTY**

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with label directions under normal conditions of use, but to the extent consistent with applicable law, neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller; and Buyer assumes the risk of any such use.]

**Manufactured by:**  
CLEARON CORP.  
95 MacCorkle Avenue S.W.  
South Charleston, WV 25303  
{for DOMESTIC labels only:}[Tel: 1-(800) 811-2327]  
{for INTERNATIONAL labels only:}[Tel: 1-(304) 746-3000]



EPA Reg. No. 69470-30  
EPA Est. No. \_\_\_\_\_  
[Material][Label] No. \_\_\_\_\_  
NET CONTENTS: \_\_\_\_\_ [lbs.][kg.]  
[Batch][Lot] No. \_\_\_\_\_

[Made in U.S.A.]  
[CDB Clearon® is a registered trademark of Clearon Corp.]