

Biological Larvicide Sand Granules

ACTIVE INGREDIENT:

Bacillus thuringiensis, subspecies israelensis
262 International Toxic Units (ITU) per mg
(Equivalent to 0.119 billion ITU per pound)00.26%
INERT INGREDIENTS: 99.74%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LarvX[™] SG is a microbial insecticide effective against mosquitoes in a variety of habitats.

Mosquito Habitat Examples

Rate Range*

Irrigation runoff, flood water, woodland pools, snow melt pools, ponds, freshwater marshes, ditches, tidal water, sait marshes.

2 - 10 lbs/Acre

"Use 10-20 lbs/acre when late 3rd and early 4th instar larvae predominate, mosquito populations are high, water is deep, heavily polluted, and/or algae is abundant. Soft bottom sites may require the higher rates.

Apply uniformly by conventional aerial or ground equipment as needed to maintain mosquito control. For permanently flooded habitats, a 7 to 14 day interval between applications may be amployed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes moderate eye irritation. Mixers, loaders and ground applicators must wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Avoid confact with skin and eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles.

STORAGE AND DISPOSAL:

Do not contaminate potable water, fcod, or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

container disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE TO USER:

Seller makes no warranty, expressed or implied, of merchantability, litness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risk of use, storage or handling not in strict accordance with label directions.

Meridian LLC 5137 14th Avenue South Minneapolis, MN 55417-1801

EPA Reg. No. 69504-1 EPA Est. No. 54094-MN-1 ACCEPTED

MAR 9 997
Under the Federal Insecticide.
Fungicide, and Podemicide Act.
as an index, for the posticide
registered under
EFA Reg. No.

Lot No:

Net Weight: 40 Pounds (18.2 Kg.)



Biological Larvicide Sand Granules

ACTIVE INGREDIENT:

Bacillus thuringiensis, subspecies israelensis
262 International Toxic Units (ITU) per mg
(Equivalent to 0.119 billion ITU per pound)00.26%

INERT INGREDIENTS:99.74%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water. If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

LarvX[™] SG is a microbial insecticide effective against mosquitoes in a variety of habitats.

Mosquito Habitat Examples

Rate Range*

Irrigation runoff, flood water, woodland pools, snow melt pools, ponds, freshwater marshes, ditches, tidal water, salt marshes.

2 - 10 lbs/Acre

*Use 10-20 lbs/acre when late 3rd and early 4th instar larvae predominate, mosquito populations are high, water is deep, heavily polluted, and/or algae is abundant. Soft bottom sites may require the higher rates.

Apply uniformly by conventional aerial or ground equipment as needed to maintain mosquito control. For permanently flooded habitats, a 7 to 14 day interval between applications may be employed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Causes moderate eye irritation. Mixers, loaders and ground applicators must wear a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

Avoid contact with skin and eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles.

STORAGE AND DISPOSAL:

Do not contaminate potable water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

NOTICE TO USER:

Seller makes no warranty, expressed or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risk of use, storage or handling not in strict accordance with label directions.

Meridian LLC 5137 14th Avenue South Minneapolis, MN 55417-1801

EPA Reg. No. 69504-1 EPA Est. No. 54094-MN-

MAR | 9 | 997

Ur out the edited Insecticide.
Fragite the lodenticide Act.
as the pesticide
res.
ade | 69504-1

Lot No: _

Net Weight: 40 Pounds (18.2 Kg.)



EPA Reg No. 69504-1

S. Patent Number 5,484,600