69526-12

07-22-2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

JUL 22 2011

Juli Mann Petro Canada Lubricants, Inc., a Suncor Energy Business 2310 Lakeshore Road W. Mississauga, Ontario L5J 1K2 Canada

Subject: Label Notification; Per PR-Notice 98-10 PC RTU Herbicide EPA Reg. No. 69526-12 Date Submitted: July 5, 2011 Proposed Alternate Brand Name: Clear Choice™

Dear Ms. Mann:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated July 5, 2011 for the product referenced above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Jasmine Branch at (703) 347-0351 or <u>branch.jasmine@epa.gov</u>.

Sincerely, Hhim V. Ment

Kathryn Montague Product Manager 23 Herbicide Branch Registration Division (7505P)

	. (6			
Please read instructions on reve	rse before completing form			For	m Approved. ON	B No. 2070-00	60, Approval expires	5-31-98
		ted States	Agency		Registra Amendr X Other	ation	OPP Identifier N	
C. S. F. S. S. S. S.		gton, DC 2046	the second s	L				133
		olication fo				1		100
1. Company/Product Number 69526-12	er			PA Product Ma yn Montague	nager	3. Propo	sed Classification	
4. Company/Product (Name)	1000	PM #			X No	ne Restrie	cted
PC RTU Herbicide 5. Name and Address of App Petro Canada Lubricants, 2310 Lakeshore Road W.			(b)(i), to:	my product is			FRA Section 3(c)(3)	
Mississauga, Ontario L5J	1K2 Canada		EPAI	Reg No.			<u> </u>	
Check if this is a new a	address		Produ	ict Name				3
		S	ection - II					
Amendment – Explain	below			Final printed	labels in resp	onse to	State of the	
	nee to Anonou latter dated			Agency letter				
Resubmission in respo	nse to Agency letter dated			"Ме Тоо" Ар	plication	NOTIFIC	CATION	
X Notification – Explain b	elow			Other - Expl	ain below	JUL 2	2 2011	
product may be in violation o FORWARD ALL COR NW, Washington, D.C.	RESPONDENCE for	this action t						'e.,
1. Material This Product Will	be Packaged in:		ection in					
Child-Resistant Packaging Yes	Unit Packaging Yes		Water Solu	ible Packaging	1	Me	of Container etal	
No	No		No				astic	
*Certification must	If "Yes"	No. per	If "Yes"	100000	No. per		aper	
be submitted	Unit Packaging wgt.	container	Package w	gt	container	Ot Ot	her (Specify)	<u> -</u> .
3. Location of Net Contents	Information	4 Size(s) F	Retail Contair	her	5.1	ocation of la	bel directions	-
Label	Container					On Label		
6. Manner in Which Label is	Affived to Product	Litter	wa mb		Other	On Label a	ccompanying prod	uct
6. Manner in which Laber is	Anixed to Product	Lithog Paper	glued		Other:			
		Stenc	iled	8494. AU	3. S. S. 28	A. Salah		
1 0 1 1 0 10 10	- Hanna - Hannah - La La La La La		ection IV	h	11		1 K K	11
1. Contact Person (Complet Name	e items directly below for i	Title	individual to	be contacted,			nclude Area Code)	
Juli Mann	Resident and	Stepto Author	e & Johnson ized agent	, LLP		429-3095	c	000
I certify that the statements I I acknowledge that any knowi	have made on this form and						Date Application Received	666 6
both under applicable law							(Stampad)	
2. Signature	mann		e & Johnson ized Agent	, LLP			(Stamped)	e c c c
4. Typed Name	alvet	5. Dat July 5,						
Juli Mann, Regulatory An	alyst Previous editions are abso	lata		White	EDA Eila Cor	Quising D	Vollow Applican	+ Com

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

White – EPA File Copy (Original) Yellow – Applicant Copy

2

ATTORNEYS AT LAW

(STEPTOE & JOHNSON

WRITER'S DIRECT DIAL 202.429.3095

1330 Connecticut Avenue, NW Washington, DC 20036-1795 Tel 202.429.3000 Fax 202.429.3902 steptoe.com

July 5, 2011

Via Hand Delivery

Document Processing Desk (**NOTIF**) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

Attention: Kathryn Montague (PM 23)

Subject: Label Notification per PR 98-10

Product: PC RTU Herbicide (EPA Reg. No. 69526-12)

Dear Ms. Montague:

On behalf of our client, Petro Canada, enclosed please find a notification consistent with PR Notice 98-10 to add an alternate brand name for this product, Clear Choice. In addition, the following changes have been made to the label:

- Add "[Petro-Canada is a Suncor Energy business.][™] Trademark of Suncor Energy Inc. Used under licence." to pages 1;
- Add "containing" as an alternate term for "using" on page 2 of the of the label;
- Identify "only" as alternate text in "For use [only] on home lawns [OR] For use on home lawns..." on page 2;
- Delete "[†]" after "Ready-To-Use. No mixing." on page 2.

Enclosed with this application, please find EPA Form 8750-1 and one copy of the label with changes highlighted. This notification is consistent with PR 98-10. Thank you for your attention to this matter.

Sincerely,

6 man

Juli Mann Regulatory Analyst jmann@steptoe.com



NOTIFICATION

JUL 2 2 2011

4

BATCH CODE WILL APPEAR ON IMMEDIATE CONTAINER

FRONT PANEL

CLEAR CHOICE™

ACTIVE INGREDIENTS:

.

2,4-D, dimethylamine salt *		
Mecoprop-p, dimethylamine salt		
Dicamba, dimethylamine salt ***	••••••	0.0042%
OTHER INGREDIENTS:		<u>99.9398%</u>
	Total	100.0000%
* 2.4-D Acid Equivalent		0.028%

2,4-D Aciu Equivalent	. 0.020%
** Mecoprop-p Acid Equivalent	. 0.018%
*** Dicamba Acid Equivalent	0.0035%

KEEP OUT OF REACH OF CHILDREN

[See back/side panel for additional precautionary statements]

Made in Canada (may contain imported parts) for:

Petro-Canada Lubricants Inc., a Suncor Energy Business 2310 Lakeshore Road West Mississauga, Ontario L5J 1K2 Canada

EPA REG. NO. 69526-12

EPA EST. NO. 79693-CAN-001

NET CONTENTS: 6 fl. oz. (177mL); 24 fl. oz. (1pt, 8 fl.oz) / 710ml; 64 fl. oz. (1/2 gallon) (1.89 L); 1 gal. (3.78 L); 1.33 gal. (5.03 L); 1.58 gal. (5.98 L); 1.75 gal. (6.62 L)

US Patent pending

[Petro-Canada is a Suncor Energy business.]TMTrademark of Suncor Energy Inc. Used under licence.

Note: *Bold, italicized text is information for the reviewer and not part of the label* [Bracketed text is optional.] Text separated by "/" denotes and/or options. Edit date 2011-07-01 Page 1 of 7

Following notations will be found on same panel as the referenced claims:

*Microtechnology signifies emulsion particles less than 1 microns.

** When compared to other pesticides using/containing these active ingredients.

†Important: Do not apply to Bentgrass and Floratam. [*Spanish Translation:*] / No se aplique al Bentgrass y a Floratam. See full list of controlled weeds and use directions on peel-away label.

OPTIONAL MARKETING STATEMENTS/ILLUSTRATIONS

The following may appear on front panel, front of booklet attached to back of container, back panel, or side panel:

For use [only] on home lawns [OR] For use on home lawns and other grassy areas around the home.

Microtechnology* improves penetration of reduced active ingredient formulation **

[With] Microtechnology*

Reduced Active Ingredient Formulation*

Won't harm lawns when used as directed. [†]

Use as a spot treatment to control broadleaf weeds on a variety of lawns[†], in yards, vacant lots and other grassy areas around the home.

When used as directed, kills broadleaf lawn weeds without harming most lawn grasses[†].

KILLS BROADLEAF WEEDS INCLUDING: Dandelions, Plantains, Clover, Chickweed, Bedstraw, Black Medic, English Daisy, Curled Dock, Heal-all, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's Purse, plus (over 60) (many) other lawn weeds listed (on) (side) (back) (panel).(inside) (inside booklet)

KILLS: Dandelions, Plantains, Clover, Chickweed, Bedstraw, Black Medic, English Daisy, Curled Dock, Heal-all, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's Purse, plus over 60 other lawn weeds.

When used as directed, controls a wide range of broadleaf weeds in most home lawns[†].

Ready-To-Use. No mixing.

Kills over 60 broadleaf weeds without harming lawns[†]. See (inside booklet) (booklet) (back panel) (back) (side panel) (side) for details.

Kills down to the root

Kills listed broadleaf weeds in lawns - right down to the root.

Outdoor use only

Ready to use! No mixing required!

Low-Odor formulation


Low-Odor formula

Convenient Ready-to-Use Formula

Step 1: Shake Well Step 2: Apply Step 3: Let Dry

Kills Weeds Dead

Kills listed broadleaf weeds



Page 2 of 7

Container spot treats up to 50 weeds [for 6 fl. oz.] Container spot treats more than 200 weeds [for 24 fl. oz.] Container spot treats more than 500 weeds [for 1/2 gal.] Container spot treats more than 1000 weeds [for 1 gal.] Container spot treats more than 1333 weeds [for 1.33 gal.] Container spot treats more than 1580 weeds [for 1.58 gal.] www.todaysclearchoice.com

PEEL HERE>

The following are illustration that may appear on final printed label:

House and home lawn



Dandelion with root highlighted



()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()
()


Note: *Bold, italicized text is information for the reviewer and not part of the label* [Bracketed text is optional.] Text separated by "/" denotes and/or options. Edit date 2011-07-01

Page 3 of 7

2

Dandelion with root highlighted showing spray and portion of spray bottle





Note: Bold, italicized text is information for the reviewer and not part of the label [Bracketed text is optional.] Text separated by "f" denotes and/or options. Edit date 2011-07-01

Page 4 of 7

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Avoid contact with skin, eves or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow. may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions.

PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- Do not apply near lakes, streams, rivers or ponds. •
- Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants. Do not apply in windy conditions.
- Do not apply as a fine mist because of potential injury to desirable plants.

WHEN TO USE

- Apply when weeds are young and actively growing.
- Do not water within 24 hours after spraving.
- Spray when daytime temperatures are above 45° F and below 90° F. .
- Do not apply when the lawn is under severe stress from drought, insect attack or high temperatures.
- Do not use more product than specified on the label. Newly seeded lawns may be treated after the third mowing. . If the lawn is dry, water 24 hours before using this product. ιιίι WHERE TO USE This product is used as a spot treatment to control broad leaf weeds on a variety of lawns*, in yards, vacant lots and other grassy areas. Note: Bold, italicized text is information for the reviewer and not part of the label Page 5 of 7

[Bracketed text is optional.] Text separated by "/" denotes and/or options. Edit date 2011-07-01

*IMPORTANT: Do not use this product on Bentgrass and Floratam, a variety of St. Augustine grass. Certain hybrid bermudagrasses vary in tolerance to this product. Temporary discoloration may occur on St. Augustine and Centipede.

LIST OF WEEDS: This product controls the following weeds:

Bedstraw	
Bindweed (field)	
Birdsfoot trefoil	
Black medic	
Blackseed plantain	
Blueweed	
Brambles	
Broad-leaved plantain	
Buckhorn plantain	
Bull thistle	
Burdock	
Buttercup	
Canada thistle	
Carolina geranium	
Chickweed	
Chicory	
Clover	
Cocklebur	
Common chickweed	
Cudweed	
Daisy fleabane	
Dandelion	
Devil's paint brush	
(hawkweed)	
Dock (curled)	
English daisy	
Evening primrose	_
Fall dandelion (fall hawkbit)
False dandelion	_
Fleabane	_
Florida pusley	
Frenchweed poison oak	1

Grass leaved stitchwort
Ground ivy (creeping
Charlie)
Hawkweed
Heal-all
Henbit
Honeysuckle
Jimsonweed
Knotweed
Kochia
Kudzu
Lambsquarters
Little starwort
Mallow
Morningglory
Mouse-ear chickweed
Mustards
Narrow-leaved plantain
Oxalis (yellow woodsorrel)
Ox-eye daisy
Pennywort
Peppergrass
Pigweed
Pineapple weed
Plantains (narrow,
buckhorn, broadleaf)
Poison ivy
Poorjoe
Povertyweed
Prostrate pigweed
Purslane
Ragweed

Statistics of Press Press
Russian thistle
Sandwort (thyme-leaved)
Sheep sorrel
Shepherd's purse
Smartweed (green)
Soliva
Sow thistle
Speedwell (purslane
leaved)
Spotted spurge
Spreadwell (annual)
Spurge
Stitchwort
Stonecrop (mossy)
Sumac
Veronica (thyme-leaved)
Vervain
Vetch
Violet
Wild aster
Wild blackberry
Wild carrot
Wild garlic
Wild geranium
Wild lettuce
Wild onion
Wild radish
Wild raspberry
Yarrow
Yellow hawkweed

HOW TO USE

- This product is ready-to-use. Do not mix or dilute.
- Shake well before use.
- Open spray nozzle.
- Adjust nozzle to provide desired spray pattern.
- Hold spray about 12 inches from weed.
- Aim at center of weed and spray to lightly cover. Do not overspray.
- Rotate nozzle to closed position.
- Weeds begin to die after 12 hours. It may take up to 4 weeks for a weed to completely die.
- If necessary, repeat application after 8 weeks.

Note: *Bold, italicized text is information for the reviewer and not part of the label* [Bracketed text is optional.] Text separated by "/" denotes and/or options. Edit date 2011-07-01

Page 6 of 7

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Store in a cool, dry place, in a locked storage area.

Pesticide and Container Disposal:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling unavailable, place container in trash.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

It is impossible to eliminate all risks inherently associated with the use of this product. Injury to desirable plants, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Petro-Canada, the manufacturer, or seller. All such risks shall be assumed by the buyer. To the extent consistent with applicable law, neither Petro-Canada, the manufacturer nor seller shall be liable for consequential, special or indirect damages resulting from the use or handling of this product. Except as provided by applicable law or except as warranted by this label, Petro-Canada, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Except as provided by applicable law, buyer's or user's exclusive remedy, and Petro-Canada's, the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product.