

69526-16

10/30/2014

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Juli Mann
Petro Canada Lubricants, Inc., a Suncor Energy Business
2310 Lakeshore Road W.
Mississauga, Ontario L5J 1K2 Canada

OCT 30 2014

Subject: Label Amendment: Update Product Label and Alternate Brand Names
PC Herbicide RTU Plus
EPA Reg. No.: 69526-16
Decision No.: 490818
Application dated: April 30, 2014

Dear Ms. Mann:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

A stamped copy of the label is enclosed for your records. This label supersedes all previously accepted labels. You must submit one (1) copy of the final printed label before you release the product for shipment. Products released for shipping after eighteen (18) months must bear the new revised label. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA §6(e). Your release for shipment of the product constitutes acceptance of these conditions.

If you have any questions regarding this letter, please feel free to contact Shanta Adeeb at (703) 347-0502 or adeeb.shanta@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn Montague
Product Manager 23
Herbicide Branch
Registration Division (7505P)

2/15


Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

Alternate Brand Names:

- Clear Choice WEEDfree™ BRAND Ready-to-Use Selective Herbicide ♦
♦see back label for listed weeds and control details
- Clear Choice WEEDfree™ BRAND RTU Selective Herbicide ♦
♦see back label for listed weeds and control details
- Clear Choice WEEDfree™ BRAND Ready-to-Use ♦
♦see back label for listed weeds and control details
- Clear Choice WEEDfree™ BRAND Herbicide ♦
♦see back label for listed weeds and control details
- Clear Choice WEEDfree™ BRAND Selective Herbicide ♦
♦see back label for listed weeds and control details

- Clear Choice™ WhatWEED? [™] Ready-to-Use Selective Herbicide
- Clear Choice™ WhatWEED? [™] RTU Selective Herbicide
- Clear Choice™ WhatWEED? [™] Ready-to-Use
- Clear Choice™ WhatWEED? [™] Herbicide
- Clear Choice™ WhatWEED? [™] Selective Herbicide

- Clear Choice™ FOR WEEDS Ready-to-Use Selective Herbicide
- Clear Choice™ FOR WEEDS RTU Selective Herbicide
- Clear Choice™ FOR WEEDS Ready-to-Use
- Clear Choice™ FOR WEEDS Herbicide
- Clear Choice™ FOR WEEDS Selective Herbicide



[Front Panel]

PC Herbicide RTU Plus

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt *	0.057%
Mecoprop-p, dimethylamine salt **	0.037%
Dicamba, dimethylamine salt ***	0.007%
OTHER INGREDIENTS:	99.899%
TOTAL: 100.000%	

- * 2,4-D Acid Equivalent0.048%
- ** Mecoprop-p Acid Equivalent0.031%
- *** Dicamba Acid Equivalent0.0058%

For use only on home lawns

KEEP OUT OF REACH OF CHILDREN

**Shake well before using
Protect from freezing**

See back/side panel/booklet for additional precautionary statements

**MADE IN CANADA (MAY CONTAIN IMPORTED PARTS) FOR:
Petro-Canada Lubricants Inc., a Suncor Energy Business
2310 Lakeshore Road West
Mississauga, Ontario L5J 1K2
Canada
1-855-300-3997**

3/15

Note to EPA: [Bracketed information] in ***bold, italicized*** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

EPA REG. NO. 69526-16

EPA EST. NO. _____

Patent(s): www.suncor.com/patents

TMTrademark of Suncor Energy Inc. Used under license. [Petro-Canada is a Suncor Energy business.]


[Batch Code/Lot Number] [Note: May appear on immediate container]

NET CONTENTS: _____

Note to EPA: [Bracketed information] in ***bold, italicized*** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

[Inside booklet]

	PRODUCT SUMMARY
CONTROLS	Kills over 60 broadleaf weeds without harming lawns. † <i>[Note to Reviewer: The following text will appear on the same label panel as statements annotated with this symbol †:</i> † <i>Important: Do not apply to Bentgrass and Floratam. See full list of controlled weeds and use directions on peel away label.]</i>
TREATMENT AREA	One 24 oz bottle treats up to 80 sq. ft.
MICROTECHNOLOGY	Patent-pending formulation improves herbicide absorption into weeds. Improved penetration reduces amount of active ingredients required in the formula to kill weeds.



HOW IT WORKS	
	<p>Fast acting, improved absorption.</p> <p>PC Herbicide RTU Plus kills over 60 broadleaf weeds down to the root, without harming your lawn. †</p> <p>Patent-pending formula improves the penetration of active ingredients into the weed. As a result PC Herbicide RTU Plus formula uses less chemical active ingredients compared to other herbicides using the same actives while still providing effective weed control.</p>
	<p>PRECAUTIONARY STATEMENTS</p> <p>HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.</p> <p>ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.</p> <p>This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination. Application around a cistern or well may result in contamination of drinking or ground water.</p>

5/15


Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

DIRECTIONS FOR USE	
	It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions.
USE RESTRICTIONS	
	Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried. Do not apply near lakes, streams, rivers, or ponds. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not apply in windy conditions. Do not apply as a fine mist because of potential injury to desirable plants. Do not spray exposed roots of ornamentals and trees.
WHERE TO USE	
	This product is for use as a spot treatment on lawns for broadleaf weed control without damaging lawn grasses. IMPORTANT: Do not use this product on Bentgrass and Floratam, a variety of St. Augustine grass. Certain grasses vary in tolerance to this product. Slight discoloration may occur, which will disappear after about one week.
WHEN TO USE	
	Apply when weeds are young and actively growing. Do not apply this product immediately before rainfall. Do not water the turfgrass within 24 hours after application. Spray when daytime temperatures are above 45° F and below 85° F. Do not apply when the lawn is under severe stress from drought, insect attack or heat. Do not use more product than specified on the label. Newly seeded lawns may be treated after the third mowing. If the lawn is dry, water 24 hours before using this product.

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by " / " denotes and/or options.

HOW TO USE	
	<ul style="list-style-type: none">• This product is ready-to-use. Do not mix or dilute with water.• Shake well before use.• Rotate nozzle to spray position. One XXX [bottle size] bottle treats up to XXX sq. ft.• Adjust nozzle to provide desired spray pattern.• Hold spray about 12 inches from weed.• Aim at center of weed and spray to lightly cover. Do not overspray.• Rotate nozzle to closed position.
EXPECTED RESULTS	
	<p>Weeds begin to die after 12 hours. It may take up to 4 weeks for a weed to completely die. If necessary, repeat application after 4 weeks.</p>


Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

WEEDS CONTROLLED			
 <p>[Weed image]</p>	Bedstraw [^]	Grass leaved stitchwort [^]	Russian thistle [^]
	Bindweed [^] (field)	Ground ivy [^]	Sandwort (thyme-leaved) [^]
	Birdsfoot trefoil [^]	Hawkweed [^]	Sheep sorrel [^]
	Black medic	Heal-all [^]	Shepherd's purse
	Blackseed plantain [^]	Henbit [^]	Smartweed (green) [^]
	Blueweed [^]	Honeysuckle [^]	Soliva [^]
	Brambles [^]	Jimsonweed [^]	Sow thistle [^]
	Bull thistle [^]	Knotweed [^]	Speedwell (purslane leaved) [^]
	Burdock [^]	Kochia [^]	Spotted spurge [^]
	Buttercup [^]	Kudzu [^]	Spreadwell (annual) [^]
	Canada thistle [^]	Lamb's-quarters [^]	Spurge [^]
	Carolina geranium [^]	Little starwort [^]	Stitchwort [^]
	Chickweed [^]	Mallow [^]	Stonecrop (mossy) [^]
	Chicory [^]	Morningglory [^]	Sumac [^]
		Mouse-ear chickweed [^]	
<p>[^] Not registered for use in California</p>			

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

	California)		leaved) ^
	Cocklebur^	Mustards^	Vervain^
	Common chickweed		Vetch^
	Crudweed^	Oxalis (yellow woodsorrel) ^	Violet^
	Daisy fleabane^	Ox-eye daisy^	Wild aster^
	Dandelion	Pennywort/Dollarweed^	Wild blackberry^
	Devil's paint brush (hawkweed) ^	Peppergrass^	Wild carrot^
	Dock^ (curled)	Pigweed^	Wild garlic^
	English daisy^	Pineapple weed^	Wild geranium^
	Evening primrose^	Plantains (narrow-leaved, buckhorn, broadleaf)	Wild lettuce^
	Fall dandelion (fall hawkbit) ^	Poison ivy^	Wild onion^
	False dandelion^	Poorjoe^	Wild radish^
	Fleabane^	Povertyweed^	Wild raspberry^
	Florida pusley^	Prostrate pigweed^	Yarrow^
	Frenchweed poison oak^	Purslane^	Yellow hawkweed^
		Ragweed^	
^ Not registered for use in California			

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

STORAGE AND DISPOSAL	
	<p>Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.</p> <p>Pesticide Storage: Keep out of reach of children and animals. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Store in a cool, dry place, in a locked storage area.</p> <p>Pesticide and Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling unavailable, place container in trash.</p> <p>If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>
CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY	
	<p>It is impossible to eliminate all risks inherently associated with the use of this product. Injury to desirable plants, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Petro-Canada Lubricants Inc., the manufacturer or seller. All such risks shall be assumed by the buyer. To the extent consistent with applicable law, neither Petro-Canada Lubricants Inc., the manufacturer nor seller shall be liable for consequential, special or indirect damages resulting from the use or handling of this product. Except as provided by applicable law or except as warranted by this label, Petro-Canada Lubricants Inc, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Except as provided by applicable law, buyer's or user's exclusive remedy, and Petro-Canada Lubricants Inc, the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product.</p>

10/15

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

[Base Panel]

PC Herbicide RTU Plus

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt *	0.057%
Mecoprop-p, dimethylamine salt **	0.037%
Dicamba, dimethylamine salt ***	0.007%
OTHER INGREDIENTS:	<u>99.899%</u>
TOTAL:	100.000%

* 2,4-D Acid Equivalent	0.048%
** Mecoprop-p Acid Equivalent	0.031%
*** Dicamba Acid Equivalent	0.0058%

For use only on home lawns

KEEP OUT OF REACH OF CHILDREN

EPA REG. NO. 69526-16

EPA EST. NO 79693-CAN-001

TMTrademark of Suncor Energy Inc. Used under license. [Petro-Canada is a Suncor Energy business.]

See inside booklet for Directions for Use

MADE IN CANADA (MAY CONTAIN IMPORTED PARTS) FOR:
Petro-Canada Lubricants Inc., a Suncor Energy Business
2310 Lakeshore Road West
Mississauga, Ontario L5J 1K2
Canada
1-855-300-3997

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Avoid contact with eyes, skin or clothing. Wash hands thoroughly with soap and water after handling, before eating, drinking, chewing gum, or using.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where

11/15

Note to EPA: [Bracketed information] in ***bold, italicized*** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking or ground water.

[Note: Environmental Hazards statements included in back panel as space permits.]

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Store in a cool, dry place, in a locked storage area.

Pesticide and Container Disposal:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling unavailable, place container in trash.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

12/15

Note to EPA: [Bracketed information] in ***bold, italicized*** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

Following notations will be found on same panel as the referenced claims:

†Important: Do not apply to Bentgrass and Floratam. (See full list of controlled weeds and use directions on peel-away label.)

OPTIONAL MARKETING STATEMENTS/ILLUSTRATIONS

The following may appear on front panel, front of booklet attached to back of container, back panel, inside booklet or side panel:

For use [only] on home lawns

For use on home lawns and other grassy areas around the home.

Won't harm lawns when used as directed.†

[Note to Reviewer: The following text will appear on the same label panel as statements annotated with this symbol †:

† Important: Do not apply to Bentgrass and Floratam. See full list of controlled weeds and use directions on peel away label.

This applies to any statement annotated with this symbol.]

Use as a spot treatment to control broadleaf weeds on a variety of lawns†, in yards, vacant lots and other grassy areas around the home.

When used as directed, kills broadleaf lawn weeds without harming most lawn grasses†.

KILLS BROADLEAF WEEDS INCLUDING: Dandelions, Plantains, Clover, Chickweed, Bedstraw, Black Medic, English Daisy, Curled Dock, Heal-all, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's Purse, plus (over 60) (many) other lawn weeds listed (on) (side) (back) (panel)(inside) (inside booklet).

KILLS: Dandelions, Plantains, Clover, Chickweed, Bedstraw, Black Medic, English Daisy, Curled Dock, Heal-all, Ground Ivy (Creeping Charlie), Knotweed, Ragweed, Shepherd's Purse, plus over 60 other lawn weeds.

When used as directed, controls a wide range of broadleaf weeds in most home lawns†.

Ready-To-Use. No mixing.

Ready to use! No mixing required!

Kills over 60 broadleaf weeds without harming lawns†. See (inside booklet) (booklet) (back panel) (back) (side panel) (side) for details.

Kills listed broadleaf weeds in lawns.

Outdoor use only

Low-Odor formulation

Low-Odor formula

Convenient Ready-to-Use Formula

Step 1: Shake Well Step 2: Apply Step 3: Let Dry

13/15

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

Kills Weeds Dead

Kills listed broadleaf weeds

White emulsion helps identify where you've sprayed.

Container spot treats about 50 weeds **[for 6 fl. oz.]**

Container spot treats about 200 weeds **[for 24 fl. oz.]**

Container spot treats about 500 weeds **[for 1/2 gal.]**

Container spot treats about 1000 weeds **[for 1 gal.]**

Container spot treats about 1300 weeds **[for 1.33 gal.]**

Container spot treats about 1500 weeds **[for 1.58 gal.]**

- Targets weeds, not your lawn.
- Visible injury on weeds within 12 Hours
- Uses less active ingredients!*
- Uses less chemical active ingredients compared to other products using the same actives.
- Do more with less! Same great results using less chemical active ingredients!
- Do more with less! Effectively control weeds using less chemical active ingredients!*
- Reduced Active Ingredient Formulation*

*When compared to other pesticides containing/using these active ingredients. **[Notation to be used with above statements on same panel as the referenced claims]**

OPTIONAL MICROTECHNOLOGY STATEMENTS:

† Microtechnology signifies emulsion particles less than 1 microns **[Note to Reviewer: Statement to be used with following statements annotated with this symbol.]**

Microtechnology† improves penetration of reduced active ingredient formulation *

[With] Microtechnology†

- Microtechnology: Giving you more with less
- Microtechnology: Efficient weed control formula
- Microtechnology: Improved formula penetration &/and absorption into weeds
- Fast-acting improved absorption into weeds using microtechnology.
- Improves absorption into weeds using Microtechnology†
- Kills weeds dead.

Patent-pending delivery system penetrates into broadleaf weeds more efficiently, resulting in less active ingredients required to kill weeds.

PEEL HERE>

[Following notations may be found on back panel in reference to claims on front or back panels]

Note to EPA: [Bracketed information] in **bold, italicized** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.

See full list of controlled weeds and use directions on peel away label.

Optional weed graphics/icons:



dandelion




clover



ground ivy



chickweed





broad-leaved
plantain weed



Other artwork/icons that may appear on the label:



Note to EPA: [Bracketed information] in ***bold, italicized*** text is information for the reviewer and will be removed from final printed label. (Phrases in parenthesis are optional.) Text separated by "/" denotes and/or options.



Clear Choice
WEEDfree BRAND
ready to use

[Note: copy on logo artwork will be updated to reference any of the alternate brand names in the same format]