



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Biopesticides and Pollution Prevention Division (7511P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:
 69526-19

Date of Issuance:
 1/29/2018

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:
 Unconditional

Name of Pesticide Product:
 VNT Selective Herbicide Ready-to-Use

Name and Address of Registrant (include ZIP Code):

Petro-Canada Lubricant, Inc. doing business as Intelligro
 2310 Lakeshore Road West
 Mississauga, Ontario L5J 1K2
 Canada

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.
2. Submit storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) data as these data requirements are not satisfied. A one-year study is required to satisfy these data requirements. You have 18 months from the date of this registration to provide these data to the EPA.

Signature of Approving Official:

Robert C. McNally, for
 Robert C. McNally, Director
 Biopesticides and Pollution Prevention Division (7511P)
 Office of Pesticide Programs

Date:

1/29/2018

3. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 69526-19."
4. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.


Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statements of Formula (CSFs):

- Basic CSF dated 10/31/2016
- Alternate CSF #1 dated 10/31/2016
- Alternate CSF #2 dated 10/31/2016

Any CSFs other than those listed above are superseded.


If you have any questions, please contact Cody Kendrick of my division by phone at (703) 347-0468 or via email at kendrick.cody@epa.gov.

Sincerely,



Robert C. McNally, Director
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure



[Front Panel]

Intelligro VNT Selective Herbicide Ready-to-Use

[Front Panel]

ACTIVE INGREDIENT:	By Weight
Indole-3- Butyric Acid	1.25%
CaNa ₂ EDTA dihydrate	2.0%
OTHER INGREDIENTS:	<u>96.75%</u>
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

See front/back panel for additional Precautionary Statements

EPA REG. NO. 69526-RO

EPA EST. NO. 79693-CAN-001

Patent(s) or Patent(s) Pending: www.suncor.com/patents

MADE IN CANADA (MAY CONTAIN IMPORTED PARTS) FOR:

Intelligro
2310 Lakeshore Road West
Mississauga, Ontario, Canada
L5J 1K2
1-844-388-2665

TMTrademark of Suncor Energy Inc. Used under license.

[Batch Code/Lot Number]

[Inside Booklet]

NET CONTENTS: 6 fl oz – 275 Gal (177ml to 1040L)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions.

This product is for use as a spot treatment on lawns for control or suppression of broadleaf weeds. Controls lawn weeds listed on label.

DO NOT apply to bentgrass turf.

IMPORTANT: Certain grasses vary in tolerance to this product. Temporary discoloration may occur and grass should recover within weeks. Test on a small area if unsure of grass sensitivity.

DO NOT apply in windy conditions.

DO NOT apply this product in a way that will contact any person, pet, either directly or through drift.

Keep people and pets out of the area during application.

DO NOT enter the treated area until sprays have dried

People and pets can enter treated area when spray dries



Do not apply near lakes, streams, rivers, or ponds. Do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area.



DO NOT directly spray or allow the spray to drift onto vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants.

Do not use this product on or near desired plants, including contact of spray on exposed root systems or adventitious shoots of desirable trees and shrubs.

Protect surfaces like driveways, sidewalks, stones, bricks, fences or any other porous surfaces including interlock paths from direct application or overspray to avoid staining.

To remove any staining from hands or elsewhere, wash with dishwashing detergent or stain removers and rinse with water immediately.

WHEN TO USE	
	<p>Apply when weeds are young and actively growing. Best time for weed control is Spring and Fall. Newly seeded or sodded lawns may be treated after the 3rd mowing. Do not water within 24 hours after spraying. Spray when daytime temperatures are above 45° F (7°C) and below 80° F (27°C). Do not apply when the lawn is under severe stress from drought, insect attack or high temperatures. If the lawn is dry, water 24 hours before using this product.</p>
HOW TO USE	
	<p>This is a ready-to-use product for spot treatment on lawns. The application should be carefully directed to the weeds, while minimizing contact with the surrounding turf.</p> <p>Shake well before use. Spray weeds until foliage is thoroughly wetted, just to the point of runoff. Repeat treatment every 2-3 weeks for best results. Product contains colorant. Wear water- proof gloves to avoid staining during application. Wait until treated area thoroughly dries before re-entry. Typically dries after 2-3 hours, depending on weather conditions – slowest dry times typically occur under high humidity/low temperature conditions.</p>

WEEDS CONTROLLED	
	<p>Dandelion, Plantain (narrow leaf, broadleaf), Thistle, Hawkweed, Black medic, Sorrel, Birdsfoot trefoil, Knotweed, Vetch, Dollar weed (pennywort), Oxalis (yellow woodsorrel), Bindweeds, Ground ivy, Clover, Yarrow, Ragweed, Groundsel, Spurge, Goldenrod and Moss</p>
STORAGE AND DISPOSAL	
	<p>Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.</p> <p>Pesticide Storage: Keep out of reach of children and animals. Keep pesticide in original container. Do not put into food or drink containers. Store in a cool, dry place, in a locked storage area.</p> <p>Do not allow to freeze</p> <p>Pesticide and Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling unavailable, place container in trash. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.</p>
PRECAUTIONARY STATEMENTS	
	<p>ENVIRONMENTAL HAZARDS.</p>

	<p>To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.</p>
--	--

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY

	<p>It is impossible to eliminate all risks inherently associated with the use of this product. Injury to desirable plants, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Intelligro, a Suncor Energy business, the manufacturer or seller. All such risks shall be assumed by the buyer. To the extent consistent with applicable law, neither Intelligro, the manufacturer nor seller shall be liable for consequential, special or indirect damages resulting from the use or handling of this product. Except as provided by applicable law or except as warranted by this label, Intelligro, a Suncor Energy business,, the manufacturer or seller makes no warranties, guarantees, or representations of any kind, either express or implied, or by usage of trade, statutory or otherwise, with regard to the product sold, including, but not limited to, merchantability, fitness for a particular purpose, use or eligibility of the product for any particular trade usage. Except as provided by applicable law, buyer's or user's exclusive remedy, and Intelligro, a Suncor Energy business, the manufacturer's or seller's total liability, shall be for damages not exceeding the cost of the product.</p>
--	--

OPTIONAL

MARKETING

STATEMENTS/ILLUSTRATIONS

The following may appear on front panel, front of booklet attached to back of container, back panel, inside booklet or side panel:

- Kills weeds dead
- Kills major broadleaf weeds
- For weed-free turf
- Tough on weeds, easy on lawns
- Kills listed broadleaf weeds right down to the root
- Kills weeds right down to the root

Kills dandelions down to the root
Targets weeds, not your lawn

Fast & Effective

Fast Acting!

Lower toxicity to desired plants
Low impact formula
Formula derived from natural existing ingredients
Derived from natural ingredients

Biopesticide that contains a naturally occurring substance to control weeds

Biopesticide active ingredients

Kills major broadleaf weeds including dandelion, plantain, Thistle, Dollar weed (pennywort), Clover and Moss

Controls weeds using naturally occurring ingredients

Biopesticide with less toxicity than conventional herbicides

Selective Weed Killer

Selective Broadleaf Weed Killer

**1 gallon of product treats up to 800 weeds
1 liter of product treats up to 200 weeds**

Best results are obtained when applied in the Spring or Fall when environmental conditions are cool and there is ample moisture

The best times to treat weeds are in the Spring when they are small and growing and in the Fall to eliminate many of next year's weeds

Rainfast in 8 hours

No unpleasant odor

No odor

Won't harm lawns when used as directed

Ready-to-Use.

Convenient. Ready-to-Use formula

Effective solution

Patent-pending technology

Works best in Spring and Fall.

Works on cool season and warm season grass (excluding bentgrass)

Effective, wide range of temperature (45F-80F)

Effective, resourceful approach to weed management/control

Proprietary technology uses biopesticide active ingredient

Spray Indicator shows where you've sprayed

Formulation includes a spray indicator

See where you've sprayed





PEEL HERE>

Following notations may be found on back panel in reference to claims on front or back panels

See full list of controlled weeds and use directions on peel away label.

[Base Panel]

VNT Selective Herbicide Ready-to-Use

ACTIVE INGREDIENT:	By Weight
Indole-3- Butyric Acid	1.25%
CaNa ₂ EDTA dihydrate	2.0%
OTHER INGREDIENTS:	<u>96.75%</u>
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN

See front/back panel for additional Precautionary Statements

EPA REG. NO. 69526-RO
Patent(s) or Patent(s) Pending: www.suncor.com/patents

EPA EST. NO. 79693-CAN-001

MADE IN CANADA (MAY CONTAIN IMPORTED PARTS) FOR:

Intelligro
2310 LAKESHORE ROAD WEST
MISSISSAUGA, ONTARIO, CANADA
L5J 1K2
1-844-388-2665

TMTrademark of Suncor Energy Inc. Used under license.

[Batch Code/Lot Number]

[Inside Booklet]

FIRST AID
<p style="text-align: center;">HOTLINE NUMBER</p> <p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. To reach a U.S. POISON CONTROL CENTER, call 1-800-222-1222. You may also contact PETRO-CANADA: 1-844-388-2665, or CANUTEC Canadian Transport Emergency Centre: 613-996-6666.</p>

PRECAUTIONARY STATEMENTS

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Store in a cool, dry place, in a locked storage area.

Pesticide and Container Disposal:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling unavailable, place container in trash.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.