

PM 32

069681-3

4-20-98

1041

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: IRRITANT:**

Causes reversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact the Regional Office of the EPA.

**PHYSICAL OR CHEMICAL HAZARDS:** Strong oxidizing agent. Mix only with water. Use only a clean, dry vented mode of metal or plastic back flow material is taken from the container. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion. In the event of contamination or decomposition do not reuse container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

**DIRECTIONS FOR USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.** This product, when used as directed, is effective as a swimming pool water sanitizer and disinfectant. This product is also effective in the treatment of algae, bacteria, and the elimination of organic contaminants.

**SWIMMING POOL APPLICATIONS**

1. For new pool startup, first stabilize pool water by adding the recommended amount of cyanuric acid according to directions on product label. Total alkalinity and calcium hardness levels should be adjusted according to directions on product labels. Adjust and maintain pH in range of 7.2 to 7.8. Use suitable test kit. 2. INITIAL TREATMENT/SUPERCHELORINATION: Shock pool by adding 23 ounces of this product per 10,000 gallons until a chlorine residual of 1.0 to 3.0 ppm is obtained. Use suitable test kit. 3. MAINTENANCE TREATMENT: Add 2 to 4 ounces of this product on a regular basis to maintain a chlorine residual of 1.0 to 3.0 ppm. Heavy bather loads, water temperatures above 80 degrees F, or heavy/frequent rain may require superchlorination. Follow dosage in step 2 above. Use suitable test kit. 4. TREATMENT FOR CONTROL OF ALGAE: Should algae develop, add 23 ounces of this product per 10,000 gallons of pool water. Use suitable test kit. RE-ENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM OF CHLORINE.

**RECIRCULATING COOLING TOWER APPLICATIONS**

When used as directed, this product is effective as a cooling tower algicide, slimeicide, and bactericide. Severely fouled towers should be cleaned prior to treatment for best and most rapid results. Lightly fouled systems may be treated without pre-cleaning. **TREATMENT OF ALGAL OR BACTERIAL SLIMES:** Adjust pH of water to 7.4 to 7.8 before initiating this treatment. With tower operating, but with bleed valve cut off, add this product directly to the sump at a rate of 2 to 4 ounces per 1,000 gallons of water in the system. Wait 10 minutes and measure a suitable chlorine residual. If less than 3 ppm, repeat treatment. Repeat this process until the desired state of cleanliness in the tower has been achieved. Discontinue treatment and allow the chlorine residual to drop below 1.0 ppm. Clean sump and screens. If necessary, drain the water. Open blow down valve and return system to normal operation. **SUPERCHELORINATION OF SYSTEMS RECEIVING CONTINUOUS CHLORINATION:** Recirculating cooling systems on continuous chlorination at low chlorine levels may function better if they are periodically superchlorinated to remove chloramines and other organic wastes. Superchlorination with this product is recommended at least once a month. More frequent treatment may be desirable in towers subject to higher levels of organic contamination. To superchlorinate, adjust pH of the water to 7.4 to 7.8. With the blow down valve closed, add 2 ounces of this product per 1,000 gallons of water in the system. Wait 2 hours and measure chlorine residual. When chlorine residual is 1.0 ppm or less, open blow down valve and resume normal operation.

**MULTI-PURPOSE**



**CHLORINATING GRANULES**

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

See additional precautionary information on side panels.

ACTIVE INGREDIENT:	
Sodium dichloro-s-triazinetrions:.....	99%
INERT INGREDIENTS:.....	1%

AVAILABLE CHLORINE: 65%

**STATEMENT OF PRACTICAL TREATMENT (FIRST AID):** IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF SWALLOWED: Drink promptly large quantities of water. Avoid alcohol. Never give anything by mouth to a unconscious person. Call a physician or poison control center immediately. NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage.

EPA REG. NO. 89681-3      EPA EST. NO 69681-TX-001

NET WEIGHT: 25 LBS (11.36 kg)

ALLCHEM INDUSTRIES  
4001 Newberry Road  
Gainesville FL 32607

**DIRECTIONS FOR USE (con't):**


IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**SPA APPLICATIONS**

This product, when used as directed, is effective as a spa sanitizer and disinfectant.  
1. Ensure all spa and hot tub equipment is working properly. Backwash and clean the filter system according to manufacturer directions.  
2. Adjust the pH between 7.2 to 7.6. Add stabilizer to establish a minimum level of 40 to 50 ppm. When using other product as outlined in the directions for use for this product, always follow directions on those products.  
3. For MAINTENANCE DOSES: With pump on, add 1/2 teaspoon of this product per 100 gallons of water (or 5 teaspoons in 1,000 gallons) as an initial treatment. Repeat at 15 to 20 minute intervals until a residual of 3 to 5 ppm of available chlorine is established as determined by a test kit. A test kit must be used regularly to determine the frequency of additional doses of the product needed to maintain the chlorine residual of 3 to 5 ppm.  
4. For SUPERCHELORINATION: Use one teaspoon of this product per 100 gallons of water (or 1/4 cup per 1,000 gallons). Superchlorination may be needed on a nightly basis in a heavily used spa or as infrequently as once a week in a moderately used spa.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage and disposal. STORAGE: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding container. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Follow disposal of excess pesticide, spray mixture, or sludge as a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 69681-3

Best