

69681-3

8-4-2008

1/7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



United States
Environmental Protection
Agency

Office of Pesticide Programs

June 04, 2008

FILE COPY

Judy Eldem
AllChem Performance Products LP
416 S. Main Street
Corsicana, TX 75110

Subject: **Clor Mor Chlorinating Granules**
EPA Registration Number: 69681-3
Application Dated: May 08, 2008
Receipt Date: May 09, 2008

Dear Ms. Eldem:

This acknowledges receipt of your notification, Submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

- Updating Storage and Disposal
- Adding Marketing Statement
- Updating Environmental Statement

General Comment

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,
Emily Mitchell
Emily Mitchell
Product Manager (32)
Regulatory Management Branch II
Antimicrobials Division (7510P)

317



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 69681-3	2. EPA Product Manager Emily Mitchell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Clor Mor Chlorinating Granules	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) AllChem Performance Products LP 416 S. Main Street Corsicana, TX 75110 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. Also added in marketing statements, updated Environmental Hazard statement, and added .0 in the ingredients statement. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
					Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Judy Eldem	Title Regulatory Manager	Telephone No. (Include Area Code) (352) 333-7357
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Manager	
4. Typed Name Judy Eldem	5. Date May 8, 2008	

{All text in brackets [xxx] is optional and may or may not be included on final label.}
{All text in {xxx} is administrative and will not appear on a final label.}

CLOR MOR CHLORINATING GRANULES

{Optional marketing statements that may be used with swimming pool; spa and hot tubs}

[Controls Algae]

[Ideal for all pool surfaces]

[Concentrated Chlorinating Sanitizer]

[Strong] [Effective] [Disinfectant] [Fungicide] [Bactericide]

[Superchlorinator]

[Will not cloud water]

[Safe for All Pool Surfaces]

[Ideal for Pool Start-Ups] [And] [Shut-Downs]

[Multifunctional shock]

[Shock, Algaecide and Stabilizer in one]

[Does not cloud water]

[Step B]

[Step 2]

{Optional marketing statements that may be used with recirculating cooling tower applications}

[Strong] [Effective] [Disinfectant] [Fungicide] [Bactericide]

[Treats Algal]

[Treats Bacterial Slimes]

[Superchlorinator]

ACTIVE INGREDIENT:

Sodium dichlor-s-triazinetrione: . . . 99.0%

OTHER INGREDIENTS: 1.0%

TOTAL 100.0%

AVAILABLE CHLORINE: 63%

KEEP OUT OF REACH OF CHILDREN
DANGER

SEE ADDITIONAL PRECAUTIONARY INFORMATION ON SIDE PANELS.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NET WEIGHT: lbs (kg)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

{Environmental hazards statement for end-use products in containers less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight)}.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

{Environmental hazards statement for end-use products in containers greater than 5 gallons (liquid) or greater than 50 pounds (solid, dry weight)}

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use only a clean, dry utensil made of metal or plastic each time material is taken from the container. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause violent reaction leading to fire or explosion. In the event of contamination or decomposition do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. [This product, when used as directed, is effective as a swimming pool water sanitizer and disinfectant.] [This product is also effective in the treatment of algae, bacteria, and the elimination of organic contaminants.]

SWIMMING POOL APPLICATIONS

1. **FOR NEW POOL STARTUP:** First stabilize pool water by adding the recommended amount of cyanuric acid according to directions on product label. Total alkalinity and calcium hardness levels should be adjusted according to directions on product labels. Adjust and maintain pH in range of 7.2 to 7.8. Use suitable test kit.
2. **INITIAL TREATMENT/SUPERCHLORINATION:** Shock pool by adding 23 ounces of this product per 10,000 gallons until a chlorine residual of 1.0 to 3.0 ppm is obtained. Use suitable test kit.
3. **MAINTENANCE TREATMENT:** Add 2 to 4 ounces of this product on a regular basis to maintain a chlorine residual of 1.0 to 3.0 ppm. Heavy bather loads, water temperatures above 80 degrees F, or heavy/frequent rain may require superchlorination. Follow dosage in step 2 above. Use suitable test kit.
4. **TREATMENT FOR CONTROL OF ALGAE:** Should algae develop, add 23 ounces of this product per 10,000 gallons of pool water. Use suitable test kit.

RE-ENTRY INTO TREATED POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM OF CHLORINE DUE TO RISK OF BODILY INJURY.

SPA AND HOT TUBS APPLICATIONS

This product, when used as directed, is effective as a spa sanitizer and disinfectant.

1. Ensure all spa and hot tub equipment is working properly. Backwash and clean the filter system according to manufacturer's directions.
2. Adjust the pH between 7.2 to 7.6. Add stabilizer to establish a minimum level of 40 to 50 ppm. When using other products as outlined in the directions for use for this product, always follow directions on those products.
3. FOR MAINTENANCE DOSES: With pump on, add 1/2 teaspoon of this product per 100 gallons of water (or 5 teaspoons per 1,000 gallons) as an initial treatment. Repeat at 15 to 20 minute intervals until a residual of 3 to 5 ppm of available chlorine is established as determined by a test kit. A test kit must be used regularly to determine the frequency of additional doses of this product needed to maintain the chlorine residual of 3 to 5 ppm.
4. FOR SUPERCHLORINATION: Use one teaspoon of this product per 100 gallons of water (or 1/4 cup per 1,000 gallons). Superchlorination may be needed on a nightly basis in a heavily used spa or as infrequently as once a week in a moderately used spa.

REENTRY IS PROHIBITED ABOVE LEVELS OF 5 PPM CHLORINE DUE TO RISK OF BODILY INJURY.

RECIRCULATING COOLING TOWER APPLICATIONS

When used as directed, this product is effective as a cooling tower algacide, slimicide, and bactericide. Severely fouled towers should be cleaned prior to treatment for best and most rapid results. Lightly fouled systems may be treated without pre-cleaning.

TREATMENT OF ALGAL OR BACTERIAL SLIMES: Adjust pH of water to 7.4 to 7.8 before initiating this treatment. With tower operating, but with bleed valve cut off, add this product directly to the sump at a rate of 2 to 4 ounces per 1,000 gallons of water in the system. Wait 10 minutes and measure available chlorine residual. If less than 3 ppm, repeat treatment. Repeat this process until the desired state of cleanliness in the tower has been achieved. Discontinue treatment and allow the chlorine residual to drop below 1.0 ppm. Clean sump and screens. If necessary, drain the water. Open blow down valve and return system to normal operation.

SUPERCHLORINATION OF SYSTEMS RECEIVING CONTINUOUS CHLORINATION

Recirculating cooling systems on continuous chlorination at low chlorine levels may function better if they are periodically superchlorinated to remove chloramines and other organic wastes. Superchlorination with this product is recommended at least once a month. More frequent treatment may be desirable in towers subject to higher levels of organic contamination. To superchlorinate, adjust pH of the water to 7.4 to 7.8. With the blow down valve closed, add 2 ounces of this product per 1,000 gallons of water in the system. Wait 2 hours and measure chlorine residual. When chlorine residual is 1.0 ppm or less, open blow down valve and resume normal operation.

[STORAGE AND DISPOSAL – {For pesticides with only household/residential uses in nonrefillable containers.} Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding container.

DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.]

[STORAGE AND DISPOSAL – {For all pesticides except products with only household/residential uses in nonrefillable containers.} Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Keep this product dry in a tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding container.

DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Residue Removal: Triple rinse container (or equivalent) promptly after emptying.

{Rigid nonrefillable containers small enough to shake with capacities equal to or less than 5 gallons}

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.]

{Rigid nonrefillable containers too large to shake with capacities equal to or greater than 5 gallons or 50 lbs}

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]

[Fiberboard Containers: Completely empty liner by shaking and tapping sides or bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of drum in same manner.]

AllChem Performance Products, LP
416 S. Main Street
Corsicana TX 75110

EPA REG. NO. 69681-3
EPA EST. NO 69681-TX-001