6-4-2008

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460



United Status Environmental Protection Office of Pesticide Programs Agency

June 04, 2008

FILE COPY

Judy Eldem ALLChem Performance Products LP 416 S. Main Street Corsicana, TX 75110

Subject:

Clor Mor Granular Trichlor

EPA Registration Number: 69681-10 Application Dated: May 08, 2008 Receipt Date: May 09, 2008

Dear Ms. Eldem:

This acknowledges receipt of your notification, Submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification

- Updating Storage and Disposal
- Updating ingredients Statements
- Updating Environmental Hazard and Physical and Chemical Hazard Statements

General Comment

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,

Emily Mitchell

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)



AllChem Performance Products

6010 NW First Place, Gainesville, FL 32607 Phone: 352.378.9696 Fax: 352.333.7436

Contains Confidential Business Information

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard, Room S-4400 2777 South Crystal Drive Arlington, VA 22202-4501

Tel: 703-308-6264

May 8, 2008

Notification - Clor Mor Granular Trichlo - 69681-10 Update to Storage and Disposal per Agency notice: PR2007-4; Updated Ingredient Statement to reflect "Other"; updated Environmental Hazard and Physical and Chemical Hazard Statement.

AllChem Performance Products, LP is submitting the enclosed notification to update the Storage and Disposal instructions per the Agencies notice: PR2007-4. We updated the ingredients statement to show "OTHER"; and updated Environmental Hazard and Physical and Chemical Hazard Statements. All changes/additions have been highlighted in red on one of the attached labels.

This action does not require submission of registration service fees under PRIA.

You will find the following included with this submission:

1) EPA Application Form x 2 copies

2) One redlined copy of the label and one copy of final label.

Please send through a confirmation of Agency acceptance and feel free to contact me by phone at (352) 333-7357 or by email at judy.eldem@allchem.com if you have any questions.

Sincerely,

udy Eldem

AllChem Performance Products, LP

Please read instructions on reverse before core ting form.		Farm Append	014D No. 201	30 0000 4 0000000 10000000 2 20 00		
		Form Appro	,	70-0060. Approval expires 2-28-95 OPP Identifier Number		
SEPA Environmental Protect		ļ —	Registration Amendme	OII		
Washington, DC	•	✓	Other			
Applica	ation for Pestic	ide - Section	J			
1. Company/Product Number		2. EPA Product Manager 3. Proposed Classification				
69681-10		Emily Mitchell ✓ None Restricte				
4. Company/Product (Name) Clor Mor Granular Trichlor	PM# 32					
5. Name and Address of Applicant (Include ZIP Code)	,	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)				
AllChem Performance Products LP		(b)(i), my product is similar or identical in composition and labeling to:				
416 S. Main Street Corsicana, TX 75110		Reg. No				
Check if this is a new address	Prod	lust Nama		•		
	Section -	luct Name				
		1				
Amendment - Explain below.		Final printed labels in repsonse to Agency letter dated				
Resubmission in response to Agency letter dated		"Me Too" Applic				
Notification - Explain below.		Other - Explain be	alow.			
Explanation: Use additional page(s) if necessary. (For sec	ction I and Section II.)	· · · · · · · · · · · · · · · · · · ·				
"Notification of label change per PR Notice 2007-4. This notifica	ation is consistent with t	the guidance in PR N	Notice 2007-4 and	I the requirements of EPA's		
regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, a updated ingredients to reflect "Other" and added in TOTAL. No	and 156.156. Also upda	ated Environmental H	lazard statement;	Physical and Chemical Hazards;		
product. I understand that it is a violation of 18 U.S.C. Sec. 1001	1 to willfully make any f	false statement to EF	PA. I further under	rstand that if the amended label is		
not consistent with the requirements of 40 CFR §§ 156.10, 156. subject to enforcement action and penalties under sections 12 a		, and 156.156, this p	roduct may be in	violation of FIFKA and I may be		
	Section -	[[]				
1. Material This Product Will Be Packaged In:			т			
Child-Resistant Packaging Unit Packaging	Water Soluble I	Packaging	2. Type of Cor			
Yes Yes	Yes		 	Aetal _. Yastic		
No No	No No	A1	-1	ilass aper		
* Certification must be submitted If "Yes" No. per Unit Packaging wgt. No. per containe		No. per container	1	aper Other (Specify)		
	Retail Container	1 5 10	cation of Label D	N		
Label Container 4. Size(s)	Ketan Container		on label	Jirecuons .		
6. Manner in Which Label is Affixed to Product Lith Page Ste	hograph per glued enciled	Other				
	Section - I	IV				
1. Contact Point (Complete items directly below for identifica	ation of individual to l	be contacted, if nec	essary, to proces	ss this application.)		
Name	Title		Tei	lephone No (Include Area Code)		
Judy Eldem	Regulatory Mana	ager	(35	52) 333-7357 000		
	ication		9999			
certify that the statements I have made on this form a lacknowledge that any knowlinglly false or misleading			imprisonment or	(C42-204)		
both under applicable law.			303°			
2. Signature	3. Title		000	0000		
LUCUM	Regulatory Manag	jer	900	6000		
4. Typed Name	5. Date			0 0 0 0 0		
Judy Eldem	Ma	y 8, 2008	•	0 0 0 0 0		

{Text in brackets [xxx] is optional and may or may not be included on any final label.} {Text in braces (xxx} is for administrative purposes and will not appear on any final label.}

CLOR MOR GRANULAR TRICHLOR

Optional marketing statements that may be used with swimming pool disinfection	.}
Completely Soluble]	ŕ
Stabilized]	
Disinfectant]	
Slow Dissolving]	
Dissolves Completely]	
UV Stabilizer built in]	
Contains no metals]	
Optional marketing statements that may be used with algaecide.}	
For white plaster pools]	
Completely Soluble]	
Concentrated]	
Algaecide]	
Slow Dissolving]	
Dissolves Completely]	
Kills black algae]	
Kills black and green algae]	
Removes unsightly algae spots]	
Contains no metals]	
Will not stain pool surfaces]	
ACTIVE INGREDIENT:	
Crichloro-s-triazinetrione 99%	
OTHER INGREDIENTS: 1%	
OTAL100%	
Available Chlorine 90%	
. 29	
KEEP OUT OF REACH OF CHILDREN	
DANGER	

DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to ansurconscious ပြုစ္စမ person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration₀ preferably mouth-to-mouth if possible. Call poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE [BACK] [SIDE] PANEL FOR [FIRST AID AND] PRECAUTIONARY STATEMEN	VTS. 00	୍ତ୍ତ୍ତନ ଓ ବ
Net Weight:	_	1000 0 0

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER.CORROSIVE. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe dust, vapor or spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

{Environmental hazards statement for end-use products in containers less than 5 gallons (liquid) or less than 50 pounds (solid, dry weight)}.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

{Environmental hazards statement for end-use products in containers greater than 5 gallons (liquid) or greater than 50 pounds (solid, dry weight)}

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of waste. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent: DO NOT mix with other chemicals. Mix only with water. Never add water to product. Always add product to large quantities of water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, hazardous gas, possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air, well ventilated area. Flood area with large volumes of water.

{Directions to be used for swimming pool disinfection.}

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and use directions.

SWIMMING POOL DISINFECTANT

This product, when used as directed, is effective as a swimming pool water disinfectant.

SUPERCHLORINATION

Superchlorination is necessary at the start of the bathing season, upon filling the pool, every week during hot weather, and following heavy rain or windstorms. Superchlorination is performed by adding two to three times the normal amount of chlorine to oxidize and remove unwanted organic and inorganic material. Superchlorinate the pool with a suitable granular product by following the directions on that product's label. Keep pump-filter system running for at least 10 hours after treatment. Maintain pH between 7.2 and 7.6. Frequency of treatment and dosage is dependent on ambient temperatures and bather load. DO NOT reenter pool until the chlorine residual has dropped to between 1.0 – 3.0 ppm.

MAINTENANCE TREATMENT

Ensure all pool equipment systems are in proper working condition. Backwash the filter system following manufacturer's directions. When using other products as outlined in directions for this product, always follow directions on those products. Adjust and maintain pool water pH in the range of 7.2-7.6 as indicated by a suitable test kit. For maximum effectiveness, it is recommended that the pool be first stabilized with 25-35 ppm of Cyanuric Acid to reduce chlorine loss in sunlit pools. This product introduces chlorine and additional Cyanuric Acid into the pool to assure a stabilizing effect.

DOSAGE: To initially achieve 1.0-1.5 ppm available chlorine, add 1.25 oz. product per 1000 gallons of water. Add 1/4 oz. aproduct per 1000 gallons of water daily or as needed to maintain that level. A free available chlorine level of 1.0 - 1.5 ppm should be maintained? Theck pool frequently with a test kit and maintain residual chlorine level between 1.0 and 1.5 ppm and pH of 7.2 - 7.8.

APPLICATION: Skimmer – Use this method to avoid damage and staining to vinyl liner, fiberglass and painted pool surfaces. First, empty skimmer and any in-line automatic chemical feeding device of all chemicals and debris. Filter system should be on and water flowing through the skimmer. Pour correct dosage of this product directly into the skimmer making certain that the product is drawn into the system and does not accumulate. Accumulated product may generate explosive gases resulting in serious bodily injury, Keep pump-filter system running for at least four hours following treatment. Broadcast – Scatter correct dosage across deep end of pool being careful to avoid wind-blown dust from entering eyes. Keep pump-filter system running for at least four hours following treatment. Use broadcast method only in white plaster pools.

REENTRY: REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM OF CHLORINE DUE TO RISK OF BODILY INJURY.

2 of 4

{Directions to be used for algaecide.}

ALGAECIDE

This product, when used as directed, kills algae and will rid your pool of unsightly algae spots.

Use this product only in WHITE PLASTER POOLS. DO NOT use this product in painted, vinyl lined, fiberglass or colored plaster surface pools as damage may occur to the pool surface. Read entire label and use strictly in accordance with precautionary statements and directions. Ensure all pool equipment systems are in proper working condition. When using other products as outlined in directions for this product, always follow directions on those products. Adjust and maintain pool water pH in the range of 7.2-7.6 as indicated by a suitable test kit. For maximum effectiveness, it is recommended that the pool be first stabilized with 25-35 ppm of Cyanuric Acid to reduce chlorine loss in sunlit pools. This product introduces chlorine and additional Cyanuric Acid into the pool to assure a stabilizing effect.

Before using this product, shut off pump and vigorously brush all surface clinging algae. Wait one hour for the water to become stationary before product application. DOSAGE: Use two pounds of this product per 10,000 gallons for medium to heavy algae growth and one pound per 10,000 gallons for light algae growth. APPLICATION: At night or when the pool is not in use, broadcast this product directly into the water in the deep end of the pool and over any visible algae growth. Twelve hours after chemical treatment turn pump on and vacuum dead algae through the filter. Brush any remaining algae and clean/ backwash filter. If live algae are still visible, repeat treatment.

REENTRY: REENTRY INTO TREATED SWIMMING POOLS IS PROHIBITED ABOVE LEVELS OF 3 PPM OF CHLORINE DUE TO RISK OF BODILY INJURY.

HOW TO CALCULATE POOL CAPACITY

SHAPE OF POOL

GAL. OF WATER (Dimensions in ft.)

Rectangular..... Length x width x avg. depth x 7.5

Circular..... Diameter x diameter x avg. depth x 5.9

Oval with straight sides . . Long diameter x short diameter x avg. depth x 6.7

[STORAGE AND DISPOSAL - {For pesticides with only household/residential uses in nonrefillable containers.} Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks and all sources of heat. Avoid contact with organic material.

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.]

[STORAGE AND DISPOSAL - {For all pesticides except products with only household/residential uses in nonrefillable **containers**}. Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Do not contaminate water, food or feed by storage or disposal. Store in a dry, cool and well-ventilated area. Avoid moisture getting into container. Keep off wet floors. In case of spillage, wash with large amounts of water. After each use, keep container tightly closed. Oxidizing material. Keep away from flames, sparks and all sources of heat. Avoid contact with organic material. DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Residue Removal: Triple rinse container (or equivalent) promptly after emptying.

{Rigid nonrefillable containers small enough to shake with capacities equal to or less than 5 gallons}

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.]

{Rigid nonrefillable containers too large to shake with capacities equal to or greater than 5 gallons or 50 lbs} [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the containter of full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 Seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment one amix tank or store

rinsate for later use or disposal. Repeat this procedure two more times.]] v) (i φ 0 φ **σ**

CONTAINER DISPOSAL (FIBERBOARD): Completely empty liner by shaking and tapping sides or bettomato loosen cliniging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of drum in same manner. 9 2 2 4

3 of 4

EPA REG. NO. 69681-10 EPA EST. NO. 69681-TX-001

AllChem Performance Products, L.P. 416 S. Main Street Corsicana TX 75110