

DY-SHOCK

Concentrated • Stabilized Chlorinating Granules

ACTIVE INGREDIENT:	
Sodium Dichlo@s-triazinetrione	57.0%
INERT INGREDIENTS:	
TOTAL INGREDIENTS:	100.0%
* Provides 35% Available Chlorine	

)

KEEP OUT OF REACH OF CHILDREN DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Call a physician or Poison Control Center.

NET WEIGHT: 5 lbs. (2.27 KG)

MAY 9 2000

Ser The Federal Insecticide, Fungicide assolecticide Act, as assended, for the

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if Inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Do not breathe dust. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS: DANGER. STRONG OXIDIZING AGENT. Use only clean, dry utensils. Mix only into water. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or any other foreign matter may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire and explosion. Avoid any contact with flaming or burning material such as a lighted cigarette. Do not use this product in any chlorinating device which has been used with any inorganic or unstabilized chlorinating compounds (e.g. calcium hypochlorite). Such use may cause fire or explosion.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Adjust the pH of the pool water to between 7.2 and 7.8 as determined by a suitable test kit. Adjust the pool water total alkalinity to between 100 and 125 ppm. In new pools (pools that have been filled with fresh water) add Chlorine Stabilizer at a rate of one (1) pound per 5,000 gallons of water. This addition of Chlorine Stabilizer will result in a stabilizer level of approximately 30 ppm. Regular use of this product will provide any needed stabilizer make up.

Before initiating daily chlorine use, superchlorinate (shock treat) the pool water to eight (8) ppm chlorine residual by using this product as directed on the product label, 1 to 2 lbs. of this product per 7.500 gallons of water as determined by a suitable test kit. Allow the chlorine residual to return to the 1.0 - 1.5 ppm range as determined by a chlorine test kit. For daily use, add this product at the rate of 2.5 oz. per 5,000 gallons of water. Add this product through the pool skimmer. Test the pool water with a chlorine test kit. More or less of this product may be needed to maintain a chlorine residual between 1.0 and 1.5 ppm.

During especially hot periods and after heavy bather loads, superchlorinate (shock treat) the pool water to 8.0 ppm as directed above. Failure to superchlorinate can lead to the growth of pool water algae. If algae are present in the pool, use **Clor Mor Algaecide 60 Plus** as directed on the product label.

Reentry into treated pools is prohibited above levels of 3.0 ppm of chlorine.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. Do not reuse empty container. Rinse empty container thoroughly with water to dissolve all material before discarding. Place in trash collection or dispose of in approved landfill area.

EPA REG. NO. 69681-13

)

EPA EST. NO. 69681-TX-001

CFR PACKAGING, INC. 416 S. Main Street Corsicana TX 75110