APR 30

Ms. Judy Eldem Regulatory Manager AllChem Performance Products LP 416 S. Main Street Corsicana, TX 75110

Subject: Notification Per PR Notice 98-10

> Clor Mor Maintenance Algaecide EPA Registration Number 69681-20

Notification Application Dated March 27, 2009

EPA Received Date April 1, 2009

Dear Ms. Eldem:

This will knowledge receipt of your notification, submitted under the provisions of FIFRA section 3c 9. Based on a review of the submitted material the following comment apply.

Proposed Amendment:

Update Storage and Disposal Per Agency Notice PR 2007-4

General Comment:

Based on a review of the material submitted, the following comment apply:

The notification is acceptable. A copy has been inserted in your file for future reference.

Should you have any questions concerning this letter please contact me at Drusilla Copeland at (703) 308-6224.

Sincerely

Velma Noble

Product Manager (31)

SYMBOL

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COP

2/13

Please read instructions on	reverse before complet	brorm.		Form App	roved.	No. 20)70-00 6 0). Approval expires 2-28-95
\$EPA	Environmental	nited States Protection			A	egistrat mendm ther		OPP Identifier Number
		Application	n for Pestici	ide - Sect	ion I			
1. Company/Product Numb 69681-20			2. EPA	Product Mana Heyward				posed Classification
4. Company/Product (Name Clor Mor Maintenance			PM# 34		.*		7 🕶	
5. Name and Address of Ap AllChem Performand 416 S. Main Street Corsicana, TX 75110 Check if the	ce Products LP	dej	(b)(i), r to: EPA		s similar	r or identic		FIFRA Section 3(c)(3) mposition and labeling
· L			Section -					
Notification - Explai	sponse to Agency letter n below. onal page(s) if necessary	y. (For section	I and Section II.)	Final printed Agency lette "Me Too" A Other - Expla	er dated application	w.		
"Notification of label change regulations at 40 CFR §§ 1 to the labeling or the Confic statement to EPA. I further 156.156, this product may be	56.10, 156.140, 156.144, dential Statement of Formulanderstand that if the ame	, 156.146, and 15 nula for this produ ended label is no	56.156. Updated Ir uct. I understand t ot consistent with t	nert to read Oth hat it is a violati the requirement	her under tion of 18 its of 40 0	r Ingredients U.S.C. Sec. CFR §§ 156.	s. No other . 1001 to v .10, 156.1	r changes have been made willfully make any false 40, 156.144, 156.146, and
,			Section -	111				
1. Material This Product W Child-Resistant Packaging Yes No	Unit Packaging Yes No	N	Water Soluble I		2	2. Type of C	Container Metal Plastic Glass Paper	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container			Other (S	pecify)
Location of Net Contents Label Manner in Which Label i	Container	4. Size(s) Retai	eph	Other		on label	Direction	N8
		Peper g Stencile	lued ed					
1 0 1 10 10 10 10	- 1 - 1 - Al- L-1 - A	*	Section - I	 			· · · · · · · · ·	4†a11
Contact Point (Complet Name Judy Eldem	e items directly below to	7	rof individual to L Title Regulatory Man		if necess	7	Felephone	application. / o No a (Include Area Code) -7357 ຈຸລາຍ
	tements I have made on any knowlinglly false or I e law.		all attachments th			te and com		6. Date Application Received
2. Signature	2 am		Regulatory Manag	ger			, , , , , , , , , , , , , , , , , , ,	3111
4. Typed Name Judy Eldem		5	i. Date	27-1	09	/)))))))))))))))))))



AllChem Performance Products

6010 NW First Place, Gainesville, FL 32607 Phone: 352.378.9696 Fax: 352.333.7436

Contains Confidential Business Information

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard, Room S-4400
2777 South Crystal Drive
Arlington, VA 22202-4501
Tel: 703-308-6264

March 26, 2009

RE: Notification – Clor MorMaintenance Algaecide – 69681-20 Update to Storage and Disposal per Agency notice: PR2007-4

AllChem Performance Products, LP is submitting the enclosed notification to update the Storage and Disposal instructions per the Agencies notice: PR2007-4. We also changed Inert to Other under the Ingredients Statement. All changes/additions have been highlighted in red on one of the attached labels.

This action does not require submission of registration service fees under PRIA.

You will find the following included with this submission:

- 1) EPA Application Form x 2 copies
- 2) One redlined copy of the label and one copy of final label.

Please send through a confirmation of Agency acceptance and feel free to contact me by phone at (352) 333-7357 or by email at <u>judy.eldem@allchem.com</u> if you have any questions.

Sincerely,

Judy Eldem

AllChem Performance Products, LP

{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

CLOR MOR MAINTENANCE ALGAECIDE

{Optional marketing statements for Swimming Pools}
[Control of Algae and Algae Slime Growth]
[For] [In]
[Swimming Pools]
[Decorative Fountains and Pools]
[Spas, Hot Tubs, Whirlpools]

{Optional marketing statements for non-pool use}
[Control of Algae and Algae Slime Growth]
[For] [In]
[Industrial and/or Commercial Recirculating Cooling Water Towers]
[Retort Water Systems]
[Recirculating Cooling Water Systems]

ACTIVE INGREDIENTS:

Alkyl ($60\%C_{14}$, 30% C_{16} , 5% C_{12} , 5% C_{18}) dimethyl benzyl ammonium chloride Dialkly ($60\%C_{14}$, 30% C_{16} , 5% C_{12} , 5% C_{18}) menthyl benzyl ammonium chloride OTHER INGREDIENTS: 50.00% TOTAL:

[Weight: Approx. 8 lbs/gallon]

KEEP OUT OF REACH OF CHILDREN DANGER

See [side] [back] panel for additional Precautionary Statements.

Net Weight:

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 ininutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled, swallowed, or absorbed through the skin. Do not get into eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear (goggles, safety glasses or face shield), protective clothing, and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

{Environmental hazard statement for end-use products in containers of less than 5 gallons (liquid) or less than 50 pounds (solid, dry).}

[ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish.]

{Environmental hazard statement for end-use products in containers greater than or equal to 5 gallons (liquid) or greater than or equal to 50 pounds (solid, dry).}

[ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.]

PHYSICAL OR CHEMIAL HAZARDS: Do not mix with soap, anionic detergents or oxidizers.

{Storage and Disposal instructions for Swimming Pool Use and Decorative Fountains and Pools}

[STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original containers and place in locked storage area. Keep from freezing.

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL: Securely wrap original container in several layers or newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container (bottle, cans, jars). Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other procedures approved by state and local authorities.]

{Storage and disposal instructions for Industrial Water Treatment Use, Industrial and/or Commerical Recirculating Cooling Water Towers and Recirculating Cooling Water Systems.}

[STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in original containers and place in locked storage area. Keep from freezing.

SPILL OR LEAK PROCEDURES: Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated. Large spills should be contained, the material then moved into containers and disposed of by approved methods for hazardous wastes.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control agency or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty container (bottle, cans, jars). Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerate or if allowed by state and local authorities by burning. If burned, stay out of smoke.

GENERAL: Consult Federal, State, or local disposal authorities for approval of alternative procedures such as limited open burning.]

[STORAGE AND DISPOSAL – {For pesticides with only household/residential uses in nonrefillable containers.} Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original containers and place in locked storage area. Keep from freezing. All pesticides should be kept out of reach of children and stored away from food. **DISPOSAL:**

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any and indoor or outdoor drain.]

[STORAGE AND DISPOSAL – {For all pesticides except products with only household/residential uses in nonrefillable containers}. Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original containers and place in locked storage area. Keep from freezing: All pesticides should be kept out of reach of children and stored away from food.

DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Residue Removal: Triple rinse container (or equivalent) promptly after emptying.

{Rigid nonrefillable containers small enough to shake with capacities equal to or less than 5 gallons}

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.]

{Rigid nonrefillable containers too large to shake with capacities equal to or greater than 5 gallons or 50 lbs}
[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]]

{Optional text for Swimming Pools}

[This product is efficient and stable in use dilution.]

[This product is compatible with most chemicals used in pool water and will not damage tile, concrete, metal or plastics.]

[This product keeps pool water free and sparkling, clear of visible green and blue-green algae, slime and green brown colors.]

[This product improves filter operations and reduces need for other chemicals.]

[This product imparts tone and a pleasant "feel" to swimming pool water.]

[This product is formulated to complement swimming pool water being treated with normal chlorine systems.] [It is especially effective against growth of algae and being non-volatile, aids, in maintaining pool water clarity and sparkle.][The residual effectiveness of this algaecide tends to stabilize the total chemical treatment system.] [This product is compatible with most chemicals normally used in swimming pool maintenance; however, in its concentrated form, this chemical should not come in contact with high concentrations of chlorine or any other oxidizer. DO NOT MIX THIS PRODUCT AND CHLORINE OR ANY OTHER OXIDIZER TOGETHER before adding to the pool. These chemicals should be handled separately.]

[This product was formulated to complement most swimming pool sanitizers.] [This product is not a stand alone product, it must be used with either halogen based or non-halogen based pool sanitizers.] [This product supports your overall pool chemical maintenance program, offering a residual effectiveness that protects your pool against algae formations while keeping your pool water sparkling clear.] [This product protects the unattended pool when you're away (refer to Vacation Treatment section in Directions for Use.)]

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Please read entire label and use strictly in accordance with precautionary statements and directions.

{Swimming Pool header and text must appear before either Instructions for use with/without Halogen Pool Sanitizers}

ر ر ر ر . . ر . ر . . د . د

SWIMMING POOLS:

This product requires no special equipment for treating swimming pool water. The correct use dilution may be added directly to the pool in any spot or added to the water circulation equipment. This product works the best when added by itself directly to pool water.

INSTRUCTIONS FOR USE WITH HALOGEN BASED POOL SANTIZERS: This product is formulated to complement most swimming pool sanitizers. When using other products as outlined in Directions for Use, always follow Directions for Use of those products. This product is effective against the growth of algae. This product is efficient and non-staining when used as directed. This product will not evaporate and its algae fighting abilities actually increase as pool water temperature increases.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Adjust chlorine residual to 1-3 ppm. In a chlorine treated pool, add stabilizer to establish a minimum level of 40-50 ppm to reduce the degradative effects of sunlight upon the chlorine residual. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals. Check chlorine residual and adjust to 1-3 ppm.

Add this product directly into pool by pouring around entire outside perimeter of pool. Do not apply when swimmers are in the immediate vicinity. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- 1. Backwash the filter thoroughly.
- 2. Vacuum algae debris and thoroughly brush pool.
- 3. Add 26 ounces of this product to each 50,000 gallons of water or ratio thereof.
- 4. Vacuum pool after 24 hours to remove dead algae.
- 5. If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
- 6. Once algae are under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION: Add 6.5 ounces of this product in 50,000 gallons of water every 3-5 days or as needed.

BOOSTER APPLICATION: Add 6.5 ounces of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions should be followed even when the pool is not in use. If algae growth is noticeable, apply initial dose.

[VACATION TREATMENT: When you are going to be away for one week or more, add 4.8 ounces of this product per 10,000 gallons of water for every week unattended.

Pour product around the edges of the shallow end of the pool, if shock is also being applied in the deep end of the pool.]

INSTRUCTIONS FOR USE WITH NON-HALOGEN BASED POOL

SANTIZERS: This product is formulated to complement most swimming pool water being treated with [BioGuard Softswim System] [Bacquacil] [and] [non-halogen systems.] When using other products as outlined in Directions for Use, always follow Directions for Use of those products. This product is efficient and non-staining when used as directed. This product will not evaporate and its algae fighting abilities actually increase as pool water temperature increases. The residual effectiveness of this product tends to stabilize the total chemical treatment system.

Ensure all pool equipment is working properly. Backwash the filter system following manufacturers directions. Adjust pH between 7.2-7.6. Check for metals and if present add stain and scale inhibitor to prevent staining of pool surface due to metals.

Add this product directly into pool by pouring around entire outside perimeter of pool. Allow the filter to run for at least six (6) hours after adding algaecide. During this period, swimmers should not be allowed into the water.

INITIAL APPLICATION FOR SWIMMING POOLS

- 1. Backwash the filter thoroughly.
- 2. Vacuum algae debris and thoroughly brush pool.
- 3. Add 26 ounces of this product to each 50,000 gallons of water or ratio thereof.
- 4. Vacuum pool after 24 hours to remove dead algae.
- 5. If algae is still visible repeat dose (steps 3 & 4) as necessary until pool is free of visible algae.
- 6. Once algae are under control, clean filter and return to normal operation.

MAINTENANCE APPLICATION: Add 6.5 ounces of this product in 50,000 gallons of water every 3-5 days or as needed.

BOOSTER APPLICATION: Add 6.5 ounces of this product in 50,000 gallons of water after a heavy or prolonged rainfall or when there is a heavy bathing load.

The above directions must be followed even when the pool is not in use. If algae growth is noticeable, apply initial dose.

WINTERIZING TREATMENT: (not applicable in California). When swimming pool season is over, add 26 ounces of this product per 16,000 gallons (1.6 ounces per 1,000 gallons) or ratio thereof of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also relp the servicing of the pool before it is returned to use the following season.

For persistent algae or slime producing organisms add 6.5 ounces of this product in to the skimmer with the filter pump running. After one minute shut off pump and allow the system to remain off overnight. The following day, restart the filter pump and add 6.5 ounces of this product to the pool. Run filter continuously for 24-48 hours brushing the sides and bottom of the pool frequently.

ALTERNATIVE WINTERIZATION TREATMENT: (not applicable in California). This product may be used with the following pool chemicals to form a winterization "package".

Directions:

- 1. Add a maintenance dose of chloride or oxygen shock.
- 2. Top up [BioGuard Softswim System] [Bacquacil] [Non-halogen] systems to 50 ppm.
- 3. Add 16.0 ounces of this product per 10,000 gallons (6.4 ounces per 4,000 gallons) or ratio thereof, of water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.
- 4. Allow filter to run for several hours after chemical additions for good mixing.

Note: Before using chlorine or oxygen shock, read the Directions for Use and Precautionary Statements specific to that product.

{Optional Usage Chart for Swimming Pools}

Swimming Pool Capacity in gallons	Initial Treatment	Maintenance/Booster Dose
5,000	2.6 ounces	0.65 ounces
10,000	5.2 ounces	1.3 ounces
20,000	10.4 ounces	2.6 ounces
25,000	13.0 ounces	3.25 ounces
30,000	15.6 ounces	3.9 ounces
40,000	20.8 ounces	5.2 ounces
50,000	26.0 ounces	6.5 ounces

TO DETERMINE POOL CAPACITY:

Rectangular Pools: Length (times) width (times) average depth (in feet) (times) 7.5 (equals) gallons.

Round and Oval Pools: Long diameter (times) short diameter (times) average depth (in feet) (times) 5.9 (equals) gallons.

DIRECTIONS FOR USE IN SPAS/WHIRLPOOLS/HOT TUBS

Initial Dose: Add 2.6 ounces of this product per 5,000 gallons of water. Initial dose is used upon filling of spa/whirlpool/hot tub bath.

Maintenance Dose: Add 0.65 ounces of this product per 5,000 gallons of water. Maintenance dose should be added at 3-5 day intervals. If high temperatures prevail or spa/whirlpool/hot tub bath has unusually heavy use, add maintenance dose more frequently. Drain and clean spa/whirlpool/hot tub bath at least once a month or as needed depending upon bather load.

INDUSTRIAL WATER TREATMENT

Do not use water containing residues from use of this product to irrigate crops for food or feed.

Use of the product in either public/municipal or single or multiple family private/residential potable/drinking water systems is strictly prohibited. Use of the product in any cooling water system that discharges effluent within ¼ mile of either a public/municipal or single or multiple family private/residential potable/drinking water intake is strictly prohibited.

This product aids in the control of bacterial, fungal and algal slimes in industrial and commercial cooling towers.

INDUSTRIAL AND/OR COMMERCIAL RECIRCULATING COOLING WATER TOWERS, RETORT WATER SYSTEMS (note Retort Water Systems use not applicable in California)

- **1. DOSING LOCATION:** This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- **2. DOSING CONDITIONS:** This product must be applied when the system is in jeopardy of being affected or after cleaning systems were efficiency is already impaired.
- 3. METHOD OF APPLICATION:
- a) INTERMITTENT OR SLUG METHOD:

Initial Dose: When the system is noticeably fouled, apply 5.25 to 10.25 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1,000 gallons of water in the system. Repeat until control in achieved.

Subsequent Dose: When microbial control is evident, add 1.33 to 3.85 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1,000 gallons of water in the system twice weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

b) MODIFIED INTERMITTENT METHOD

Initial Dose: When the system is noticeably fouled, apply 5.25 to 10.25 fluid ounces (20 to 40 ppm on an active quaternary basis) per 1,000 gallons of water in the system. Apply half of this initial dose when half of the water in the system has been lost by blowdown? Subsequent Dose: When control of microbial growth is evident, apply 1.33 to 3.85 fluid ounces (5 to 15 ppm on an active quaternary basis) per 1,000 gallons of water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

c) CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 5.25 fluid ounces (20 ppm on an active quaternary basis) per 1,000 gallons of water in the system.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 1.33 fluid ounces (5 ppm on an active quaternary basis) per 1,000 gallons of water lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

ONCE THROUGH WATER COOLING SYSTEMS

- **1. DOSING LOCATION:** This product is to be applied at a point in the system where it will be uniformly mixed, such as at the sump.
- **2. DOSING CONDITIONS:** This product must be applied when the system is in jeopardy of being affected or after cleaning systems were efficiency is already impaired.
- 3. METHOD OF APPLICATION:

a) INTERMITTENT OR SLUG METHOD:

Initial Dose: When the system is noticeably fouled, apply 0.15 to 1.5 fluid ounces (0.6 to 6 ppm on an active quaternary basis) per 1,000 gallons of water in the system. The minimum treatment is 6 to 24 hours. Repeat until control in achieved. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ration of 5 ppm clay to 1 ppm product.

Subsequent Dose: When microbial control is evident, add 0.075 to 0.75 fluid ounces (0.3 to 3 ppm on an active quaternary basis) per 1,000 gallons of water based upon system flow rates on an as needed basis to maintain control. Frequency of feed must be tied to an in-plant monitoring program for macro cowling growth. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum of 5 ppm clay to 1 ppm product.

b) CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, apply 0.075 to 0.75 fluid ounces (0.3 to 3 ppm on an active quaternary basis) per 1,000 gallons of water based on system flow rates. Continue to feed until needed control is achieved. Deactivation must be conducted prior to discharge from the system using bentonite clay at a minimum ration of 5 ppm to 1 ppm product.

Subsequent Dose: Maintain this treatment by starting a continuous feed of 0.03 to 0.3 fluid ounces (0.1 to 1 ppm on an active quaternary basis) per 1,000 gallons of water based upon system flow rates. Deactivation must be conducted prior to discharge from the system by using bentonite clay at a minimum ration of 5 ppm clay to 1 ppm product.

DO NOT APPLY THIS PRODUCT MORE THAN 4 TIMES PER YEAR.

DEACTIVATIONS: This product must be deactivated prior to discharge of the NPDES outfall.

CONTROLLING ALGAE GROWTH

Bird Baths: Do not use with fish. Clean to remove algae growth prior to filling birdbath. Then spray all exposed surfaces with a solution of 0.2 ounce of this product per gallon of water. Allow to air dry and brush off dead algae.

Algae Control on Walkways: For heavy infestations, spray or swab a solution of 0.2 ounce of this product per gallon of water. Let stand for an hour or more then brush and wash away dead algae. Soak area again with the solution. Do not rinse. Allow to dry on the surface and repeat application when algae growth returns.

Instructions for Containerized Decorative Fountains and Pools

This product is not to be used in open waterways connected to larger watersheds or in waters that serve as natural habitats for aquatic and amphibious organisms. DO NOT use when fish or other wildlife (for example, amphibians) are present. This product is toxic to fish. DO NOT use this product when fish are present.

Initial Dose:

- 1. Remove floating algae by raking, dragging with cable or chain or any other suitable method. It is more economical to remove floating type algae (if possible) before the water is treated.
- 2. Add this product at any point that is convenient, such as the bowl, pool, or sump.
- 3. Add 25.6 ounces of this product to each 50,000 gallons (6.4 ounces per 12,500 gallons) or ratio thereof.

Weekly Maintenance Dose: Add 6.4 ounces of the product to each 50,000 gallons of water every 3-5 days or as to maintain 0.5 ppm active.

Each month drain and clean bowl. Refill with fresh water and repeat initial treatment. Draining removes airborne dirt, dust, contamination and alkali buildup.]

{optional chart for Containerized Decorative Fountains and Pools}

Decorative Fountains		
and Pools in gallons of		
water	Initial Treatment	Maintenance/Booster Dose
50,000	25.6 ounces	6.4 ounces
25,000	12.8 ounces	3.2 ounces
12,500	6.4 ounces	1.6 ounces
6,250	3.2 ounces	0.8 ounce
3,125	16 ounces	0.4 ounce
1,562	0.8 ounce	0.2 ounce
781	0.4 ounce	0.1 ounce
390	0.2 ounce	0.05 ounce
195	0.1 ounce	0.025 ounce

AllChem Performance Products, LP 416 S. Main Street Corsicana TX 75110

EPA REG. NO. 69681-20

EPA EST. NO. 69681-TX-001