# ED STATES ENVIRONMENTAL PROTEL ON AGENCY

69687-2 12/29/2006

December 29, 2006

Bob MacDonald Agent for Medtrol, Inc. c/o SRC Scientific & Regulatory Consultants, Inc. P.O. Box 1014 Columbia City, IN 46725

Subject:

Chloro-Sol

EPA Registration No. 69687-2 Application Date: December 6, 2006

Receipt Date: December 13, 2006

Dear Mr. MacDonald:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

# **Proposed Notification**

Addition of "Total" line to ingredient statement

### **General Comments**

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been placed in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely.

Wanda\_Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

	CONCURRENCES	
MBOL 7510P 7510P		
IRNAME N E. B. 19 E. Mita Lell	***************************************	
1TE 10/24/06/1/3/07	***************************************	
PA Form 1320-1A (1/90)	Printed on Recycled Paner	DECICIAL CUE CONT

2 35

Please read instructions o	n reverse before sompleting form	n	Form A	٧٥٥ يا	I. OMB No.	<u> 2070-006</u>	O. Approval expires 2-28-9		
United States  Environmental Protection Agency Washington, DC 20460		<b>✓</b>	Registration Amendment Other		OPP Identifier Number				
Application for Pesticide - Section I									
				2. EPA Product Manager  Emily Mitchell  3. Proposed Classification  Restricted					
4. Company/Product (Name) Chloro-Sol			PM# 32						
5. Name and Address of Applicant (Include ZIP Code) Medtrol, Inc. 7157 Austin Avenue Niles, IL 60714			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.						
Check if this is a new address Product Name									
		Sec	tion - II						
Amendment - Explain below.  Resubmission in response to Agency letter dated									
changes have been made make any false statement product may be in violation	tice 98-10. This notification is cons to the labeling or confidential state to EPA. I further understand that if of FIFRA and I may be subject to ons to the attention of Bob MacDon	ment of formula this notification i enforcement act	of this product. I unde s not consistent with ion and penalties und	erstand to the term: fer section	hat it is a viola s of PR Notice ons 12 and 14	tion of 18 to 98-10 an of FIFRA.	U.S.C. Sec, 1001 to willfully d 40 CFR 152.46, this		
		Sect	tion - III						
1. Material This Product V	fill Be Packaged in:								
Child-Resistant Packaging Yes No * Certification must	Yes No		No P		Metal Plastic Glass Paper	fletal flastic ilass aper			
be submitted	Unit Packaging wgt. contai	iner Packag	ge wgt contair	n <del>o</del> r		Other (S	ipecify)		
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions							ons		
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled									
		Sect	ion - IV						
1. Contact Point (Comple	te items directly below for identif	fication of indivi	dual to be contacted	t, if nec	essary, to pro	cess this	app(ication.)		
		Title Agent fo				Telophone 260-244-6	No. (include Area Code) 6270		
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  6. Date Application Resources  Catalogue Application  Catalogue Application						Roucived			
Signature 3. Title Agent			or Medtrol Inc.						
4. Typed Name Bob MacDona	ıld	5. Date	12/10/10						



December 12, 2006

Ms. Emily Mitchell, PM 32
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, 4th Floor
One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202

SUBJECT:

**NOTIFICATION** 

Chloro-Sol

EPA Reg. No. 69687-2

Dear Emily,

On behalf of our client, Medtrol, Inc., enclosed is a notification to official update their ingredient statement for the above product to include the standard "Total ...100%" declaration. We are resubmitting this notification per the recent response from Wanda Henson dated 11/28/06 (copy enclosed) requesting a complete label for this notification.

Their updated declaration includes the "Total" line and appears as follows:

We have enclosed two copies of the labeling. One with a simply highlight of the change and one with the change "circled" so it may be copied. Otherwise the labeling is consistent with the most recently accepted stamped label.

Thank you for your assistance on this matter. If you have any questions please contact me at (260) 244-6270 or by e-mail at bmacdonald@srcconsultants.com.

Sincerely

Bob MacDonald

Agent for Medtrol, Inc.

P.O. Box 1014 Columbia City, IN 46725 Phone: 260-244-6270 www.srcconsultants.com Fax: 260-244-6273

# CHLORO-SOL™ [Product Name]

For [Cleaning] [,] [Sanitization] [and] [Decontamination] [of] Hard Non-Porous [Surfaces] [Environmental Surfaces] [/] [,] [Patient Care Equipment Surfaces] Soiled with Blood & Body Fluids Prior to High Level Disinfectant and Sterilization.

### SUGGESTED AREAS OF USAGE:

[[Medical] [,] [Dental] [and] [Laboratory] Counters] [,] [Exam Tables] [,] [Carts] [,] [Point-of-Care Equipment Surfaces] [,] [Telephones] [,] [Sink Tops] [,] [Toilet Seats] [Patient Care Equipment].

# KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

#### STORAGE AND DISPOSAL

- Store product in a cool, dry area, away from heat and direct sunlight.
   Do not reuse empty packet and [used] towelette.
- Discard used towelette [and] [empty] [packet] in designated infectious waste container for autoclaving and disposal according to federal, state and local regulations.

(See panel on reverse for directions for use and additional precautionary statements.)

EPA Reg. No. 69687-2 EPA Est. No. 69687-IL-001 [DIN: 02246210]

Net Contents [1 fl. oz.]

[32 fi. oz.]

{Administrative Note: Bracketed text [] is optional version of text for different packaging.}

[MEDTROL, INC. logo]

[© 2004 Medtrol, Inc.]

{Administrative Note: The terms "lowelette(s)", "towel(s)", "wipe(s)", "wiper(s)" and "cloth(s)" may be used interchangeably throughout.}

{Administrative Note: The terms "packet(s)", "container(s)" and "bottle(s)" may be used interchangeably throughout.}

4 75

### Directions for use:

- It is a violation of Federal Law to use this product in a manner inconsistent with its labeling
- Always use personal protective equipment such as disposable gloves, gowns, masks or eye coverings when handling items soiled with blood and body fluids.
- Open [Chloro-Sol<sup>™</sup>] [Product Name] packet.
- [Pour] [Apply] [Spray] [Chloro-Sol] [Product Name] [liquid] [solution] on desired surface.
- Scrub and wipe with towel of your choice over desired surface to be [decontaminated] [disinfected].
- Allow a minimum contact time of 15 minutes and then allow to air dry.
- Discard towel and [empty] packet (see front panel).

# **Precautionary Statements**

Hazards to humans and domestic animals

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barriers or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

## Complete product line information available by calling:

7157 North Austin Avenue Niles, Illinois 60714

e-mail: sales@medtrol.com
Website: www.medtrol.com

[ MEDTROL, INC. LOGO ]

Ph: 800-647-7180 Fx: 800-255-3027 [BARCODE LABEL]

{Administrative Note: Bracketed text [] is optional version of text for different packaging.}
{Administrative Note: The terms "towe!ettc(s)", "towel(s)", "wipe(s)", "wiper(s)" and "cloth(s)" may be used interchangeably throughout.}
{Administrative Note: The terms "packet(s)", "container(s)" and "bottle(s)" may be used interchangeably throughout.}