

THIS SIDE UP

SOLD ONLY BY THE CASE • NO DEPOSIT - NO RETURN

THIS SIDE UP

ACCEPTED

JAN 22 1997

Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 69775-1

TM

CHLORINATING LIQUID

Pre-Mixed Ready To Use • Works For All Types Of Pool Surfaces

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS
STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Drink large quantities of water. Do not
induce vomiting. Call a physician or poison control center
immediately. IF CONTACT WITH EYES OCCURS: Flush
with water for at least 15 minutes. Get prompt medical
attention. IF CONTACT WITH SKIN OCCURS: Wash with
plenty of soap and water. If irritation persists or if other
problems develop, get prompt medical attention.

2-1 GALLON PLASTIC CONTAINERS

BEST AVAILABLE COPY

Output at 75%

PM 32
69775-1

1/9

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

2/4

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release hazardous gases which is irritating to eyes, lungs, and mucous membranes.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

**IN THE EVENT OF A MEDICAL EMERGENCY
CALL CHEMTREC
1-800-424-9300**

MANUFACTURED BY:
Apex Chemical Corporation
2547 W. Jackson Street
Phoenix, AZ 85009

EPA REG. NO. 69775-1
EPA EST. NO. 69775-AZ-001

NET CONTENTS:
2-1 GALLON PLASTIC CONTAINERS



**CUSTOMER
RESPONSIBILITY:**

**READ
TRANSPORTATION
INSTRUCTIONS
BEFORE YOU PURCHASE**

**VENTED CAPS - KEEP UPRIGHT
BOTTLES WILL LEAK**

- DO NOT TRANSPORT IN PASSENGER COMPARTMENT OF VEHICLE.
- SPILLAGE MAY CAUSE INJURY TO PERSONS OR PROPERTY
- CARRY IN SEPARATED BAGGAGE COMPARTMENT SECURELY BRACED IN AN UPRIGHT POSITION.
- BOTTLES WILL LEAK IF TIPPED.

PUSH IN

THIS SIDE UP • DON'T TIP



**The manufacturer or retailer assumes no
liabilities for mishandling or misuse.**

NOTICE:
This product is intended for
SWIMMING POOL TREATMENT ONLY.

**DO NOT STORE NEXT TO ACID
KEEP IN COOL DRY PLACE**

Output at 75%

6/9

4/9

SOLD ONLY BY THE CASE

CONSUMER COMMODITY

ORM-D

Chlorinating liquid is convenient and economical to use for routine sanitizing or for periodic superchlorination of your pool. When used regularly as part of a complete maintenance program, it will help prevent the growth of harmful algae and micro-organisms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

NOTE: *This product degrades with age, use a chlorinating liquid test kit and increase dosage as necessary to obtain the required level of available chlorinating liquid.*

SHOCK/SUPERCHLORINATION: Add 54 to 108 oz. of this product for each 10,000 gallons of pool water to yield an available chlorinating residual of 5 - 10 ppm. Do not use pool until residual is less than 3.0 ppm.

DAILY CHLORINATION: Add 12 oz. of this product for each 10,000 gallons of pool water to provide approximately 1.0 ppm available chlorinating liquid.

Maintain 1.0 to 1.5 ppm in unstabilized pools and 1.0 to 3.0 ppm in stabilized pools. Add chlorinating liquid at night after running filter. Check in the morning and adjust as necessary.

IMPORTANT: Maintain pH between 7.2 - 7.6. Maintain alkalinity between 50 to 100 ppm.

**DO NOT STORE CHLORINATING
LIQUID NEXT TO ACID
STORE IN A COOL DRY PLACE**

ACCEPTED

JAN 22 1997

Under The Federal Insecticide, Fungicide and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 69775-1

A P E X
CHEMICAL CORP.

CHLORINATING LIQUID

Active Ingredient: Sodium Hypochlorite10.0%
Inert Ingredient:90.0%
TOTAL:100.00%

KEEP OUT OF REACH OF CHILDREN

☠ DANGER ☠

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): IF SWALLOWED, drink large amounts of water. Do not induce vomiting. Call a physician or poison control center immediately. IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention. IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water. If irritation persists or if other problems develop get prompt medical attention.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age, use a chlorinating liquid test kit and increase dosage as necessary to obtain the required level of available chlorinating liquid. **SHOCK/SUPER CHLORINATION:** Add 54 to 108 oz of this product for each 10,000 gallons of pool water to yield an available chlorinating liquid residual of 5-10 ppm. Do not Use pool until residual level is less than 3 ppm. **DAILY CHLORINATION:** Add 12 oz of this product for each 10,000 gallons of pool water to provide approximately 1 ppm available chlorinating liquid. Maintain 1.0 to 1.5 ppm in unstabilized pools and 1.0 to 3.0 ppm in stabilized pools. Add chlorinating liquid at night after running filter. Check in the morning and adjust as necessary. **IMPORTANT:** Maintain ph between 7.2 - 7.6. Maintain alkalinity between 50 to 100 ppm.

PRECAUTIONARY STATEMENT: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

PHYSICAL OR CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release hazardous gases which is irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

EPA REG. NO. 69775-1
EPA EST. NO. 69775-AZ-001

Manufactured by:
Apex Chemical Corp.
2547 W. Jackson St., Phoenix, AZ 85009

NET CONTENTS 1 GALLON (3.785 LITERS)

6/9
THIS SIDE UP



SOLD ONLY BY THE CASE • NO DEPOSIT - NO RETURN

THIS SIDE UP



CHLORINATING LIQUID

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS
STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Call a physician or poison control center immediately. IF CONTACT WITH EYES OCCURS: Flush with water for at least 15 minutes. Get prompt medical attention. IF CONTACT WITH SKIN OCCURS: Wash with plenty of soap and water. If irritation persists or if other problems develop, get prompt medical attention.

KEEP OUT OF REACH OF CHILDREN
NO SE DEJE AL ALCANSE DE LOS NIÑOS

DANGER
PELIGRO

ACTIVE INGREDIENTS:

Sodium Hypochlorite 10%

Inert Ingredients 90%

Total 100%

2-1 GALLON PLASTIC CONTAINERS

FRONT PANEL

7/69

TOP PANEL

**CUSTOMER
RESPONSIBILITY:**

**READ
TRANSPORTATION
INSTRUCTIONS
BEFORE YOU PURCHASE**

**VENTED CAPS - KEEP UPRIGHT
BOTTLES WILL LEAK**

- DO NOT TRANSPORT IN PASSENGER COMPARTMENT OF VEHICLE.
- SPILLAGE MAY CAUSE INJURY TO PERSONS OR PROPERTY
- CARRY IN SEPARATED BAGGAGE COMPARTMENT SECURELY BRACED IN AN UPRIGHT POSITION.
- BOTTLES WILL LEAK IF TIPPED.

PUSH IN

THIS SIDE UP • DON'T TIP



**The manufacturer or retailer assumes no
liabilities for mishandling or misuse.**

NOTICE:

**This product is intended for
SWIMMING POOL TREATMENT ONLY.**

**DO NOT STORE NEXT TO ACID
KEEP IN COOL DRY PLACE**

8/9

SOLD ONLY BY THE CASE

CONSUMER COMMODITY

ORM-D

Chlorinating liquid is convenient and economical to use for routine sanitizing or for periodic superchlorination of your pool. When used regularly as part of a complete maintenance program, it will help prevent the growth of harmful algae and micro-organisms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

***NOTE:** This product degrades with age, use a chlorinating liquid test kit and increase dosage as necessary to obtain the required level of available chlorinating liquid.*

SIDE
PANEL
A

SHOCK/SUPERCHLORINATION: Add 54 to 108 oz. of this product for each 10,000 gallons of pool water to yield an available chlorinating residual of 5 - 10 ppm. Do not use pool until residual is less than 3.0 ppm.

DAILY CHLORINATION: Add 12 oz. of this product for each 10,000 gallons of pool water to provide approximately 1.0 ppm available chlorinating liquid.

Maintain 1.0 to 1.5 ppm in unstabilized pools and 1.0 to 3.0 ppm in stabilized pools. Add chlorinating liquid at night after running filter. Check in the morning and adjust as necessary.

IMPORTANT: Maintain pH between 7.2 - 7.6. Maintain alkalinity between 50 to 100 ppm.

DO NOT STORE CHLORINATING LIQUID NEXT TO ACID

STORE IN A COOL DRY PLACE

9/9

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release hazardous gases which is irritating to eyes, lungs, and mucous membranes.

SIDE
PANEL
(B)

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

**IN THE EVENT OF A MEDICAL EMERGENCY
CALL CHEMTREC
1-800-424-9300**

MANUFACTURED BY:

ABC Corporation
1234 Main Street
Anytown, US 12345

EPA REG. NO. 00000-0
EPA EST. NO. 00000-US-000

NET CONTENTS:
2-1 GALLON PLASTIC CONTAINERS

