

69775-1

7/28/2004

1/

APEX CHLORINATING LIQUID

SUN UP TO SUN DOWN

ACTIVE INGREDIENT: Sodium Hypochlorite 10%
Inert Ingredients 90%
Total: 100%

**ARIZONA
FORMULA**

FIRST AID: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF ON SKIN or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF SWALLOWED: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. **IN CASE OF EMERGENCY CALL: 1-800-654-6911.**

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain required level of available chlorine. **SWIMMING POOL WATER DISINFECTION:** For a new pool or spring start-up, superchlorinate with 58 to 116 ounces of product for each 10,000 gallons of water to yield 5 to 10 parts per million (ppm) of available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm. To maintain the pool, add manually or by a feeder device 11.6 ounces of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1 ppm by weight. Stabilized pools should maintain a residual of 1 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Every 7 days, or as necessary, superchlorinate the pool with 58 to 116 ounces of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine. Check the level of available chlorine with a test kit. Reentry into treated pools is prohibited above level of 4 ppm due to risk of bodily harm.

ENVIRONMENTAL HAZARDS STATEMENT: This pesticide is toxic to fish and aquatic organisms.

PRECAUTIONARY STATEMENTS: Hazards to Humans and Domestic Animals.

DANGER: CORROSIVE. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear safety glasses or goggles and rubber gloves when handling this product. Avoid breathing vapors. Wash after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. **PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT** Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes. **STORAGE & DISPOSAL:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

EPA Reg No: 69775-1 - EPA Est No.: 69775-AZ-001

NET CONTENT 128 OZ. (3.785 LITERS) 1 GAL.

Mfg By: APEX CHEMICAL CORP., Scottsdale, Az. 85258

TWICE SIZE

