

FRONT PANEL

EcoSharp™
WEED & GRASS KILLER
Ready To Use

made with VINEGAR & LEMON JUICE COMPONENTS

For Residential Use Only

Active Ingredients:
Acetic Acid-Ethanoic Acid (C₂H₄O₂) 6.25%
Other Ingredients: 93.75%
Total: 100.00%

Net Contents: 24 fl. Oz. (710 ml)


KEEP OUT OF REACH OF CHILDREN
WARNING
Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Questions? 1-866-298-2229	

EPA Reg. No. 69836-2

EcoSharp Weed & Grass Killer-RTU

page 1 of 4



EcoSharp™ WEED & GRASS KILLER-RTU

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND ANIMALS

WARNING: Causes substantial but temporary eye injury. Wear protective eyewear such as safety glasses when applying. Do not get in eyes, on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment or washwaters or rinsate.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

EcoSharp™ Weed & Grass Killer-Ready To Use is a foliar active weed control product which contains vinegar as the active ingredient and extracts from lemon juice. It is non-selective to both broadleaf and grassy weeds and is used on non-food areas such as borders, driveways, sidewalks, around mature tree bases, around buildings, in fence rows, in greenhouses, and around flower beds.

EcoSharp Weed & Grass Killer-Ready To Use is fast acting. Foliar contact results in rapid desiccation and control of annual weeds and grasses, and top growth reduction of herbaceous perennial weeds and grasses (see Table on page. 3). Re-treatment is required for control of established perennial weeds.

FOR EARLY SEASON ANNUAL WEED CONTROL: When weeds are small (3 to 5 leaf) and actively growing, apply EcoSharp Weed & Grass Killer-Ready To Use to the foliage of weeds, making sure that all of the foliage is wet. Thorough coverage is necessary to achieve desirable control.

EcoSharp Weed & Grass Killer-Ready To Use is fast acting. It can be applied up to one hour before rainfall and still be effective. If it rains less than one hour after treatment, determine if treated leaves are showing symptoms. If symptoms are not obvious, wait until the leaves dry and re-treat.

FOR CONTROL OF LARGER ANNUALS AND BURNDOWN OF PERENNIAL WEED GROWTH: Larger annual weeds and perennials are more difficult to control and may require re-treatment. Treat initially as above and repeat if new growth of leaves appear. Thorough coverage of all green foliage is necessary to achieve desirable control.

Best results are achieved from spring/early summer applications to actively growing young weeds. Weeds that are mature, dormant, or hardened due to moisture stress are more tolerant of herbicide treatments. Only contacted vegetation will be affected. Rainfall within one hour of application will reduce degree of control.

Application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture may cause staining, mottling, or otherwise mar finished metal surfaces.

Avoid applying this product to ditches, swales, and drainage ways. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

DO NOT ALLOW CONTACT WITH DESIRABLE PLANTS. OVERSPRAY OR DRIFT WILL INJURE OR KILL CONTACTED VEGETATION.

TYPICAL WEEDS CONTROLLED
ANNUAL BROADLEAF WEEDS: Black medic, Chickweed, Cinquefoil (rough), Lambsquarters, Mustard spp., Oxalis spp., Pigweed spp., Ragweed spp.
PERENNIAL BROADLEAF WEEDS: Cinquefoil (silvery), Dandelion, , Toadflax, Tufted vetch, Wild carrot Plantain spp. (not for use on Plantain spp. in California).
ANNUAL GRASSES: Crabgrass, Foxtail spp. (not for use on foxtail spp. In California)
PERENNIAL GRASSES: Bluegrass, Quackgrass

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep from freezing. Store only in original tightly sealed container and out of reach of children.

DISPOSAL: If empty: Do not reuse this container. Place in trash for recycling if available.

If partially filled: call your local solid waste agency for disposal instructions. Never place unused product down an indoor or outdoor drain.

CONDITIONS OF SALE

The label instructions for the use of this product reflect the opinion of experts based on research and field use. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffective or other unintended consequences may result because of such factors as weather conditions, presence of other materials, herbicide-resistant weed preparations or the use or application of the product contrary to label instructions, all of which are beyond the control of Ecoval. **ALL SUCH RISKS SHALL BE ASSUMED BY THE USER.** Ecoval shall not be responsible for losses or damage resulting from the use of this product in any manner not specifically set forth on this label.

Ecoval warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for use therein described when used in accordance with the directions for use, subject to the risks referred to above. **ECOVAL DOES NOT MAKE OR AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ECOVAL'S EXCLUSIVE REMEDY AND ECOVAL'S EXCLUSIVE LIABILITY SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THIS PRODUCT.** In no case shall ECOVAL or the seller be liable for consequential, special or indirect damages resulting from the use of the product. The foregoing is a condition of sale by Ecoval and is accepted as such by the buyer.

U.S. Patent No. 5,573,997

Packed for:

ECOVAL Corp. • 8604 Main Street • Suite 1 • Williamsville NY 14221

EcoSharp™ is a trademark of Ecoval Corp.

050907