

EPA

01-14-03

ACCEPTED
JAN 29 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 69850-1

69850-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use as a remedial treatment in large structural timbers such as utility poles, piling, bridge timbers and laminated wood products. May be applied to areas of timbers where decay is suspected.

Large structural timbers have so many different end uses that the groundline area of 40' circumference standing poles is taken as a guide and example for application of this product.

For interior decay bore a pattern of holes about 2 1/2 times the radius of the wood in length at about a 45° angle downward. The first hole should be at the groundline and succeeding holes about 8"-12" higher and 90° rotated from the next lower hole.

1. Always open tin and tubes in an open area.
2. Have both the opening device and tube with active ingredient within arm's reach.
3. Open tin carefully. Place opening device on top of the tube. Remove cap from tube.
4. Insert tube into pre-drilled hole. For poles, it is recommended that the open end of the tube be placed downwards. For other timbers, it may be appropriate to insert with the open end up. Plug hole with a tight fitting plug using the precautions of wearing safety goggles and gloves to prevent exposure to the product.
5. Repeat application procedure for each hole.

DOSAGE RATE: 1 tube (30 grams) per drill hole.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near an open flame.

RESTRICTED USE PESTICIDE
DUE TO HIGH ACUTE TOXICITY
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

MLPC

Methylisothiocyanate (MITC)

CAS NO. 556-61-6
FUNGICIDE FOR WOOD

Active Ingredient: Methylisothiocyanate 97% B.W.
Inert Ingredients: 3% B.W.
100%

KEEP OUT OF REACH OF CHILDREN



**DANGER
POISON
FLAMMABLE**



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 69850-1 EPA EST. No. 068872 - DEU - 001

Manufactured By:
MLPC INTERNATIONAL
Rion-Des-Landes, France
Net contents : 17lbs, 14oz. (270 tubes)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Fatal if inhaled or absorbed through skin. May be fatal if swallowed. Corrosive. Causes irreversible eye damage and skin burns. When applying in enclosed areas, wear a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and National Institute for Occupational Safety and Health. Wear goggles, safety glasses or face shield, protective clothing and rubber gloves. Wash thoroughly after handling, before eating or smoking. Remove contaminated clothing and wash before reuse.

STORAGE AND DISPOSAL

STORAGE:

- Store only in closed original container to prevent leakage.
- Store only in cool, well-ventilated, locked areas, away from food and feedstuff, out of reach of children and irresponsible persons.
- Avoid exposure to heat and/or direct sunlight.
- Do not drop container onto or slide across sharp objects.

CONTAINER DISPOSAL:

- Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved state and local procedure.
- Do not reuse container for any purpose.

PESTICIDE DISPOSAL:

- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

1/29/2003

page 182

MLPC Methylisothiocyanate (MITC) - EPA Registration No. 69850-1

ACCEPTED
JAN 29 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 69850-1

FIRST AID	
If Swallowed	<ul style="list-style-type: none">• Call poison control center or doctor for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Have person sip a glass of water if able to swallow.• Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER - CHEMTREC (800) 424-9300 (24 hours)	
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
<i>See side/back panels for additional precautionary statements</i>	

222