

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

June 16, 2016

Ms. Susan Stracquatanio Agent For: Canexus U. S., Inc. Delta Analytical Corporation 12510 Prosperity Drive, Suite 160 Silver Spring, Maryland 20904

Subject: Label Notification per PRN 2007-4 – Clarify Language Product Name: Chlorine EPA Registration Number: 69874-4 Application Date: May 26, 2016 Decision Number: 518093

Dear Stracquatanio:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Killian Swift at 703-308-6346 or by email at Swift.Killian@epa.gov.

Sincerely,

Warder A.

Demson Fuller, Product Manager 32 Regulatory Management Branch II Antimicrobials Division (7510P) Office of Pesticide Programs

NOTIFICATION

69874-4

The applicant has certified that no changes, other than those reported to the Agency have been made

labeling. The Agency acknowledges this notification by letter dated:

06/16/2016

Canexus U.S., Inc. Chlorine

LIQUEFIED GAS UNDER PRESSURE NON FLAMMABLE

ACTIVE INGREDIENT:	
Chlorine	99.9%
OTHER INGREDIENTS:	
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN



HAZARDOUS LIQUID AND GAS UNDER PRESSURE MAY CAUSE CHEMICAL PNEUMONIA AND EVEN DEATH IN HIGH CONCENTRATIONS MAY CAUSE SEVERE IRRITATION TO SKIN, EYES AND RESPIRATORY TRACT LIQUID MAY BURN EYES AND SKIN CAN REACT EXPLOSIVELY WITH ORGANIC PRODUCTS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Fatal if inhaled or absorbed through skin. Corrosive. Causes irreversible eye damage and skin burns. Do not breathe vapors or get in eyes, on skin or clothing. Wear goggles, protective clothing and rubber gloves.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment: Handlers must wear long-sleeved shirts, long pants, shoes, and socks and use a NIOSH/MSHA approved respirator where vapor may be generated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact you State Water Board or Regional Office of the EPA. CHEMICAL-PHYSICAL HAZARDS

Chlorine is a non-flammable gas, liquified, under pressure. Do not heat container. Avoid contact with organic products to prevent explosive reaction. Corrosive to most metals in presence of moisture.

FIRST AID		
lf in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 	
lf inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. 	
lf swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor or go treatment. You may also contact the Poison Center at 1-800-222-1222 for emergency medical treatment.		

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE AS A DISINFECTANT, by experienced personnel only, in municipal water supplies, sewage and waste management plants, in accordance with applicable local, state and federal regulations. Refer to the "Chlorine Basics, Pamphlet 001" published by The Chlorine Institute, Inc., for instructions on safety procedures. Before working with this product, handlers must be trained how to appropriately use respirators that conform to OSHA requirements (described in 29 CFR Part 1910.134) and how to appropriately handle and use chlorine. This product, including dispensing equipment, must be handled and used in accordance with the practices specified by all applicable product labeling and the "Chlorine Basics, Pamphlet 001" published by The Chlorine Institute, Inc. Use only in well ventilated areas.

USE IN MANUFACTURING PROCESSES, by trained personnel only, in production of bleach, plastics, chlorinated solvents, refrigerants, and intermediates for products containing no chlorine. Proper training in safety and use of protective equipment are essential. Well designed and maintained handling and processing facilities are required.

STORAGE AND DISPOSAL

[This product is only sold in bulk from transport vehicles (rail tankcars). In accordance with 40 CFR 156.140 (e) and 144 (g), transport vehicles are exempt from the requirement to provide container type and residue removal directions.]

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not place chlorine containers near heat or fire. Store remote from other chemicals.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Return empty chlorine tankcars and cargo tanks containing residual gas and/or liquid to the supplier in accordance with applicable DOT regulations. All valves must be closed tight and closures or caps secured. If container is damaged, or if the contents are leaking notify the supplier immediately. It is illegal to ship a leaking chlorine container.

Handling: Provide special training to workers handling chlorine. Handling and storage of chlorine containers should be in accordance with local, state and federal regulations. Regularly test and inspect piping and containment used for chlorine service. Liquid levels should be 85% of tank or cylinder capacity.

In the Event of Fire: Remove chlorine containers from fire zone immediately. Use water to keep containers cool which cannot be moved, but do not use water on source of a chlorine leak. Use water spray to direct chlorine away from persons affecting shut-off. Wear full protective clothing and self-contained breathing apparatus.

FOR ASSISTANCE IN CHEMICAL EMERGENCY, CALL CHEMTREC 800-424-9300

Spills of 10 pounds or more must be reported to the NATIONAL RESPONSE CENTER 1-800-424-8802

APPROXIMATE NET CONTENTS: 55 or 90 TONS EPA REG. NO. 69874-4 MADE IN CANADA EPA EST. NO. 69413-CAN-001

CAS No. 7782-50-5

UN 1017 HMIS HAZARD RATING HEALTH 3 FLAMMABILITY 0 REACTIVITY 0

NSF

Certified to ANSI/NSF Standard 60 Maximum Use Level for Potable water 30.0 mg/l

Canexus U.S., Inc.

PMB #486, 2711 Centerville Road, Suite 300, Wilmington, DE 19808-1645