FlightControl® Master Label

Date Accepted: Dec. 16, 1998

Page 1 of 4

ACCEPTED

MAR 2 0 2003

**ACTIVE INGREDIENT** 

Date of revisions: Mar. 20, 22, 23 2001; 17, 2003

(FRONT PANEL)
FlightControl®
FOR GEESE REPELLENCY

9, 10 anthraquinone...... 50%

OTHER INGREDIENTS			
	100%		
KEEP OUT OF REACH OF CHILDREN CAUTION			
If inhaled:	Move person to fresh air.		
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,		
	preferably by mouth-to-mouth, if possible.		
	Call a poison control center or doctor for further treatment advice.		
If on skin or clothing:	Take off contaminated clothing.		
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>		
	Call a Poison Control Center or Doctor for treatment advice.		
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>		
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	<ul> <li>Call a Poison Control Center or Doctor for treatment advice.</li> </ul>		
If swallowed:	Call poison control center or doctor immediately for treatment advice.		
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>		
	<ul> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>		
	Do not give anything by mouth to an unconscious person.		
	GENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-800-424-9300. HAVE		

# **MANUFACTURED BY:**

See side panel for additional precautionary statements.

ARKION LIFE SCIENCES, LLC 3521 Silverside Road Wilmington, DE 19810

EPA Establishment No.	Odom No		
EPA Registration No. 69969-1 For Best Results: Product ma	No. <u>69969-1</u> Its: Product may separate if allowed to sit. Resuspend with agitation. Keep from freezing.		
1	IET CONTENTS: GALLONS		
DA	E OF MANUFACTURE:		

FlightControl® Master Label
Page 2 of 4

Date Accepted: Dec. 16, 1998

Date of revisions: Mar. 20, 22, 23 2001; 17, 2003

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if inhaled. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash clothing before reuse. Causes moderate eye irritation. Avoid contact with eyes or clothing.

#### **ENVIRONMENTAL HAZARDS:**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

CONDITIONS OF SALE AND WARRANTY: Arkion Life Sciences LLC, warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. Since timing, method of application, weather and ground conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions, or under conditions which are abnormal or not reasonably foreseeable. ARKION LIFE SCIENCES LLC. MAKES NO OTHER WARRANTIES EITHER EXPRESS OR IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Arkion Life Sciences LLC. and Seller. Risks such as ineffectiveness or other directions will be assumed by the Buyer or User. IN NO CASE WILL ARKION LIFE SCIENCES LLC. OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT, NOR HELD RESPONSIBLE FOR INJURY OR LOSS AS A RESULT OF THE HANDLING OR USE OF THIS PRODUCT.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: This product may be used to repel geese, including Canada geese.

#### For Professional Application to Lawns and Structural Surfaces.

- Repels geese from terrestrial areas at or near airports.
- Repels geese from grassy areas at commercial sites, industrial sites, municipal sites or in developed urban areas.

FlightControl® Master Label Page 3 of 4 Date Accepted: Dec. 16, 1998

Date of revisions: Mar. 20, 22, 23 2001; 17, 2003

Repels geese from golf courses, ornamental nurseries and conifer nurseries.

- Repels geese from landfills and dumpsites.
- Repels geese from building roofs, window sills and ledges.

To prevent contamination of the dilute solution of FlightControl® by other chemical residues, be sure that the equipment is thoroughly clean before use or use dedicated equipment.

Apply this product using properly calibrated and maintained spray equipment. Do not apply when surface to be treated is wet or when rain is expected. For best results, allow product to dry on turf grass surface prior to rainfall. Mowing treated areas will remove product and reduce product effectiveness.

For application by professional applicators only. Do not apply this product in a way that will contact workers or other persons, either directly or through drift.

MIXING DIRECTIONS: Thoroughly shake or stir FlightControl® prior to diluting with water.

#### **APPLICATION DIRECTIONS:**

When geese have begun to flock in one area and are problematic, apply FlightControl® according to the following rates to the grassy, turf, forage or structural areas where geese are expected to feed/roost. To determine if the geese are problematic, conduct a visual inspection (bird count) by a responsible officials/parties before application.

#### Grassy or Turf Areas, Landfills, Dumpsites:

- In most cases, dilute 2 quarts of FlightControl® with 50 gallons of water and apply per acre of grass, turf or land surface. (1.5 oz. FlightControl® per 1,000 sq. feet). You might need to use as much as one gallon diluted in 50 gallons of water per acre for extreme bird pressure. Your supplier will provide individualized assistance on concentrations to be used under existing conditions.
- Mix with water based on spray equipment specifications and recommendations.
- Apply using a fine spray pattern to evenly distribute over entire surface to be treated.
- Allow material to dry before permitting human activity in the treated area...
- Spray at weekly intervals or as required by geese activity and anticipated seasonal migrations.
- When applying to turf, cutting of the lawn will reduce amount of repellent available.

#### Public, Municipal or Industrial Buildings:

#### Spray Application

- Apply at the rate of 3 fluid ounces (0.12 lb. a.i.) of FlightControl® diluted in as much as 5 gallons of water per 1,000 square feet of building surface (roof, window sills, ledges) area.
- Mix with water based on spray equipment specifications and recommendations.

FlightControl® Master Label Page 4 of 4

Date Accepted: Dec. 16, 1998

Date of revisions: Mar. 20, 22, 23 2001; 17, 2003

- Apply using a fine spray pattern to evenly distribute over the entire surface to be treated.
- Allow material to dry before permitting human activity in the treated area.
- Spray at weekly intervals or as required by geese activity and anticipated seasonal migrations.

# **Direct Surface Application**

- For use on solid surfaces, weekly intervals of repeated applications to the target surface are required when geese activity and anticipated seasonal migrations increase.
- Apply FlightControl® directly to the target surface using a paint brush, roller or similar direct application device at the rate of 3 fluid ounces (0.12 lb. a.i.) per 1,000 sq. ft. of building surface.
- FlightControl® can be applied as is, without any additional dilution, at the rate specified above. Water can be added as required to dilute the product for direct surface application at the rate of 3 fluid ounces (0.12 lb. a.i.) per 1,000 sq. ft. of building surface.
- Allow material to dry before permitting human activity in the treated area.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Pesticide Storage: Do not allow containers to freeze. After prolonged storage, product may separate. If this occurs, resuspend with agitation.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. ARKION LIFE SCIENCES, LLC also can be contacted for guidance on the disposal of pesticide wastes.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL: CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES.