

70051-2

10/13/2009

1/24



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460

October 13, 2009

OFFICE OF
PREVENTION PESTICIDES AND
TOXIC SUBSTANCES

Christine A. Dively
Director of Regulatory Affairs
Certis USA, LLC
9145 Guilford Road, Suite 175
Columbia, MD 21046

RE Product Name Neem Oil 70%
 EPA Reg No 70051-2
 Application for Label Notification Dated September 11, 2009 to update
 storage and disposal statement, add optional non-pesticidal claims and to
 remove "For Organic Production" on sub label C

Dear Ms Dively

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under Pesticide Registration (PR) Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

If you have any questions concerning this action, please feel free to contact Ms Menyon Adams at (703) 347-8496 or email at adams.menyon@epa.gov.

Sincerely,

Linda Hollis

Linda Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)

Please read instructions on reverse before completing form

Form Approved

No 2070-0060

Print Form



United States
Environmental Protection Agency
Washington DC 20460

Registration
Amendment
Other

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|---|--|
| 1. Company/Product Number 700511-03 | 2. EPA Product Manager Linda Hollis | 3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Neem Oil 70% | PM# Bioschem Products, Inc. | |
| 5. Name and Address of Applicant (Include ZIP Code) Certis USA LLC 9145 Guilford Road Suite 175 Columbia MD 21046 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review In accordance with FIFRA Section 3(c)(3) (b)(i) my product is similar or identical in composition and labeling to EPA Reg No _____ Product Name _____ | |

Section - II

NOTIFICATION

| | |
|--|---|
| <input type="checkbox"/> Amendment Explain below | <input type="checkbox"/> Final printed label in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> Me Too Application |
| <input checked="" type="checkbox"/> Notification Explain below | <input type="checkbox"/> Other Explain below |

Explanation Use additional page(s) if necessary (For section I and Section II)

Notification of label change per PR Notices 2007 4 and 2008 1 This notification is consistent with the guidance in PR Notices 2007 4 and 2008 1 and the requirements of EPA's regulations at 40 CFR §§ 156.10 156.140 156.144 156.146 and 156.156 No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10 156.140 156.144 156.146 and 156.156 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

| | | | |
|--|--|--|---|
| 1. Material This Product Will Be Packaged In | | | |
| Child Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____ |
| * Certification must be submitted | | | |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container | 4. Size(s) Retail Container 8, 16, 20, 24 oz, 2 1/2 gal | 5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product | |
| 6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | <input type="checkbox"/> Other _____ | |

Section - IV

| | | | |
|--|--|---|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted if necessary to process this application) | | | |
| Name Christine A. Dively | Title Director of Regulatory Affairs | Telephone No. (Include Area Code) 301 483 3806 | |
| Certification I certify that the statements I have made on this form and all attachments thereto are true accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | | 6. Date Application Received (Stamped) |
| 2. Signature Christine A. Dively | 3. Title Director of Regulatory Affairs | | |
| 4. Typed Name Christine A. Dively | 5. Date Sept 11, 2009 | | |



Certis USA
9145 Guilford Road
Suite 175
Columbia MD 21046
(301) 604-7340
FAX 301 604 7015
www.certisusa.com

September 3, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U S Environmental Protection Agency
1200 Pennsylvania Ave , NW
Washington DC 20460-0001

Re Notification of label change per PR Notices 2007-4 and 2008-1

Certis USA, L L C respectfully submits the following changes to the label for Neem Oil 70% (EPA Registration Number 70051-2) to comply with the requirements of PR Notices 2007-4 and 2008-1

Container reuse statements were added to the Storage and Disposal sections of Sublabels A, B, and C, residue removal statements were added to Sublabels A and B, and the Environmental Hazards statement of Sublabel C was replaced with the statement recommended by PR Notice 2008-1

In addition, the following notification and non-notification changes were made to Sublabel C "For Organic Production" was removed from the front panel, and optional non-pesticidal claims were added


No other changes were made to the label required by amendment

Enclosed in this submission are the following

- Application for Registration – EPA Form 8570-1
- A copy of the final label
- A copy of draft labeling with the changes highlighted

Please do not hesitate to contact me if you have any questions about this submission I can be contacted by telephone at 301-483-3806 or by email at cdively@certisusa.com

Respectfully,


Christine A Dively
Director of Regulatory Affairs

‘ ‘ ‘ ‘
‘ ‘
‘ ‘ ‘ ‘
‘ ‘
‘ ‘
‘ ‘ ‘ ‘
‘ ‘

Master Label / Sublabel A - Commercial AG

Neem Oil® 70%

FUNGICIDE/MITICIDE/INSECTICIDE

**For use on vegetables, fruits, nuts, melons, outdoor ornamental plants and agronomic crops
For foliar control of fungal disease and insect pests
Can be Used Up to Day of Harvest**

FOR ORGANIC PRODUCTION



ACTIVE INGREDIENT

Clarified Hydrophobic Extract of Neem Oil 70%

OTHER INGREDIENTS 30%

TOTAL 100%

This product contains 5.46 lb of clarified hydrophobic extract of neem oil per US gallon

This container will treat up to 0.5 acres when used at the highest application rate (only for containers less than 5 gallons)

Net Contents

EPA Reg No 70051-2
EPA Est No 70051-CA-001
Composition covered by US
Patents 5,298,251; 5,356,629;
5,372,817; 5,405,612 and
5,409,708

Lot No

Manufactured by
Certis USA, L.L.C.
9145 Guilford Road
Suite 175
Columbia, MD 21046



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

Hot Line Number 1-800-255-3924

Personal Protective Equipment

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear

- Long sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or Viton
- Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is hazardous to fish and aquatic invertebrates.

For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinylchloride (PVC) or Viton
- Shoes plus socks

GENERAL INFORMATION

- Thorough coverage is necessary to provide good disease and mite control. Neem Oil 70% prevents fungal attack of plant tissue and contact activity to mite pressure on the plant. Avoid excessive runoff of spray material for maximum control.
- For best results, maintain constant agitation in spray equipment.
- For optimal performance, do not mix with cold water (less than 45°F).
- Do not apply to wilted or otherwise stressed plants or to newly transplanted materials or crops prior to root establishment.
- Do not apply to known sensitive plant species such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties without prior testing.
- When used in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.

LANDSCAPE AND NURSERY USE INSTRUCTIONS

FUNGICIDE USE

ORNAMENTAL DISEASE CONTROL

Neem Oil 70% is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab, flower, twig, and tip blight, and alternaria.

Landscape and Nursery Ornamentals

Neem Oil 70% will provide broad spectrum control of many fungal diseases affecting ornamental flowering plants, trees, shrubs, and foliage when used at the rate of 1 gallon per 100 gallons of water. Apply Neem Oil 70% at a rate of 1:100 when spraying as a preventative for outdoor applications. Under extreme outdoor conditions, apply Neem Oil 70% at the 1:50 application rate (see table for detailed use rates). This will provide the necessary control under the extreme outdoor conditions. When using Neem Oil 70% as a preventative, make application on a 14-day schedule. If disease is present, use a 7-day application schedule to control the disease and prevent further damage from occurring.

MIXING INSTRUCTIONS

Add Neem Oil 70% to one-half (1/2) full tank under agitation containing water of 45°F or greater before filling to desired level. If water temperature is below 45°F, premix Neem Oil 70% at a 1:1 ratio with tepid water to ensure good emulsification. Then dilute to final volume. When combining with other products such as wettable powder insecticides or fungicides, add these items first when the tank is approximately 1/3 full. Ensure that there is good agitation while mixing for complete emulsification. Maintain agitation during spray application. Do not use if this oil does not form a uniform, cloudy emulsion.

APPLICATION INSTRUCTIONS

Apply until plant surface is uniformly wet with minimal runoff at 25-40 psi with hand sprayer or 100-200 psi with power sprayer as a fine spray to both leaf surfaces. Avoid excessive application.

| MANAGEMENT OF LANDSCAPE AND ORNAMENTAL DISEASES | | | |
|---|----------------------------|----------------|--------------------------------|
| SPRAY TARGET | CONCENTRATION | SPRAY INTERVAL | PRECAUTIONS |
| Outdoor Flowering Plants | 1:50 - 1:100 (2.0% - 1.0%) | 7-14 days | Do not spray impatiens flowers |
| Outdoor Woody Plants | 1:50 - 1:100 (2.0% - 1.0%) | 14 days | |

Management of Turf Diseases

| SPRAY TARGET | CONCENTRATION | SPRAY INTERVAL | PRECAUTIONS |
|--------------|-------------------------|----------------|---------------------------|
| Snow Mold | 1 100-1 500 (1 0% 2 0%) | 14 days | In Fall before first snow |
| Dollar Spot | 1 100 1 200 (1 0% 0 5%) | 7-14 days | At first sign of disease |
| Brown Patch | 1 100-1 200 (1 0% 0 5%) | 7 14 days | At first sign of disease |

INSECTICIDE/MITICIDE USE

For use to control whiteflies mealybugs aphids leafhoppers mites and scales on ornamentals trees and shrubs in and around commercial nurseries and other commercial structures

Use Neem Oil 70% at the rate of 1 2 gallons per 100 gallons of water The low rate (1 0%) can be used when pest pressure is low Use the high rate (2 0%) for high pest infestations or to control more troublesome pests such as mites and scales Determine the best rate for your particular situation

Make sprays on a 7 14 day interval depending on the severity of the pest problem Use the 7 day schedule until the pest population is reduced Then use a 14 day interval for control

AGRICULTURAL USE DIRECTIONS

Neem Oil 70% is a broad spectrum fungicide of certain diseases and controls mites in citrus deciduous fruits and nuts, vegetable crops cereal grains and other miscellaneous crops

- Do not use Neem Oil 70% after bloom on table grapes or following bunch closure on wine grapes Do not use Neem Oil 70% after pit hardening on stone fruit
- Use care when applying near streams, ponds, lakes, or other bodies of water Do not apply Neem Oil 70% when weather conditions favor drift or when the likelihood of runoff is high
- Apply Neem Oil 70% by conventional low volume and aerial application equipment

APPLICATION INSTRUCTIONS

Ground Application Apply Neem Oil 70% by ground application in a minimum of 25 gallons of water / acre

Chemigation Do not apply this product through any type of irrigation system

Aerial Application For those crops where aerial applications are indicated, apply a minimum of 5 gallons of water / acre unless otherwise specified Avoid application under conditions when uniform coverage cannot be obtained or when excessive drift may occur Do not apply directly to humans, animals or aquatic animals

| DILUTION TABLE FOR LOW VOLUME (INCLUDING AERIAL) APPLICATIONS (5-30 gallons per acre) | | |
|---|--------------|----------|
| Gallons of Water | Neem Oil 70% | DILUTION |
| 5 | 1 Quart* | 5% |
| 10 | 1 Quart* | 2 5% |
| 15 | 1 Quart* | 1 67% |
| 20 | 1 Quart* | 1 25% |
| 25 | 1 Quart* | 1 0% |
| 30 | 1 Quart* | 0 83% |

*For citrus stone fruit tropical fruit, pome fruit, and nuts, refer to specific application instructions

DILUTION TABLE FOR HIGH VOLUME APPLICATION
(25-250 gallons per acre)

| Gallons Water | Gallons of Neem Oil 70% for 0.5% Solution | Gallons of Neem Oil 70% for 1.0% Solution | Gallons of Neem Oil 70% for 1.5% Solution | Gallons of Neem Oil 70% for 2.0% Solution |
|---------------|--|--|--|--|
| 25 | Use 1.0% solution* | 0.25 (32 fl oz) | 0.375 (48 fl oz) | 0.5 (64 fl oz) |
| 50 | 0.25 (32 fl oz) | 0.5 (64 fl oz) | 0.75 (96 fl oz) | 1.0 |
| 75 | 0.375 (48 fl oz) | 0.75 (96 fl oz) | 1.125 | 1.5 |
| 100 | 0.5 | 1.0 | 1.5 | 2.0 |
| 125 | 0.625 (80 fl oz) | 1.25 | 1.875 | 2.5 |
| 150 | 0.75 | 1.5 | 2.25 | 3.0 |
| 175 | 0.875 (112 fl oz) | 1.75 | 2.625 | 3.5 |
| 200 | 1.0 | 2.0 | 3.0 | 4.0 |
| 225 | 1.125 | 2.25 | 3.375 | 4.5 |
| 250 | 1.25 | 2.5 | 3.75 | 5.0 |

*For Vegetable Cereal Grains, and Other Miscellaneous Crops, refer to specific use directions

AGRICULTURAL USE DIRECTIONS (continued)

- For Diseases Apply Neem Oil 70% as a 1.0% solution in sufficient amounts of water to achieve complete coverage of foliage (See the following detailed directions per crop groupings) When used as a foliar fungicide, begin applications when conditions are favorable for disease but before infection Apply Neem Oil 70% every 7-14 days until threat of disease is over Use Neem Oil 70% in rotation with other fungicides to increase the spectrum of control
- For Mites For best results apply Neem Oil 70% in sufficient amounts of water to achieve complete coverage Neem Oil 70% is most effective when applied before mites or eggs are present in large numbers (See the following detailed directions per crop groupings) Apply at a rate of 1.0-2.0% Neem Oil 70% Reapply Neem Oil 70% every 7-21 days until pressure is over
- For Insects For best results apply Neem Oil 70% at 1.0-2.0% in sufficient amounts of water to achieve complete coverage Neem Oil 70% is most effective when applied before insects or eggs are present in large numbers Repeat application based on pest pressure and field scouting for best results Use the dilution tables to calculate dilution rates

MIXING INSTRUCTIONS

Add Neem Oil 70% to one-half (1/2) full tank under agitation containing water of 45°F or greater before filling to desired level If water temperature is below 45°F premix Neem Oil 70% at a 1:1 ratio with tepid water to ensure good emulsification Then dilute to final volume When combining with other products, such as wettable powder insecticides or fungicides add these items first when the tank is approximately 1/3 full Ensure that there is good agitation while mixing for complete emulsification Maintain agitation during spray application Do not use if this oil does not form a uniform cloudy emulsion

TANK MIXING Neem Oil 70% has been found to be compatible with most commonly used fungicides, insecticides and fertilizers Check physical compatibility first with other products before mixing by using a jar test Using a quart jar, add the proportionate amounts of the products to 1 quart of water After thoroughly mixing let mixture stand for at least 5 minutes Growers must tank mix combinations for phytotoxicity on a sample of plants prior to use *Due to the wide variation in climatic conditions cultural practices and other factors the User assumes full responsibility for any crop damage or other liability resulting from the use of Neem Oil 70% in a tank mix combination* Avoid tank mixes with Morestan, Captan, Sulfur, Bravo, Echo chlorothalonil or other chemically similar products as unpredictable results or leaf burn may occur

CITRUS

Use Neem Oil 70% on citrus to control diseases to include Anthracnose, Post Bloom Fruit Drop, and Scab Apply as a foliar application at the rate of 1.0% in 25-200 gallons of water for high volume applications or a minimum of 0.5 gallons Neem

10/24

Oil 70% in a minimum of 5 gallons of water per acre for low volume applications Do not apply more than 2.5 gallons of Neem Oil 70% per acre, per application

Reapply Neem Oil 70% every 7-14 days until threat of disease is over

For control of Alternaria and Greasy Spot, apply Neem Oil 70% at a 1.0% solution in 25-125 gallons of water per acre in combination with Copper @ 2.0 lbs a.i. per acre (as found in EPA registered products such as Kocide® and Champ®) as a preventative disease spray tank mixture

Use Neem Oil 70% on citrus to control mites at a rate of 1.0-2.0% in 25-200 gallons of water for high volume application or 0.5 gallon Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application As a dormant oil spray use Neem Oil 70% as a 2% solution or 1 quart Neem Oil 70% minimum per acre Do not apply more than 5 gallons of Neem Oil 70% per acre per application

STONE AND TROPICAL FRUITS

FUNGICIDE USE Apply Neem Oil 70% at a rate of 1.0% in 25-200 gallons of water for high volume applications or 0.5 gallons Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application Reapply Neem Oil 70% every 7-14 days until threat of disease is over

MITICIDE USE Use Neem Oil 70% at first sign of pests or pest damage at the appropriate rate listed below as a foliar spray in sufficient water for thorough coverage Repeat applications as needed for adequate control every 7-21 days Apply a 1.0-2.0% solution of Neem Oil 70% for high volume application or a minimum of 1 quart Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application Do not apply more than 5 gallons of Neem Oil 70% per acre, per application

Do not use Neem Oil 70% after pit hardening on stone fruit

VEGETABLE, CEREAL GRAINS AND OTHER MISCELLANEOUS CROPS

FUNGICIDE USE

Apply Neem Oil 70% at the rate of 0.5% - 1.0% in 25-100 gallons of water per acre or 2 pints Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume applications Repeat applications every 7-14 days Apply no more than 2 gallons Neem Oil 70% per acre, per application Larger plants will require higher amounts of water to obtain good coverage For mushrooms, apply Neem Oil 70% at a rate of 0.5% - 2.0% in 25-100 gallons of water per 8,000 square feet Repeat applications every 7-14 days

MITICIDE USE

Apply Neem Oil 70% at a rate of 0.5% - 2.0% in 25-100 gallons of water per acre or 2 pints Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application Apply no more than 2 gallons Neem Oil 70% per acre in solution per application Apply in a solution of sufficient volume to achieve complete coverage of foliage Reapply Neem Oil 70% every 7-21 days as needed for adequate control Larger plants will require higher amounts of water to obtain good coverage

POME (DECIDUOUS FRUITS) AND NUTS

FUNGICIDE USE Apply Neem Oil 70% at a rate of 1.0% in 25-100 gallons of water per acre or 0.5 quarts Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application Apply no more than 2.5 gallons of Neem Oil 70% per acre in solution per application Repeat applications every 7-14 days

MITICIDE USE Use Neem Oil 70% at a rate of 1.0-2.0% in 25-100 gallons of water per acre or 0.5 quarts Neem Oil 70% in a minimum of 5 gallons of water per acre for low volume application Apply no more than 2 gallons of Neem Oil 70% per acre per solution Apply at first sign of pests or pest damage Repeat application as needed for adequate control every 7-21 days Do not apply more than 5 gallons Neem Oil 70% per acre, per application

Walnuts Avoid spraying after husk split

CITRUS, POME, STONE, AND TROPICAL FRUITS

Crops (including but not limited to)

| | | |
|-------------------|-------------------|----------------|
| Apples | Figs | Papayas |
| Apricots | Grapefruits | Passion fruit |
| Avocados | Guavas | Peaches |
| Bananas | Jujubes | Pears |
| Calamondin | Kiwifruit | Oriental pears |
| Cherries | Kumquats | Pineapples |
| Barbados cherries | Lemons | Plantains |
| Sour cherries | Limes | Plums |
| Sweet cherries | Loquats | Pomegranates |
| Cherimoya | Lychee | Prunes |
| Citrus citron | Mangoes | Pummelos |
| Citrus hybrids | Mandarins | Quinces |
| Coconuts | Satsuma mandarins | Tangelos |
| Crabapples | Nectarines | Tangerines |
| Dates | Olives | |
| Feijoa | Oranges | |

CUCURBITS

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

| | |
|------------------------------|----------------------------|
| Balsam pears (bitter melons) | Honey balls |
| Cantaloupes | Melons (incl hybrids) |
| Casaba | Honeydew melons |
| Chinese wax gourds | Muskmelons |
| Citron melons | Persian melons |
| Crenshaw | Pumpkins |
| Cucumbers | Squashes |
| Gherkins | Watermelons (incl hybrids) |
| Gourds | Zucchini |

SMALL FRUITS AND BERRIES

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

| | |
|---------------|---------------------------|
| Blackberries | Grapes |
| Blueberries | Huckleberries |
| Boysenberries | Loganberries |
| Cranberries | Olallie berries |
| Currants | Raspberries (black & red) |
| Dewberries | Strawberries |
| Elderberries | Youngberries |
| Gooseberries | |

NUTS

Crops (including but not limited to)

Almonds
 Beech nuts
 Brazil nuts
 Butternuts
 Cashews
 Chestnuts
 Chinquapins

Filberts
 Hickory nuts
 Japanese horse chestnuts
 Macadamia nuts
 Pecans
 Pistachios
 Walnuts

BULB, COLE AND LEAFY VEGETABLES

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

Arugula
 Broccoli
 Broccoli raab
 Chinese broccoli (Gai Ion)
 Brussels sprouts
 Cabbage (head & leaf)
 Chinese cabbage
 (Bok choy Napa)
 Chinese mustard cabbage
 (Gai choy)
 Cauliflower
 Celery
 Celtuce
 Chervil
 Chicory
 Red chicory
 Cilantro
 Collards
 Corn salad
 Cress
 Watercress
 Daikon
 Endive
 Fennel

Garlic
 Greens
 Collard greens
 Mustard greens
 Rape greens
 Kale
 Kohlrabi
 Leek
 Lettuce (head & leaf)
 Low bok
 Onions
 Orach
 Parsley
 Purslane
 Raddichio
 Rappini
 Rhubarb
 Shallots
 Spinach
 Chinese Spinach
 (Amaranth Tampala)
 Swiss chard
 Turnip tops

LEGUME AND FRUITING VEGETABLES

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

| | |
|-----------------|-------------|
| Beans | Peanuts |
| Broad beans | Pepinos |
| Calabaza | Peppers |
| Chickpeas | Pigeon peas |
| Eggplants | Snow peas |
| Ground cherries | Soybeans |
| Guar | Tomatillos |
| Lentils | Tomatoes |
| Peas | |

ROOT AND TUBER VEGETABLES

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

| | |
|-------------|----------------|
| Artichokes | Potatoes |
| Beets | Sweet potatoes |
| Cardone | Radishes |
| Carrots | Rutabaga |
| Cassava | Taro (Dasheen) |
| Ginger | Turmeric |
| Ginseng | Turnips |
| Horseradish | Yams |
| Parsnips | Yam beans |

HERBS AND SPICES

Refer to specific application instructions found directly below the heading **Agricultural Use Directions**

Crops (including but not limited to)

| | |
|------------|-------------|
| Anise | Marigold |
| Balm | Marjoram |
| Basil | Mint |
| Borage | Nasturtium |
| Camomile | Pennyroyal |
| Caraway | Peppermint |
| Catnip | Rosemary |
| Celery | Rue |
| Chives | Sage |
| Coriander | Savory |
| Cumin | Spearmint |
| Curry leaf | Sweet bay |
| Dandelion | Tarragon |
| Dill | Thyme |
| Fennel | Wintergreen |

VEGETABLE, CEREAL GRAINS AND OTHER MISCELLANEOUS CROPS

Crops (including but not limited to)

| | |
|-----------------|----------------------|
| Acerola | Kinep |
| Alfalfa | Mushrooms |
| Araacaga (Apio) | Nispero |
| Asparagus | Oats |
| Barley | Okra |
| Breadfruit | Quenepa |
| Buckwheat | Rice |
| Canola | Safflower |
| Coffee | Seagrapes |
| Coriander | Sesame |
| Corn | Sorghum |
| Popcorn | Soursup (Quanabanas) |
| Sweet corn | Star apples |
| Cotton | Sugarcane |
| Hops | Sunflowers |
| Jicama | Tobacco |
| Jojoba | Wheat |

| Pest Control | Suppression | Diseases |
|---------------------|--------------------|-----------------------|
| Aphids | Whiteflies | Alternaria |
| Mealybugs | Thrips | Anthracnose |
| Mites | | Early blight |
| Rust mites | | Leaf blight |
| Spider mites | | Botrytis |
| Scales (Soft scale) | | Greasy spot |
| | | Leaf Spot |
| | | Downy mildew |
| | | Post bloom fruit drop |
| | | Powdery mildew |
| | | Molds |
| | | Scabs |
| | | Rusts |
| | | Shothole |

STORAGE AND DISPOSAL

Do not contaminate water food, or feed by storage and disposal

Pesticide Storage Keep in original container Store in a dry place, away from direct sunlight, feed or foodstuffs Keep container tightly sealed when not in use Do not store below 40°F (4°C)

Pesticide Disposal Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility

Container Disposal Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities by burning If burned stay out of smoke

WARRANTY

Certis USA, L L C warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use Timing and method of application, weather watering practices, nature of soil the insect problem condition of the crop, incompatibility with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use, storage or

15/24

handling of this material not in strict accordance with directions given herein NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE

Kocide® is a registered trademark of Griffin L L C

Champ® is a registered trademark of Agtrol Chemical Products

Morestan® is a registered trademark of Bayer Inc

Captan® is a registered trademark of Drexel Chemical Company

Bravo® is a registered trademark of Syngenta Crop Protection Inc

Echo® is a registered trademark of Sipcam Agro USA, Inc

16/24

Master Label / Sublabel B - Ornamental Neem Oil® 70%

FUNGICIDE/MITICIDE/INSECTICIDE

For Indoor/Outdoor Use On Ornamental Flowering Plants, Trees, Shrubs, and Foliage Grown on
Commercial Farms and Nurseries, Greenhouses and Landscapes
Controls Fungal Diseases Including Black Spot, Mildews, Rusts, and Scab
Can be Used Up to Day of Harvest

☞ **FOR ORGANIC PRODUCTION**



ACTIVE INGREDIENT

Clarified Hydrophobic Extract of Neem Oil 70%

OTHER INGREDIENTS 30%

TOTAL 100%

This product contains 5.46 lb of clarified hydrophobic extract of neem oil per US gallon

Net Contents 2.5 Gallons

EPA Reg No 70051-2
EPA Est No 70051-CA-001
Composition covered by US
Patents 5,298,251 5,356,629
5,372,817 5,405,612 and
5,409,708

Lot No

Manufactured by
Certis USA, L.L.C.
9145 Guilford Road
Suite 175
Columbia, MD 21046

CERTIS

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID

If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. Hot Line Number 1-800-255-3924.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear

- Long sleeved shirt and long pants
- Chemical resistant gloves such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or Viton
- Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is hazardous to fish and aquatic invertebrates.

For Terrestrial Uses: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

Do not apply this product through any type of irrigation system.

General Information

- Do not use Triact 70 EC on food crops.
- Kills eggs, larvae, and adult insects.
- Shake well before using.
- For best results, maintain constant agitation in spray equipment.
- For optimal performance, do not mix with cold water (less than 45°F).
- Prevents and controls black spot on roses, anthracnose, rust, and powdery mildew.
- Do not apply to wilted or otherwise stressed plants or to newly transplanted materials prior to root establishment.
- Do not apply to known sensitive plant species, such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties without prior testing.
- Formulated for interiorscape use.
- When used in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.

- Use with care on plants with tender tissue Check for leaf burn in small scale trials prior to use

Do not apply this product in a way that will contact workers or other persons, either directly or through drift Only protected handlers may be in the area during application For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170 This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides It contains requirements for training, decontamination notification, and emergency assistance It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is

- Coveralls
- Chemical-resistant gloves, such as barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or Viton
- Shoes plus socks

TANK MIXING Neem Oil 70% has been found to be compatible with most commonly used fungicides insecticides and fertilizers Check physical compatibility first with other products before mixing by using a jar test Using a quart jar add the proportionate amounts of the products to 1 quart of water After thoroughly mixing, let mixture stand for at least 5 minutes Growers must tank mix combinations for phytotoxicity on a sample of plants prior to use *Due to the wide variation in climatic conditions cultural practices and other factors the User assumes full responsibility for any crop damage or other liability resulting from the use of Neem Oil 70% in a tank mix combination* Avoid tank mixes with Morestan, Captan, Sulfur Bravo, Echo, chlorothalonil or other chemically similar products as unpredictable results or leaf burn may occur

GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS

FUNGICIDE USE

ORNAMENTAL DISEASE CONTROL

Neem Oil 70% is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust scab, flower, twig, and tip blight, and alternaria

Landscape, Greenhouse and Nursery Ornamentals

Neem Oil 70% will provide broad spectrum control of many fungal diseases affecting ornamental flowering plants trees shrubs, and foliage when used at the rate of 1 gallon per 100-200 gallons of water depending on the level of disease pressure Use the lower rate (1 200) when spraying as a preventative in a greenhouse while the higher rate (1 100) is needed for outdoor applications Determine the best rate for your particular situation

Greenhouse

When Neem Oil 70% is used as a preventative, the lower rate (1 200) will provide adequate control for most greenhouse situations If disease pressure is evident, use the higher rate (1 100) Make applications for disease prevention on a 7-14 day schedule depending on the anticipated severity of the disease pressure To control existing disease, apply Neem Oil 70% on a 7 Day schedule until the disease pressure is eliminated Use a 14 Day schedule to prevent disease pressure from returning
NOTE Spray greenhouse roses only in a rotation program, which includes Neem Oil 70% once every 4 weeks

Landscape Ornamentals

In outdoor landscape applications, apply Neem Oil 70% at rates of 1 50 - 1 100 rate (see tables for detailed use rates) This will provide the necessary control under the extreme outdoor conditions When using Neem Oil 70% as a preventative make application on a 14 day schedule If disease is present, use a 7-day application schedule to control the disease and prevent further damage from occurring

APPLICATION INSTRUCTIONS

Apply until plant surface is uniformly wet with minimal runoff at 25 40 psi with hand sprayer or 100 200 psi with power sprayer as a fine spray to both leaf surfaces Avoid excessive application

| MANAGEMENT OF TURF DISEASES | | | |
|-----------------------------|--------------------------|----------------|---------------------------|
| SPRAY TARGET | CONCENTRATION | SPRAY INTERVAL | PRECAUTIONS |
| Snow Mold | 1 100-1 500 (1 0% 2 0%) | 14 days | In Fall before first snow |
| Dollar Spot | 1 100-1 200 (1 0% 0 5%) | 7 14 days | At first sign of disease |
| Brown Patch | 1 100-1 200 (1 0%- 0 5%) | 7-14 days | At first sign of disease |

MANAGEMENT OF LANDSCAPE AND ORNAMENTAL DISEASES

| SPRAY TARGET | CONCENTRATION | SPRAY INTERVAL | PRECAUTIONS |
|--|--------------------------------|----------------|--|
| Potted Plants (Greenhouse) | 1 100 1 200 (1 0% - 0 5%) | 14 days | Trial first on open blooms |
| Flowering Bench Crops (Greenhouse) | 1 100 - 1 200 (1 0% - 0 5%) | 7 14 days | Trial first on open blooms not suggested for cut roses Do not use on poinsettias |
| Outdoor Flowering Plants | 1 50 - 1 100 (2 0% - 1 0%) | 7 - 14 days | Do not spray impatiens flowers |
| Outdoor Woody Plants | 1 50 1 100 (2 0% - 1 0%) | 14 days | |

INSECTICIDE/MITICIDE USE

For use to control whiteflies, mealybugs, aphids, leafhoppers, mites and scales on ornamentals, trees, and shrubs in and around greenhouses, commercial nurseries and other commercial structures

Use Neem Oil 70% at the rate of 1 2 gallons per 100 gallons of water The low rate (1 0%) can be used when pest pressure is low Use the high rate (2 0%) for high pest infestations or to control more troublesome pests, such as mites and scales Determine the best rate for your particular situation

Make sprays on a 7-14 day interval depending on the severity of the pest problem Use the 7-day schedule until the pest population is reduced Then use a 14-day interval for control

MIXING INSTRUCTIONS

Add Neem Oil 70% to one-half (1/2) full tank under agitation containing water of 45°F or greater before filling to desired level If water temperature is below 45°F, premix Neem Oil 70% at a 1 1 ratio with tepid water to ensure good emulsification Then dilute to final volume When combining with other products, such as wettable powder insecticides or fungicides, add these items first when the tank is approximately 1/3 full Ensure that there is good agitation while mixing for complete emulsification Maintain agitation during spray application Do not use if this oil does not form a uniform, cloudy emulsion

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

Pesticide Storage Keep in original container Store in a dry place away from direct sunlight feed, or foodstuffs Keep container tightly sealed when not in use Do not store below 40°F (4°C)

Pesticide Disposal Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility

Container Disposal Nonrefillable container Do not reuse or refill this container Triple rinse container (or equivalent) promptly after emptying Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration or if allowed by state and local authorities by burning If burned, stay out of smoke

WARRANTY

Certis USA, L L C warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use Timing and method of application, weather, watering practices, nature of soil, the insect problem condition of the crop incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE

Kocide® is a registered trademark of Griffin L L C

Champ® is a registered trademark of Agtrol Chemical Products

Morestan® is a registered trademark of Bayer Inc

Captan® is a registered trademark of Drexel Chemical Company

Bravo® is a registered trademark of Syngenta Crop Protection, Inc

Echo® is a registered trademark of Sipcam Agro USA Inc

21/24

Master Label / Sublabel C - Homeowner

Neem Oil® 70%

FUNGICIDE/MITICIDE/INSECTICIDE

For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables, home lawns

For use in and around the home and home garden

Controls blackspot, powdery mildew, rust, needle rust, downy mildew, spider mites, aphids, whiteflies, twig and tip blight, anthracnose, scab and flower, botrytis, alternaria, turf diseases, and other insect pests

Can be Used Up to Day of Harvest

For Organic Gardening



ACTIVE INGREDIENT

Clarified Hydrophobic Extract of Neem Oil

70%

OTHER INGREDIENTS

30%

TOTAL

100%

Net Contents

32 ounces (1 quart) (0.946 liters)

EPA Reg No 70051-2

EPA Est No 70051-CA-001

Lot No

Manufactured by

Certis USA, L.L.C.

9145 Guilford Road

Suite 175

Columbia, MD 21046

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside panels for additional precautionary statements

CERTIS

FIRST AID

If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.
Hot Line Number 1-800-255-3924

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation Harmful if absorbed through skin Avoid contact with skin, eyes or clothing Wash thoroughly with soap and water after handling and before eating, drinking chewing gum or using tobacco Remove and wash contaminated clothing before reuse

ENVIRONMENTAL HAZARDS

To protect the environment do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems

BEE HAZARD

This product is toxic to bees exposed to direct treatment Do not apply this product while bees are actively visiting the treatment area

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT
WITH ITS LABELING

GENERAL INFORMATION

- Do not add adjuvants (spreaders, stickers extenders, etc) to Neem Oil 70%
- Stops powdery mildew in 24 hours
- Kills eggs larvae and adult insects
- Shake well before using
- For optimal performance, do not mix with cold water (less than 45°F)
- Prevents and controls black spot on roses, anthracnose, rust and powdery mildew
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment
- Do not apply to known sensitive plant species, such as impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees or some carnation varieties without prior testing
- As with other oil-based products exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn
- Use with care on plants with tender tissue Check for leaf burn in small scale trials prior to use

FUNGICIDE USE

For use on Fruits, Vegetables Herbs, Spices, Roses Houseplants, Flowers, Trees and Shrubs, Home Lawns

Management of Turf Diseases

Neem Oil 70% may be used on all turf such as Kentucky bluegrass, perennial ryegrass, turf type tall fescue, Bermudagrass, zoysiagrass, and St Augustinegrass around the home Refer to table for detailed application rates

| MANAGEMENT OF TURF DISEASES | | | |
|-----------------------------|-------------------------|----------------|---------------------------|
| Spray Target | Concentration | Spray Interval | Precautions |
| Snow Mold | 1 100-1 500 (1 0%-2 0%) | 14 days | In Fall before first snow |
| Dollar Spot | 1 100-1 200 (1 0%-0 5%) | 7-14 days | At first sign of disease |
| Brown Patch | 1 100-1 200 (1 0%-0 5%) | 7 14 days | At first sign of disease |

Application Instructions

Neem Oil 70% is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot downy mildew anthracnose rust leaf spot botrytis, needle rust scab and flower twig and tip blight, and alternaria As a preventative, apply Neem Oil 70% on a 7 to 14 day schedule until disease development is no longer present To control disease already present, apply Neem Oil 70% on a 7 day schedule until disease pressure is eliminated Then continue spraying on a 14 day schedule to prevent the disease from reoccurring To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding To prevent powdery mildew, apply in mid summer or when disease is first detected Continue applications until disease pressure no longer exists

Mixing Instructions

Mix Neem Oil 70% at the rate of 2 tablespoons (1 fluid ounce) per gallon of water Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet Frequently mix solution as you spray

Hose End Sprayer Use Instructions

The sprayer attached to the container is ready-to-use Simply attach to your garden hose and follow these instructions

- 1 Insure the large, round 'on/off' knob is set to OFF
- 2 Turn on water
- 3 PUSH IN small knob near front of sprayer This allows water and product to mix
- 4 Hold sprayer and container level and point towards area to be sprayed
- 5 Turn large round 'on/off' knob to ON
- 6 Begin spraying product evenly over area you wish to treat
- 7 Spray to visibly wet
- 8 To stop spraying, turn large, round 'on/off' knob to OFF
- 9 PULL OUT small knob near front of sprayer This prevents product from mixing with water
- 10 Turn off water at faucet Relieve water pressure in the hose by turning large, round 'on/off' knob ON until water pressure is reduced
- 11 Turn the knob to OFF for storage of unused product/and/or disposal of empty container

Covers 5,000 sq ft or equivalent per 32 oz container size

INSECTICIDE/MITICIDE USE For Use on FRUITS, VEGETABLES HERBS, SPICES ROSES HOUSEPLANTS, FLOWERS, TREES, AND SHRUBS

APPLICATION INSTRUCTIONS

Apply Neem Oil 70% at first sign of insects/mites For control of aphids, spider mites, scale whiteflies beetles, leafrollers and other insect pests Neem Oil 70% is most effective when applied every 7 to 14 days For heavy insect populations spray on a 7-day schedule

MIXING INSTRUCTIONS

Mix Neem Oil 70% at the rate of 2-4 tablespoons (102 fluid ounces) per gallon of water Thoroughly mix solution and spray all plant surfaces (including underside of leaves) until completely wet Frequently mix solution as you spray

STORAGE & DISPOSAL

Pesticide Storage Keep in original container Store away from direct sunlight feed or foodstuffs Keep container tightly sealed when not in use Keep from freezing

Pesticide and Container Disposal

If empty Nonrefillable container Do not reuse or refill this container Place in trash or Offer for recycling if available

If partly filled Call your local solid waste agency or 1-800-CLEANUP for disposal instructions Never place unused product down any indoor or outdoor drain

WARRANTY

Certis USA L L C warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller Buyer assumes all risks of use storage or handling of this material not in strict accordance with directions given herein **NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE**

The following claims and product information may or may not be presented on the product s label and labeling

- The _____ Promise – Satisfaction guaranteed or your money back!
- If you apply _____ brand _____ as directed and you are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address below We will refund the purchase price you paid
- Notice To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions
- Questions or Comments? Call _____ or visit our website at _____
- 3 Garden Products in One!