

70051-74

06/07/2002

1/3

TRILOGY XL RTU


Ready-To-Use

Broad Spectrum Insecticide, Fungicide, and Miticide For Control of Insects, Diseases, And Mites on Vegetables, Fruits, Nuts, Herbs, Spices, Roses, Flowers, And Shrubs Around The Home

Can be Used Up to Day of Harvest

ACTIVE INGREDIENTS:

Pyrethrins.....	0.02%
Piperonyl Butoxide, Technical.....	0.20%
Clarified Hydrophobic Extract of Neem Oil.....	0.90%
INERT INGREDIENTS:.....	98.88%
	100.00%



KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back or Side Panel for Additional Precautionary Statements

EPA Reg. No. 70051-74

EPA Est. No. 869-TX-1

Net Contents: 1 Quart (0.946 liters)

Certis USA LLC
9145 Guilford Road
Suite 175
Columbia, MD 20146

[Side or Back Panel]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wear: long-sleeved shirt and long pants, Socks, Shoes, Gloves. Prolonged or frequently repeated skin contact may cause reactions in some individuals.

FIRST AID:

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless by a poison control center or doctor. Do not give anything to an unconscious person.

If inhaled: Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

BEE HAZARD: This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.
Pesticide and Container Disposal: Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

GENERAL INFORMATION: SHAKE WELL BEFORE AND DURING USE. Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food handling areas. Trilogy XL RTU is most effective when applied in early to mid-morning or late afternoon when adult insect pests, such as whiteflies, are normally sedentary on the undersides of the foliage. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects, it is recommended that a small trial be conducted to assure compatibility before using on a large scale. As with other products that contain oils, care should be executed in timing applications to early morning/late evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

FUNGICIDE USE: For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

Application Instructions: Trilogy XL RTU is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, Trilogy XL RTU should be applied on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Trilogy XL RTU on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should continue until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.

INSECTICIDE USE: For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

Application Instructions: Apply Trilogy XL RTU at first sign of insects/mites. For control of the following: aphids, spider mites, scale, mealybugs, whiteflies, beetles (including Japanese), loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitos, chinch bugs, chiggers and many other insect pests. Trilogy XL RTU is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule. Thoroughly spray all plant surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.