70051-74 Please read instructions on reverse before com		/22/200	4 Form Approve	L OMR No. 2	೧ Უ೧-೧೧୫	iO Annroval avni	1/3	
United States Environmental Protection Agency Washington, DC 20460			roim apploved	Registra Amendn Other				
	Application	on for Pestici	de - Section					
1. Company/Product Number 70051-74		2. EPA Product Manager Manager Sheryl Reilly		3. Pr	3. Proposed Classification None Restricted			
4. Company/Product (Name) Trilogy XL RTU		PM# Bioch						
5. Name and Address of Applicant (Include ZIP Code) Certis USA, L.L.C. 9145 Guilford Road, Suite 175 Columbia, MD 21046 Check if this is a new address		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.						
Section - II								
provisions of PR Notice 98-10 and EPA regulation formula of this product. I understand that it is a vigoritization is not consistent with the terms of PR	ent with other Certis I .46, and no other ch C. Sec. 1001 to willfu 40 CFR 152.46, this	Final printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below. Date Reviewed: 22APRC4 and Section II.) Reviewed By: MDiaguar with other Certis USA, L.L.C. product labels. This notification is consistent with the and no other changes have been made to the labeling or the confidential statement of lec. 1001 to willfully make any false statement to EPA. I further understand that if this CFR 152.46, this product may be in violation of FIFRA and I may be subject to Three copies of final printed labeling are also included in this submission.						
		Section - I	<u> </u>					
1. Material This Product Will Be Packaged In:					******			
Yes No Certification must e submitted Unit Packaging Ves Yes Vo No If "Yes" Unit Packaging wgt. No. per Unit Packaging wgt.		Water Soluble P Yes No If "Yes" Package wgt	No Ptas Glas Yes" No. per Paper			c c		
cation of Net Contents Information 4. Size(s) Re Label Container		tail Container 1 pint						
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stencifed Other								
		Section - I'	V				<u>.</u>	
1. Contact Point (Complete items directly below	w for identification	on of individual to be	e contacted, if nec	essary, to pro	cess this	application.)	<u>-</u>	
Name Christine A. Dively		Title Director of Regulatory Affairs		1	Telephone No. (Include Area Code) 301-483-3806			
,		ion ill attachments thereto are true, accurate and curriplete, ament may be punishable by fine or imprisonment or			6. Cata Application Recaived (Stamped)			
2. Signature Christine A. Devely		3. Title Director of Regulatory Affairs						
t. Typed Name Christine A. Dively		Epril 5, 2004						

Trilogy&LRTU

Ready-To-Use

Broad Spectrum Insecticide, Fungicide, and Miticide For Control of Insects, Diseases, and Mites on Vegetables, Fruits, Nuts, Herbs, Spices, Roses, Flowers, and Shrubs Around The Home

Can be Used Up to Day of Harvest

ACTIVE INGREDIENTS:

Pyrethrins	0.02%
Piperonyl Butoxide, Technical	0.20%
Clarified Hydrophobic Extract of Neem Oil	0.90%
INERT INGREDIENTS:	98.88%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back or Side Panel for Additional Precautionary Statements

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wear: long-sleeved shirt and long pants, Socks, Shoes, Gloves. Prolonged or frequently repeated skin contact may cause reactions in some individuals.

FIRST AID

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless by a poison control center or doctor. Do not give anything to an unconscious person.

If inhaled: Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

Net Contents: 1 Quart (0.946 liters)

EPA Reg. No. 70051-74 EPA Est. No. 869-TX-1 Lot Number:

Manufactured by Certis USA, L.L.C. 9145 Guilford Road Suite 175 Columbia, MD 21046



BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide and Container Disposal

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION

SHAKE WELL BEFORE AND DURING USE. Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food handling areas. Trilogy XL RTUJS most effactive when applied in early to mid-morning or late afternoon when adult insect pests, such as whiteflies, are normally sedentary on the undersides of the foliage. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects,

it is recommended that a small trial be conducted to assure compatibility before using on a large scale. As with other products that contain oils, care should be executed in timing applications to early morning/late evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

FUNGICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

Application Instructions: Trilogy XL RTU is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, Trilogy XL RTU should be applied on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Trilogy XL RTU on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should continue until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.

INSECTICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS AND SHRUBS

Application Instructions: Apply Trilogy XL RTU at first sign of insects/mites. For control of the following: aphids, spider mites, scale, mealybugs, whiteflies, beetles (including Japanese), loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitos, chinch bugs, chiggers and many other insect pests. Trilogy XL RTU is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule. Thoroughly spray all plant surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.

WARRANTY

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.