-:Sase read instructions of	reverse before compl	ting form.	/28/2005 Form/	pproved	1		Approval expires 2-28-	
United States Environmental Protection Age Washington, DC 20460			• ,	V	Registration Amendme Other Notific	nt	OPP Identifier Number	
		Applicatio	n for Pesticide - Se	ction				
. Company/Product Number 70051-74			2. EPA Product M Sheryl Reilly				posed Classification None Restricted	
. Company/Product (Name) Trilogy XL RTU			PM# Biochemical Pe	Biochemical Pesticides Branch				
Certis USA, L.L.C. 9145 Guilford Road, Suite 175 Columbia, Maryland 21046			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.					
Check if th	is is a new address		Product Name					
			Section - II					
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below.			-Me Too	Final printed labels in repsender INOTIFICATION Agency letter dated "Me Too" Application. Date Reviewed: 1-28-05 Other - Explain below. Reviewed By:				
anges have been made to the	labeling or the confidential runderstand that if this not	statement of form ification is not con	rith the provisions of PR Notice 9 and of this product. I understand a sistent with the terms of PR Notions 12 and 14 of FIFRA. Section - III	hat it is a	violation of 18 U.S	S.C. Sec.	1001 to willfully make any	
. Material This Product W	ill Be Packaged In:	· · · · · ·						
Yes No Certification must vubmitted	Yes No If "Yes" No. per Unit Packaging wat, container			Yes Metal Plastic Glass No. per Paper		ecify)		
Location of Net Contents Information 4. Size(s) Retail Co			il Container	iner 5. Location of Label Directions				
Label Manner in Which Label is	Container s Affixed to Product	Lithogra Paper of Stencile	I 2, 24, 32 fl. oz. sph lived d	er	on container	-		
			Section - IV					
Contact Point (Complete	items directly below i	or identification	of individual to be contacted	, if nec	essery, to proces	s this a	pplication.)	
hme Christine A. Dively			itle Director of Regulatory Affai	or of Regulatory Affairs		Telephone No. (Include Area Code) 301-483-3806		
I acknowledge that a both under applicable Signature	ny knowlinglly false or	misleading state	ion Il attachments thereto are trement may be punishable by Title Director of Regulatory Affairs		4 -	* *	Date Application Received (Stamped)	
Typed Name		/	. Date				* * * * * * * * * * * * * * * * * * *	



Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046

(301) 604-7340

FAX (301) 604-7015 www.certisusa.com

December 8, 2004

Ms. Linda Hollis
Team Leader
Biochemical Pesticides Branch
Biopesticides & Pollution Prevention Division (7511C)
Office of Pesticide Programs
U.S. Environmental Protection Agency
1921 Jefferson Davis Hwy, Crystal Mall 2
Arlington, VA 22202

RE: Notification of Alternate Brand Names for Trilogy XL RTU, EPA Reg. No. 70051-74 Not subject to Pesticide Registration Improvement Act (PRIA) fees

Dear Ms. Hollis:

In reviewing our files, it has come to our attention that we do not have documentation that shows the following alternate brand names were submitted to the Agency. Therefore, Certis USA, L.L.C. is respectfully submitting the enclosed Notification (EPA Form 8570-1) for Trilogy XL RTU to ensure that these brand names are added to the registration. Please note, these brand names are for products sold by our supplemental distributors.

- 1) Green Light Rose Defense II
- 2) Green Light Neem II

A copy of each product label is also enclosed for your files. Please feel free to contact me if you have any questions about this submission. I can be reached by telephone at (301)483-3806 or by email at cdively@certisusa.com.

Sincerely,

Christine A. Dwely

Director of Regulatory Affairs

Enclosure

NOTIFICATION


Date Reviewed: 1-28-05

Reviewed By:

PRECAUTIONARY STATEMENTS HAZAROS TO HUMANS AND DOMESTIC ANIMALS

CALITION: Harmful if absorbed through skin. Causes moderate eye irritation. Harmful if inhaled Avoid breathing spray mist! Avoid contact with skin, eyes, or clothing. Remove and wastl contaminated clothing before reuse. Wear. Long-sleeved shirt and long pants, socks, shoes, gloves. Prolonged or frequently repeated skin contact may cause reactions in some individuals.

FIRST AID: IF ON SKIN: Take. off contaminated clothing. Rinse skin immediately with; plenty of water for 15 - 20 minutes. Call a poison center or doctor for treatment advice. IF IN EYES: Hold eve open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes. then continue rinsing. Call a poison control center or doctor for treatment advice. IF SWAL-LOWED: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person, IF INHALED: Move the person to fresh air. If person is not breathing call 911 or an ambulance, then give arrificial respiration, preferably by month-to-mouth:



Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical attention.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

BEE HAZARD: This product is: toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store. near heat or open flame.

DIRECTIONS FOR USE: It is at violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL: STORAGE: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect from freezing. DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposindoor or outdoor drain. Spill or Leak: In case of spill or leak, soak up with paper towels and discard in trash.

GENERAL INFORMATION: SHAKE WELL BEFORE AND DURING USE. Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval, and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food handling areas. Green Light Neem [[is most effective when applied in early to mid-morning or tate afternoon when adult insect pests, such as whiteflies, are normally sedentary on the undersides of the foliage. Do not apply to witted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects, it is recommended that a small trial be conducted to assure compatibility before using on a large scale. As with other products that contain oils, care should be executed in timing applications to early morning/late evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as impatiens flowers, fuchsia flowers. hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties, or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

FUNGICIDE USE: For use on FRUITS, NUTS, VEGETA-BLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOW-ERS. AND SHRUBS.

APPLICATION INSTRUCTIONS: Green Light Neem [1 is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab, and flower, twig, and tip blight. As a pre-ventative, Green Light Neem 11 should be applied on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already pre-sent, apply Green Light Neem 11 on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose, and scab. begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should continue until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until

should b INSECT! BLES. H ERS. AN APPLIC/ Apply Gr For cont mealybu loopers. weevils. stink bu pers, cri mosquit insect po applied (ulations plant si complet and sho

> P.O. Box San Ant www.gr Tel. (21)

Manufac

GREEN

EPA Re

NOTIFICATION

Date Reviewed: 1-28-05


Reviewed By: P

002946_rose_defense_qt_e2.qud 2/25/64 9:02 MK Page 1

PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS AND

CAUTION: Harmful if absorbed through skin. Gauses moderate bye irritation. Harmful if inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing before reuse. Wear: Long-sleeved shirt, and long pants, socks, shoes, gloves. Protonged or frequent repeated skin contact may cause reactions in some individuals.

FIRST AID: IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison center or doctor for treatment advice. IF IN EYES: Hold eve open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes then continue rinsing. Call a poison control center or doctor for treatment advice. IF SWAL-LOWED: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless by a poison control center or doctor. Do not give anything to an unconscious person. IF INHALED: Move the person to fresh air. If person is not breathing call 911 occasi ambulance, then give artificial respiration, preferably mouth



to-mouth. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical information.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwapers or rinsate.

BEE HAZARD: This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:
STORAGE: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect from freezing. DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor

drain. Spill or Leak: In case of spill or leak, soak up with paper towels and discard in trash.

GENERAL INFORMATION: SHAKE WELL BEFORE AND DURING USE. Multi-purpose insecticide/fungicide/miticide, Kills eggs, larval, and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food-handling areas. Green Light Rose Defense®II is most effective when applied in early to mid-morning or late afternoon when adult pests, such as whiteflies, are normally sedentary on the undersides of foliage. Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment. When using in conjunction with beneficial insects, it is recommended that a small trial be conducted to assure compatibility before using on a large scale. As with other products that contain oils, care should be executed in timing applications to early morning/late evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: Impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties, or similar plants without prior testing. Keep unprotected persons out of treated areas until sprays have dried.

FUNGICIDE USE: For use on ROSES, HOUSEPLANTS, FLOWERS, AND SHRUBS.

APPLICATION INSTRUCTIONS: Green Light Rose Defense®II is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab, and flower, twig, and tip blight. As a preventative, Green Light Rose Defense®!! should be applied on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Green Light Rose Defense®II on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Applications should continue until disease pressure no longer exists. Thoroughly spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.

INSECTICIDE USE: For use on ROSES, HOUSEPLANTS, FLOWERS, AND SHRUBS.

APPLICATION INSTRUCTIONS:

Apply Green Light Rose Defense®II at first sign of insects/mites. For control of the following: aphids, spider mites, scale, mealybugs, whiteflies, beetles (including, Japanese), loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, stink bugs, thrips, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitoes, chinch bugs, chiggers, and many other insect pests. Green Light Rose Defense®II is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule. Thoroughly spray all plant surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and should be avoided.

ROSE DEFENSE® is a registered trademark of Green Light Co.

Manufactured for: GREEN LIGHT COMPANY P.O. Box 17985 San Antonio, TX 78217-0985 www.greenlightco.com

Tel. (210) 494-3481

Rev. 2-24-2004

FOR POSITION ONLY