: 70051-75

6/13/2013

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



JUN 1 3 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Christine A. Dively Certis USA, LLC 9145 Guilford Rd, Suite 175 Columbia. MD 21046

Dear Ms. Dively:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 28, 2013 for the product Trilogy XL. The Registration Division (RD) has conducted a review of the request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formulas (CSF) and/or label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via E-mail at banks.melody@epa.gov.

Sincerely,

A lith

Richard Gebken Product Manager Insecticide Branch Registration Division (7504P)

•	( <sup>r</sup>	• •				(			2
Please read instructions on reverse b	efore complet	ing form.			Form Approve	d, OMB N	o. 207	0-0060	Print Form 2
United States Environmental Protectio Washington, DC 204			-	су.		Regi: Ame	ndm		OPP Identifier Number
	· /	Applicatio	on for Pe	sticid	a - Sectio	n I			
1. Company/Product Number 70051-75					oduct Manage :5Ken	··			oposed Classification
4. Company/Product (Name) Trilogy XL			P	PM RDIVISION L					None Restricted
5. Name and Address of Applicant (/ Certis U.S.A. L.L.C. 9145 Guilford Columbia, Maryland 21046	6 (D' noview. In ascordance with FIFRA Section 3(c)(3) (b)(i), my product is similar of the section 3(c)(3) to: EPA Reg. No JUN 1 3 2013								
Check if this is a new	w address		,	Produc	Name				
			Sectio						
Resubmission in response to Notification - Explain below. Explanation: Use additional page( Addition of non-FIFRA required Additional Reference	s) if necessary language to	/. (For section the product		Don II.)	Me Too" App Other - Explain	below.	nt.		
			Sectio	n - III					
1. Material This Product Will Be Paci	kaged In:								·····
Yes*     No     Certification must	ackaging Yes No s" ackaging wgt.	No. per container	Water Sol Ye X No If "Yes" Package V	)8	No. per container		×	ontainer Metal Plastic Glass Paper Other (S	ipecify)
be submitted 3. Location of Net Contents Informat		4. Size(s) Ret	Leil Container	l	Is	Location of	flobal	Directio	
Label Container		1 pint				X On L	label		iparying product
6. Manner in Which Label is Affixed to Product			raph Other glued iled			- <i>m</i>	<u>ε.ε.ς.</u> ε ε.ε.ε.		
			Sectio	n - IV					
I. Contact Point <i>(Complete items di</i>	irectly below fo	or identificatio	on of individu	al to be	contected, if n	ecessary, l	to proc	ess this	application
Name Christine A. Dively			Title Director of Reg. Affairs				Telephone No. <sup>c</sup> (Include Area Code)           301-483-3806 <sup>c</sup> ccccc		
I certify that the statements I I acknowledge that any knowl both under applicable law.			all attachme						6.¿Date Application {Asceived (Stomped)
Christine A. Dively			3. Title Director of Reg. Affairs						
. Typed Name 5 Christine A. Dively			5. Date March 28, 2013						

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

•

Yellow - Applicant Copy

**By Courier** 

Certis USA, L.L.C. 9145 Guilford Road Suite 175 Columbia, MD 21046 (301) 604-7340 FAX (301) 604-7015 www.certisusa.com

CCCC

ັບເເບັ ເວເວດ ເວເດເ

c

ιιιίε

ccico

March 26, 2013

Mr. Richard Gebken Product Manager Team 10 Insecticide Branch Registration Division (7505P) Office of Pesticide Programs US Environmental Protection Agency Room S-4900, One Potomac Drive 2777 South Crystal Drive Arlington, VA 22202-45

#### Re: Notification: Revised Package Referral Statements and Optional non-FiFRA Text EPA Registration Number: 70051-75/Trilogy XL

Dear Mr. Gebken:

On behalf of Certis U.S.A. L.L.C., (9145 Guilford Road, Suite 175, Columbia, Maryland 21046), I am respectfully submitting the following information to support the Notification for additional package referral statements and optional non-FIFRA related text:

- EPA Form 8570-1 Application for Pesticide with Certification Statement
- Copy of highlighted version of the draft label
- Wight (1) coplass of the specimen label for Trilogy XL

Please do not hesitate to contact me if you have any questions about this submission. I can be reached by telephone at 301-483-3806 or by email at <u>cdively@certisusa.com</u>.

Sincerely,

Christine A. Dively

Christine A. Dively Director of Regulatory Affairs Certis USA

Enclosure

#### **NOTIFICATION STATEMENT**

Trilogy XL (EPA Registration Number 70051-75) - Notification of Addition of Package Referral Statements and Other Optional Text –non-FIFRA:

416

ί ε Γιτικί

. . . . .

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

# Triogy I notification

Broad Spectrum Insecticide, Fungicide, and Miticide For Control of Insects, Diseases, And Mites on Vegetables, Fruits, Nuts, Herbs, Spices, Roses, Flowers, Turfgrass and Shrubs Around The Home

> Stops Powdery Mildew Can be Used Up to Day of Harvest

#### ACTIVE INGREDIENTS:

Pyrethrins	0.25%
Piperonyl Butoxide*	2.50%
Clarified Hydrophobic Extract of Neem	Oil70.00%
OTHER INGREDIENTS:	
Total	100.00%

\*(butyl carbityl)(6-propylpiperonyl)ether and related compounds

## KEEP OUT OF REACH OF CHILDREN CAUTION

See Back or Side Panel or Back Panel Booklet for Additional Precautionary Statements

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. R e m o v e a n d wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID:

If inhaled: Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Hotline Number: 1-800-255-3924. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run *off* into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is

#### Net Contents: 1 Pint (474ml)

EPA Reg. No. 70051-75 EPA Est. No. 70051-CA-001

Lot No .:

Manufactured by Certis USA, L.L.C. 9145 Guilford Road Suite 175 Columbia, MD 21046

CERTIS

not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

BEE HAZARD: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

#### 

LLCC

It is a violation of Federal law to use this product  $\frac{1}{2}$  is a manner inconsistent with its labeling.

GENERAL INFORMATION:

Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food handling areas. Tricgy(XL is most effective when applied in early to mid-morning or late afternoon when adult insect pests, such as whiteflieb, are normally sedentary on the undersides of the foliage. Use spray solutions within several hours of preparation for maximum effectiveness. For best results maintain constant agitation in spray equipment. For optimal performance, do not mix with cold water or apply under cold ambient temperatures (less than 45°F). If product thickens (freezes) before using, place in a warm room (greater than 45°F) for a few days or in warm water (120°F) for 2 to 8 hours until completely thawed. Do not use partially thawed material. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other products that contain oils, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn. Do not add adjuvants (spreaders, stickers, extenders, etc.) to Trilogy XL. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing.

FUNGICIDE USE: For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, SHRUBS and TURFGRASS

Application Instructions: Trilogy XL is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, brown spot, dollar spot, snow mold, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, apply Trilogy XL on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Trilogy XL on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. For brown patch and dollar spot, begin spraving at first sign of disease on a 7 to 14 day interval. For snow mold, begin spraying on a 14 day interval in the fall before the first snow. Continue applications until disease pressure no longer exists.

Mixing Instructions: Mix Trilogy XL at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided.

**INSECTICIDE USE:** For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, SHRUBS and TURFGRASS

Application Instructions: Apply Trilogy XL at first sign of insects/mites. Trilogy XL provides for a quicker and more complete control, and acts as an "exciter" to flush insect pests out of hiding and into direct contact with spray residues. For control of aphids, spider mites, scale, mealybugs, whiteflies, beetes, loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitos, chinch bugs, chiggers and many other insect pests. Trilogy XL is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule.

Mixing Instructions: Mix Trilogy XL at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided. Frequently agitate solution as you spray.

#### Use Restrictions Entry Restrictions

Do not allow adults, children or pets to enter the treated area until sprays have died.

#### **Application Restriction**

Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Not for use in outdoor residential misting systems. Do not make applications during rain. Do not wet plants to point of runoff or drip.

STORAGE AND DISPOSAL:

**Pesticide Storage:** 

Do not store diluted solutions for later use.

Pesticide Disposal and Container Handling:


If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### WARRANTY

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with a pplicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OF MERCHANTABILITY IS MADE.

Optional language that may or may not be on the product S



NEXT

LABEL

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

6132013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

#### JUN 1 3 2013

Ms. Christine A. Dively Certis USA, LLC 9145 Guilford Rd, Suite 175 Columbia. MD 21046

Dear Ms. Dively:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 11, 2013 for the product Trilogy XL. The Registration Division (RD) has conducted a review of the request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formulas (CSF) and/or label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via E-mail at banks.melody@epa.gov.

Sincerely,

1 lub

Richard Gebken Product Manager Insecticide Branch Registration Division (7504P)

· · · · · · · · · · · · · · · · · · ·		1. Alu - A		Kanna A.		Print Form	
United States EFFA Environmental Protection Agen Washington, DC 20460			Agency		. OMB No. 2070 Registratic Amendme Other	OPP Identifier Number	
		Application 1	for Pestici	ide - Section	1		
1. Company/Product Number 70051-75			2. EPA Product Manager L. Hollis			3. Proposed Classification	
4. Company/Product (Name) Trilogy XL			PM# Bioch	nemicals Branch	X None Restricte		
5. Name and Address of Applicant (Include ZIP Code) Certis USA L.L.C., 9145 Guilford Road, Suite 175 Columbia, MD 21046			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. JUN 1 3 2013				
			Section -	uct Name			
Amendment - Expl Resubmission in re Notification - Exple Explanation: Use eddit	osponse to Agency lette ain below.			Agency letter da "Me Too" Applic Other - Explain b	ation.	· · · · · · · · · · · · · · · · · · ·	
text outlined in the PR Agency on March 26th	Notice. The enclosed and are pending app	l label also include				. The text is identical to the vere submitted to the	
text outlined in the PR	Notice. The enclosed and are pending app	l label also include proval.	es several revi	isions per PR-Not			
text outlined in the PR Agency on March 26th See attached Certificat	Notice. The enclosed and are pending app te Statement.	l label also include proval.		isions per PR-Not			
text outlined in the PR Agency on March 26th See attached Certificat 1. Material This Product V Child-Resistant Packaging Ves* No * Certification must be submitted 3. Location of Net Conten Label	Notice. The enclosed and are pending app te Statement.	l label also include proval. No. per t. No. per t. conteiner 4. Size(s) Reteil C 1 pint	Section - I Vater Soluble P Yes X No *Yes" ackage wgt	isions per PR-Not	2. Type of Con X Pli GI Decetion of Label D On Label	vere submitted to the tainer etal astic ass uper ther (Specify)	
text outlined in the PR Agency on March 26th See attached Certificat <b>1. Material This Product V</b> Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Conten Label	Notice. The enclosed and are pending app te Statement.	l label also include proval. No. per t. container 4. Size(s) Reteil C	Section - I Vater Soluble P Yes X No "Yes" ackage wgt	isions per PR-Not Packaging No. per container	2. Type of Con X Pli GI Decetion of Label D On Label	vere submitted to the tainer etal assic ass uper ther (Specify) irections	
text outlined in the PR Agency on March 26th See attached Certificat <b>1. Material This Product V</b> Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Conten Label	Notice. The enclosed and are pending app te Statement.	A label also include proval. No. par t. container 4. Size(s) Retail C 1 pint Lithograph Paper glues Stencifed	Section - I Vater Soluble P Yes X No "Yes" ackage wgt	isions per PR-Not	2. Type of Con X Pli GI Decetion of Label D On Label	vere submitted to the tainer etal assic ass uper ther (Specify) irections	
text outlined in the PR Agency on March 26th See attached Certificat <b>1. Material This Product V</b> Child-Resistant Packaging Yes* No <b>* Certification must</b> <b>be submitted</b> 3. Location of Net Conten X Label 5. Manner in Which Label	Notice. The enclosed and are pending app te Statement.	A label also include proval. No. per t. container 4. Size(s) Retail C 1 pint Lithograph Paper glues Stencifed	Section - 1 Vater Soluble P Yes No Yes" ackage wgt container d	isions per PR-Not	2. Type of Con 2. Type of Con X GI GI Pa On Label D On Label on Labeling a	tainer etal ass ass her (Specify) irections accompanying product	
text outlined in the PR Agency on March 26th See attached Certificat <b>1. Material This Product V</b> Child-Resistant Packaging Yes* No * Certification must be submitted 3. Location of Net Conten Label 6. Manner in Which Label 1. Contact Point <i>(Comple</i> ) Name	Notice. The enclosed and are pending app te Statement.	A label also include proval.	Section - I Vater Soluble P Yes X No "Yes" ackage wgt container d Section - I individual to b	isions per PR-Not	2. Type of Con 2. Type of Con X Gi Gi Gi On Label D On Labeling a Cessary, to process Tele	tainer etal ass ass her (Specify) irections accompanying product	
text outlined in the PR Agency on March 26th See attached Certificat 1. Material This Product V Child-Resistant Packaging Ves* No * Certification must be submitted 3. Location of Net Conten X Label 6. Manner in Which Label 1. Contact Point <i>(Comple)</i> Name Christine A. Dively I certify that the sta I acknowledge that both under applicab	Notice. The enclosed and are pending app te Statement.	A label also include broval.	Section - I Vater Soluble P Yes X No "Yes" ackage wgt container d Section - I individual to b rector of Reg.	isions per PR-Not	2. Type of Con 2. Type of Con Pa On Decation of Label D On Label On Labeling a cessery, to process Tele 30 	tainer etal estic ass aper ther (Specify)	

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

# CERTIS

#### Hand-Delivered

June 11, 2013

Document Processing Desk (NOTIF) Office of Pesticide Programs (7540P) U.S. Environmental Protection Agency Room S-4900 One Potomac yard 2777 South Crystal Drive Arlington, VA 22202-4501 Attn: Mr. Richard Gebken

#### Re: Certis U.S.A. L.L.C./Company Number 70051 Notification to Add Container Handling Statements per PR Notice 2007-4 EPA Registration Number: 70051-75; Trilogy XL

Dear Mr. Gebken:

On behalf of Certis U.S.A. L.L.C., I respectfully submit a Notification for Trilogy XL (EPA Reg. Number 70051-75) to provide additional container handling statements for pesticide container sizes that are greater than 5 gallons. These statements are consistent with appropriate text as indicated in PR Notice 2007-4. Please note that we have also submitted a Notification for this product that is pending approval. It was submitted on March 26, 2013 to revise the package referral statements and add optional Non-FIFRA text to the label. This revised Container Handling text is the only addition to those revisions in the March 26 Notification submission. If possible, these two Notifications can be reviewed at one time.

The following materials are included in this submission:

- EPA Form 8570-1; Application for Pesticide with Certification Statement
- Label copy with highlighted changes
- (1) copies of the draft labeling

Please do not hesitate to contact me if you have any questions about this submission. I can be reached by telephone at 301-483-3806 or by email at <u>cdively@certisusa.com</u>.

Sincerely,

Christine A. Duely\_

Christine A. Dively Director of Regulatory Affairs

Certis USA 9145 Guilford Road Suite 175 Columbia, MD 21046 310

(301) 604-7340

FAX: 301-604-7015 www.certisusa.com

#### **NOTIFICATION STATEMENT**

Trilogy XL - EPA Reg. No. 70051-75-- in compliance with PR Notice 2007-4; addition of container handling statements for containers greater than 5 gallons.

416

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."



Broad Spectrum Insecticide, Fungicide, and Miticide For Control of Insects, Diseases, And Mites on Vegetables, Fruits, Nuts, Herbs, Spices, Roses, Flowers, Turfgrass and Shrubs Around The Home

> Stops Powdery Mildew Can be Used Up to Day of Harvest

#### ACTIVE INGREDIENTS:

Pyrethrins	0.25%
Piperonyl Butoxide*	2.50%
Clarified Hydrophobic Extract of Neem	Oil70.00%
OTHER INGREDIENTS:	

### KEEP OUT OF REACH OF CHILDREN CAUTION

See Back or Side Panel or Back Panel Booklet for Additional Precautionary Statements

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled. Avoid breathing vapor or spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID:

If inhaled: Move the person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Hotline Number: 1-800-255-3924. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic organisms including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is

#### Net Contents: 1 Pint (474ml)

EPA Reg. No. 70051-75 EPA Est. No. 70051-CA-001

Lot No .:

Manufactured by Certis USA, L.L.C. 9145 Guilford Road Suite 175 Columbia, MD 21046

CERTIS

not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment

wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**BEE HAZARD:** This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS: Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: SHAKE WELL BEFORE AND DURING USE.

Multi-purpose insecticide/fungicide/miticide. Kills eggs, larval and adult stages of insects. Prevents fungal attack of plants' tissues. Not for use in food handling a cas. Trilogy XL is most effective when applied in early to mid-maning or late afternoon when adult insect pests' such as whiteflies, are normally sedentary on the undersider of the foliage. Use spray solutions within several hours of preparation for maximum effectiveness. For best results maintain constant agitation in spray equipment. For optimal performance, do not mix with cold water or apply under cold ambient ' temperatures (less than 45°F). If product thickens (freezes) before using, place in a warm room (greater than 45°F) for a few days or in warm water (120°F) for 2 to 8 hours until completely thawed. Do not use partially thawed material. Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment. When using in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other products that contain oils, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn. Do not add adjuvants (spreaders, stickers, extenders, etc.) to Trilogy XL. Use with care on plants with tender tissue. Do not apply to known spray sensitive plant species such as: impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, red maples, some carnation varieties or similar plants without prior testing.

# FUNGICIDE USE: For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, SHRUBS and TURFGRASS

Application Instructions: Trilogy XL is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew, black spot, brown spot, dollar spot, snow mold, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab and flower, twig and tip blight. As a preventative, apply Trilogy XL on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Trilogy XL on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. For brown patch and dollar spot, begin spraying at first sign of disease on a 7 to 14 day interval. For snow mold, begin spraying on a 14 day interval in the fall before the first snow. Continue applications until disease pressure no longer exists.

**Mixing Instructions:** Mix Trilogy XL at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided.

**INSECTICIDE USE:** For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, SHRUBS and TURFGRASS

Application Instructions: Apply Trilogy XL at first sign of insects/mites. Trilogy XL provides for a quicker and more complete control, and acts as an "exciter" to flush insect pests out of hiding and into direct contact with spray residues. For control of aphids, spider mites, scale, mealybugs, whiteflies, beetles, loopers, leafminers, leafrollers, armyworms, webworms, weevils, tent caterpillars, fungus gnats, leafhoppers, cabbageworms, squash bugs, squash vine borer, stink bugs, thrips, tomato hornworm, lace bugs, boxelder bugs, grasshoppers, crickets, ants, fleas, ticks, earwigs, cockroaches, mosquitos, chinch bugs, chiggers and many other insect pests. Trilogy XL is most effective when applied on a 7 to 14 day schedule. For heavy insect populations, spray on a 7 day schedule.

**Mixing Instructions:** Mix Trilogy XL at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Thoroughly mix solution and spray all plant leaf surfaces (including undersides of leaves) until completely wet. Excessive application is unnecessary and to be avoided. Frequently agitate solution as you spray.

#### Use Restrictions Entry Restrictions

Do not allow adults, children or pets to enter the treated area until sprays have died.

#### **Application Restriction**

Do not apply this product in a way that will contact adults, children or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Not for use in outdoor residential misting systems. Do not make applications during rain. Do not wet plants to point of runoff or drip.

#### STORAGE AND DISPOSAL:

Pesticide Storage: Do not store diluted solutions for later use.

Pesticide Disposal and Container Handling: Nonrefillable container. Do not reuse or refill this container.

-For containers equal to or less than 5 gallons-

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

-For containers great than 5 gallons-

Triple rinse as follows: Empty the remaining contents into application equipment of a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY

Certis USA, L.L.C. warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OF MERCHANTABILITY IS MADE. C C C

Optional language that may or may not be on the product label:

- The Ortho Guarantee: If for any reason, you the consumer, are not satisfied with this product, mail us your original proof of jurchase to obtain a full refund of your purchase price.
- Questions, Comments or Medical Information: Company phone #, company website