



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

September 04, 2024

SENT BY EMAIL

Krista D. Coleman
kcoleman@certisbio.com
CERTIS USA, LLC
9145 Guilford Rd., Suite 175
Columbia MD, 21046

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - To Add Optional Language to Accommodate Different Forms of Packaging, Revise Typographical Errors, and Add Alternate Company and OMRI Logos
Product Name: CYD-X PLUS
Admin Number: 70051-112
EPA Receipt Date: 08/05/2024
Action Case Number: 00624431

Dear Krista D. Coleman:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Hannah Dean via email at dean.hannah@epa.gov.

Sincerely,



Hannah Dean, Risk Manager
MPB, BPPD
Office of Pesticide Programs

MASTER LABEL

This master label bears directions for agricultural and homeowner use with various application rates specific to the container size.

Additional Brand Name

CYD-X® PLUS (CYD-X® HP)

Insecticidal Virus

Sublabel A: Agricultural Use

Sublabel B: Homeowner Use

Active Ingredient:

Cydia pomonella granulovirus0.06%

Other Ingredients:99.94%

Total100.00%

KEEP OUT REACH OF CHILDREN CAUTION

CAUTION

EPA Registration Number: 70051-112

EPA Establishment Number: 70051-CA-001

Manufactured by:

Certis USA LLC

9145 Guilford Road, Suite 175

Columbia, Maryland 21046

NOTIFICATION

70051-112

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/04/2024

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

SUBLABEL A: Agricultural Use

(Additional Brand Name CYD-X® HP)

CYD-X[®] PLUS

High Potency Aqueous Suspension
Biological Insecticide for Control of the Codling Moth

 FOR ORGANIC PRODUCTION



Active Ingredient*:.....
Cydia pomonella granulovirus -0.06%
Other Ingredients:..... 99.94%
Total..... 100.00%

*Contains at least 3×10^{13} viral occlusion bodies (OBs) per Liter.

KEEP OUT OF REACH OF CHILDREN
CAUTION

Net Contents:- [6 fluid ounces,-] [1 Quart]

Lot No.:

EPA Reg. No. 70051-112

EPA Est. No. 70051-CA-001

Manufactured by:

Certis USA LLC

9145 Guilford Road

Suite 175

Columbia, MD 21046



See [Inside][Side] [Panel][Panels] for [Additional] [Precautionary Statements][,] [Directions for Use][,] [and] [Storage and Disposal]SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

See inside panels for First Aid, Additional Precautionary Statements, and Directions For Use and Warranty Statement

CYD-X® PLUS is an insecticidal virus product for control of larvae of the codling moth. Read this label carefully. Refer to the Technical Bulletin for Additional Guidelines for Use.

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

FIRST AID

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Hotline Number

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. 1-800-255-3924 (24-hour emergency response).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS): CAUTION:

Harmful if inhaled. Avoid breathing spray mist. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks
- Protective eyewear such as goggles, face shield, or shielded safety glasses.

Mixers/loaders and applicators must wear a minimum of dust/mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [(40 CFR 170.607 (d) and (e) (f)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

USER SAFETY RECOMMENDATION

Users Should:

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

For terrestrial uses. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

GENERAL INFORMATION

CYD-X® PLUS BIOLOGICAL INSECTICIDE

PRODUCT DESCRIPTION

CYD-X® PLUS contains an insecticidal baculovirus (scientific name: *Cydia pomonella* granulovirus or

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

CpGV) that is specific to larvae of the codling moth (*Cydia pomonella*). Because of this specificity to the codling moth, CYD-X® PLUS provides a unique opportunity for biological control of codling moth without harmful effects on humans, domestic animals, wildlife, beneficial insects and plants.

BIOLOGICAL PROPERTIES and MODE OF ACTION

CYD-X® PLUS is a biological insecticide which must be ingested by larvae in order to be effective. Upon ingestion, the viral occlusion bodies (OBs) dissolve in the larval midgut and release infectious virions. These enter the cells lining the digestive tract and replicate in the nuclei of those cells. The resulting progeny virus infects other tissues within the larva, which stops feeding and eventually dies from massive viral infection. After death, the larva disintegrates, releasing billions of new OBs which may infect other codling moth larvae upon ingestion. Death occurs 3 to 7 days after ingestion of CYD-X® PLUS, depending on dosage and ambient temperature. Death may occur more quickly at higher temperatures and higher dosage.

Baculoviruses have been found only in invertebrates; currently there are no reports of members of this family infecting vertebrates or plants. CYD-X® PLUS virions do not reproduce in mammalian cells. Bioactivity of Cyd-X® PLUS may decrease if exposed to temperatures above 86°F for more than 3 months. For best results, keep the product refrigerated or frozen when not in use.

MIXING INSTRUCTIONS

Mix CYD-X®PLUS with water and apply as a spray to fruit and foliage. For best results, use water at or near neutral pH (7).

APPLICATION RATES

CROP	Application rate	Comments
Apple, pear, plum, prune, and walnut	½ to 3 fluid ounces per acre of trees	<p>Apply in sufficient water to thoroughly wet the tree canopy without excessive runoff. Select a spray volume appropriate to tree size and density of foliage. For small trees use 50 -100 gallons of spray per acre. Larger trees with denser canopy may require 100-200 gallons per acre. Consult your local Cooperative Extension Service if you need advice about how to attain good spray coverage in your orchard.</p> <p>Make at least two (2) applications of CYD-X® PLUS per codling moth larval generation. Target small larvae early in their life cycle. Repeat as necessary to maintain control. CYD-X® PLUS breaks down under direct exposure to sunlight. If codling moths are still flying and laying eggs, reapply after 7 - 8 sunny days.</p> <p>If using temperature models (heat unit accumulation measured in degree days) and pheromone trap catch to predict codling moth development, make the first spray against the first larval generation around 250 degree days after codling moth Biofix (first moth flight). If targeting the second generation, start at approx. 1100-1200 degree days after biofix. "No Biofix" models (using heat units only, with no trap catch information) are now used in some growing regions. Consult your local Cooperative Extension Service for information about using degree day models to guide spray timing.</p> <p>If not using heat units to time sprays, apply CYD-X® PLUS in the 1st and 2nd cover sprays against first generation larvae. For second generation, apply in the 4th and 5th cover sprays.</p> <p>Frequent applications at low rates may be more effective than one or two</p>

{ } Symbolizes explanatory text to the reviewer
[] Indicates optional text

		applications at high rate.
--	--	----------------------------

CYD-X ® PLUS can be applied up to and including the day of harvest and storage.

STORAGE AND DISPOSAL

PESTICIDE STORAGE:

Store this product in original sealed container in a cool, dry place inaccessible to children and pets. Store at temperatures below 86°F. Bioactivity may be impaired by storage above 86°F. Storing the product in a freezer or refrigerator will extend its shelf life.

PESTICIDE DISPOSAL:

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if appropriate. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by State and local ordinances.

WARRANTY

To the extent consistent with applicable law, Certis USA LLC warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

{ } Symbolizes explanatory text to the reviewer
[] Indicates optional text

Sublabel B: Homeowner Use

CYD-X® PLUS

(Additional Brand Name CYD-X®HP)

A High Potency Aqueous Suspension
Biological Insecticide for Control of the Codling Moth
In Home Garden settings



Active Ingredient*:

Cydia pomonella granulovirus 0.06%

Other Ingredients:.....99.94%

Total.....100.00%

*Contains at least 3×10^{13} viral occlusion bodies (OBs) per Liter.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Net Contents: ~~1.5 fl. oz.~~ **and** **2.0 fl. oz.**

Lot No.:

EPA Reg. No. 70051-112

EPA Est. No. 70051-CA-001

Manufactured by:

Certis USA LLC

9145 Guilford Road

Suite 175

Columbia, MD 21046



See [Inside][Side] [Panel][Panels] for [Additional] [Precautionary Statements][,] [Directions for Use][,] [and] [Storage and Disposal]

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

See Inside panels for First Aid, Additional Precautionary Statements, and Directions For Use and Warranty Statement

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

CYD-X® PLUS is an insecticidal virus product for control of larvae of the codling moth. Read this label carefully. Refer to the Technical Bulletin for Additional Guidelines for Use.

FIRST AID

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Hotline Number

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. 1-800-255-3924 (24-hour emergency response).

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS): CAUTION:

Harmful if inhaled. Avoid breathing spray mist. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS:

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation.

GENERAL INFORMATION

CYD-X® PLUS BIOLOGICAL INSECTICIDE

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

PRODUCT DESCRIPTION

CYD-X® PLUS contains an insecticidal baculovirus (scientific name: *Cydia pomonella* granulovirus) that is specific to larvae of the codling moth (*Cydia pomonella*). Because of this specificity to the codling moth, CYD-X® PLUS provides a unique opportunity for biological control of codling moth without harmful effects on humans, domestic animals, wildlife, beneficial insects and plants.

BIOLOGICAL PROPERTIES and MODE OF ACTION

CYD-X® PLUS is a biological insecticide, which must be ingested by larvae in order to be effective. Upon ingestion, the viral occlusion bodies (OBs) dissolve in the larval midgut and release infectious virions. These enter the cells lining the digestive tract and replicate in the nuclei of those cells. The resulting progeny virus infect other tissues within the larva, which stops feeding and eventually dies from massive viral infection. After death, the larva disintegrates, releasing billions of new OBs, which may infect other codling moth larvae upon ingestion. Death occurs 3 to 7 days after ingestion of CYD-X® PLUS, depending on dosage and ambient temperature. Death may occur more quickly at higher temperatures and higher dosage.

Baculoviruses have been found only in invertebrates; currently, there are no reports of members of this family infecting vertebrates or plants. CYD-X® PLUS virions do not reproduce in mammalian cells. This product can be inactivated by continuous exposure to temperatures above 86°F. For best results, keep the product refrigerated or frozen when not in use.

MIXING INSTRUCTIONS

CYD-X® PLUS must be mixed with water and applied as a spray to fruit (apple, pear, plum, and walnut) and foliage. Use water at a pH near 7.0 in the spray-tank mix.

Application rate:

Mix 1/2 teaspoon of CYD-X® PLUS per 5 gallons of water and apply directly to each tree using a hand pump sprayer or other suitable spray equipment. Spray just enough to wet all leaves and fruit with minimal run-off or dripping. Total coverage depends on the size of trees to be sprayed and the type of sprayer used.

When to spray:

Apply CYD-X® PLUS first in late spring or early summer, when eggs of the first generation of codling moth begin to hatch. For maximum effectiveness, apply CYD-X® PLUS at least twice during each larval generation. When pest pressure persists, additional applications of CYD-X® PLUS may be necessary in mid- to late summer. Consult your local Cooperative Extension Service for more information about the best timing of codling moth sprays.

CYD-X® PLUS breaks down under direct exposure to sunlight. If codling moths are still flying and laying eggs, reapply after 7 to 8 sunny days.

CYD-X® PLUS can be applied up to and including the day of harvest and storage.

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE:

Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use.

PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill container.

If empty:

Place in trash or offer for recycling, if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

To the extent consistent with applicable law, Certis USA LLC warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

{ } Symbolizes explanatory text to the reviewer

[] Indicates optional text

Graphics

{OMRI Seal(s)}



{Logos}



{ } Symbolizes explanatory text to the reviewer
[] Indicates optional text

List of Alternate Brand Names:

CYD-X® HP

{ } Symbolizes explanatory text to the reviewer
[] Indicates optional text