



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460**

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

April 27, 2020

Ana Koster
Global Regulatory Affairs Manager
Certis USA LLC
9145 Guilford Road, Suite 175
Columbia, MD 21046

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Add
Supplemental Labeling for Hemp
Product Name: BmJ WG
EPA Registration Number: 70051-119
Application Date: 03/16/2020
OPP Decision Number: 561689

Dear Ms. Koster:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval is only for supplemental labeling that is an addendum to the master labeling. This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

This supplemental labeling contains some new and/or revised uses and/or directions that may be additional to the uses and/or directions found on the label on or attached to the container, but this supplemental labeling does not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with this supplemental labeling.

A stamped copy of your labeling is enclosed for your records. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2
EPA Reg. No. 70051-119
OPP Decision No. 561689

If you have any questions, please contact Bibiana Oe by phone at (703) 347-8162 or via email at oe.bibiana@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jeannine Kausch', written in a cursive style.

Jeannine Kausch, Product Manager 92
Microbial Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

**SUPPLEMENTAL LABELING:
HEMP**

BmJ WG

BIOLOGICAL PLANT ACTIVATOR

{Alternate Brand Names: LifeGard WG}



CAN BE USED IN ORGANIC PRODUCTION



ACTIVE INGREDIENT:

Bacillus mycooides isolate J* 40.0%

OTHER INGREDIENTS: 60.0%

TOTAL 100.0%

* Equivalent to a minimum of 30 billion (3×10^{10}) viable spores/g of product.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**


This Supplemental Labeling expires on November 1, 2021 and must not be used or distributed after this date.

MANUFACTURED BY:

Certis USA LLC
9145 Guilford Road, Suite 175
Columbia, MD 21046



**EPA Reg. No. 70051-119
EPA Est. No. 70051-CA-001**



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in possession of the user at the time of application.

Read the label affixed to the container for BmJ WG before applying.

Use of BmJ WG according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for BmJ WG.

CROP

Hemp

PEST

Anthrachnose (*Colletotrichum* spp.), Brown blight (*Alternaria alternata*), Brown leaf spot and stem canker (*Ascochyta* spp.), Gray mold (*Botrytis cinerea*), Hemp leaf spot (*Bipolaris* sp.), Powdery mildew (*Leveillula*, *Podosphaera*, *Sphaerotheca* spp.), White leaf spot (*Phomopsis ganjiae*), Yellow leaf spot (*Septoria* spp.), Olive leaf spot (*Cercospora cannabina*), Stemphylium leaf and stem spot (*Stemphylium botryosum*), Bacterial blight (*Pseudomonas cannabina*), Xanthomonas leaf spot (*Xanthomonas campestris*)

RATE

Apply BmJ WG at a concentration of 4.5 ounces (128 grams) per 100 gallons of water. If using dry measure rather than weight, the volume of 4.5 ounces of BmJ WG is approximately $\frac{3}{4}$ cup.

APPLICATION METHOD

Apply at first appearance of leaves or just after transplant and repeat at 3-14 day intervals as needed, in sufficient water to obtain thorough coverage of foliage.

Ground applications: BmJ WG can be applied in most commonly-used ground application equipment, such as tractor-mounted boom, airblast, high clearance, backpack, and other pressurized sprayers; hose-end or hand-held sprayers; and foggers or mist blowers. Apply in sufficient volume of water to provide uniform coverage.

Aerial applications: BmJ WG can be applied by fixed or rotary winged aircraft in a minimum of 5 gallons of water per acre. Standard precautions should be taken to minimize spray drift.

Chemigation: BmJ WG can be applied to the crop canopy through overhead sprinkler systems by injecting the specified rate at the very end of the irrigation period. Injection should occur only within the minimum time required to ensure complete flushing of the product from the system and onto the crop canopy. Keep supply tank agitated during application. See “Chemigation Instructions” on label affixed to the container for BmJ WG for additional information. Do not apply BmJ WG through any other type of irrigation system.