



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Biopesticides and Pollution Prevention Division (7511P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

70051-124

Date of Issuance:

2/14/2019

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Bti WDG

Name and Address of Registrant (include ZIP Code):

Certis USA LLC
 9145 Guilford Road, Suite 175
 Columbia, MD 21046

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Jeannine Kausch, Product Manager 92
 Microbial Pesticides Branch
 Biopesticides and Pollution Prevention Division (7511P)
 Office of Pesticide Programs

Date:

2/14/2019

2. Be aware that proposed data requirements have been identified in a Final Work Plan. For more information on these proposed data requirements, you may contact Maggie Taphouse, Team Leader for Re-evaluation within the Biopesticides and Pollution Prevention Division:
<https://www.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-biopesticides-and-pollution-prevention#mbp>.
3. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 70051-124.”
4. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA’s Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these conditions. If you fail to satisfy these data requirements, the EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 02/12/2019

Any CSFs other than that listed above are superseded.

If you have any questions, please contact Cody Kendrick by phone at (703) 347-0468 or via email at kendrick.cody@epa.gov.

Sincerely,



Jeannine Kausch, Product Manager 92
Microbial Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

Bti WDG

BIOLARVICIDE

Water Dispersible Granule

A microbial insecticide effective against larvae of mosquitoes, fungus gnats, and nuisance aquatic midges (*Chironomine*) in a variety of habitats.

ACTIVE INGREDIENT:

Bacillus thuringiensis subspecies *israelensis* Strain BMP 144 solids, spores, and insecticidal toxins*43%

OTHER INGREDIENTS:57%

TOTAL:100%

*Equivalent to 3,000 International Toxic Units (ITU)/mg of product (1.4 billion ITU/lb of product or 3.0 billion ITU/kg of product).

Note: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See [side][back][right][left][other] panel for [additional] [[precautionary] [and] [first aid] statements] [[use] directions [for use]]

[Refer to inside of label booklet for additional precautionary information and Directions for Use including First Aid and Storage and Disposal.]

MANUFACTURED BY:

Certis USA LLC
9145 Guilford Road, Suite 175
Columbia, MD 21046



EPA Reg. No. 70051-REU
EPA Est. No. 70051-CA-1
[Lot Number] {or} [Container Batch Code]:
[Item Code:]
[Package Code:]
Net Weight:

ACCEPTED

02/14/2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 70051-124

FIRST AID	
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Hotline Number: 1-800-255-3924 [or other number, as appropriate].	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through the skin. Avoid breathing dust. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

FOR THE MOSQUITO AND NUISANCE AQUATIC MIDGE USES –

Applicators and other handlers not in enclosed cabs or aircraft must wear:

- Protective eyewear
- Waterproof gloves
- Long-sleeved shirt and long pants
- Shoes plus socks

Mixers/loaders and applicators not in enclosed cabs or aircraft must wear:

- A NIOSH-approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A (if tank mixing with any oil-based adjuvants, spreaders, or spreader/stickers, use only R or P filters); or
- A NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. (Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.)

FOR THE FUNGUS GNAT USES –

Applicators and other handlers must wear:

- Protective eyewear
- Waterproof gloves
- Long-sleeved shirt and long pants
- Shoes plus socks

Mixers/loaders and applicators must wear:

- A NIOSH-approved particulate respirator with any N, R, or P filter with NIOSH approval number prefix TC-84A (if tank mixing with any oil-based adjuvants, spreaders, or spreader/stickers, use only R or P filters); or
- A NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. (Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.)

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not apply directly to treated, finished drinking water reservoirs.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted-entry interval of 4 hours.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water) is:

- Coveralls
- Waterproof gloves
- Protective eyewear
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

For the non-WPS fungus gnat uses only, keep unprotected persons out of treated areas until sprays have dried.

MOSQUITOES:

For control of mosquito larvae inhabiting the water bodies specified immediately below

Habitat	Bti WDG Application Rate Range*
Flood water, roadside ditches, irrigation ditches, floodwater, rice fields, pastures, woodland pools, snowmelt pools, standing pools, tidal water, salt marshes, catch basins, and storm water retention areas	1.75-7 oz/A (50-200 g/A) (0.125-0.5 kg/Ha)
Standing water in fields growing crops such as: alfalfa, almonds, asparagus, corn, cotton, dates, grapes, peaches, and walnuts	
Water with moderate organic matter and water with a high concentration of suspended solids (e.g., sewage lagoons)	7-14 oz/A (200-400 g/A) (0.5-1.0 kg/Ha)

*Use the higher rate range when larvae are in the third or early fourth instar, mosquito populations are high, water is heavily polluted, and/or algae are abundant.

DILUTION RATES FOR SMALL QUANTITIES OF SPRAY:

Gallons of Spray Mixture per Acre (Ounces or grams needed per gallon of spray)

Bti WDG Application Rate		Final Concentration (oz/gal of spray)		
oz/A	g/A	10 gal/A	25 gal/A	50 gal/A
1.75	50	(0.175)	(0.07)	(0.035)
3.5	100	(0.35)	(0.14)	(0.07)
7	200	(0.70)	(0.28)	(0.14)
14	400	(1.40)	(0.56)	(0.28)

SPECIFIC APPLICATION INSTRUCTIONS:

Types of Application: Bti WDG may be applied in conventional aerial and ground application equipment with sufficient water to provide thorough coverage of the target area. The amount of water needed will be dependent on weather, type of spray equipment and mosquito habitat.

Ground Application

Ground applications should be made in 5-100 gallons of water per acre (50-950 liters/hectare) in conventional equipment. As low as one gallon of water per acre (10 liters/hectare) can be used when the target area is open with light vegetative cover.

Aerial Application

Fill the mix tank or aircraft hopper with the appropriate volume of water and agitate before adding Bti WDG. Use 0.25-10 gallons of water per acre (2.4-93.5 liters/hectare). Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all of these factors when making decisions.

Mixing Instructions: Fill tank with the required amount of water. Initiate moderate agitation and continue throughout mixing. Slowly pour Bti WDG into the water where turbulence is the greatest. After the Bti WDG is dispersed, the product will remain suspended for normal application periods. Additional agitation may be required if product sets for an extended period.

Retreatment Interval: Repeat applications as necessary to maintain control. The actual length of control depends on the duration and frequency of flooding events. Reapply after 40 days under typical environmental conditions. More frequent applications may be made if monitoring indicates that larval populations have reestablished or weather conditions have rendered initial treatments ineffective.

NUISANCE AQUATIC MIDGES:

For control of *Chironomine* midge larvae (*Chironominae: Chironomini*) inhabiting shallow lakes and ponds that are natural or man-made.

Habitat	Bti WDG Application Rate†**
Shallow lakes and ponds	3.5 lb/A (1.6 kg/A)

†NOTE: The rate provided may require the use of more than one package.

**Apply diluted with water in a total volume of 5 gal/A by pouring or spraying over the surface to be treated with a pre-calibrated device. Repeat applications as necessary. Control of *Chironomini* midge larvae may take up to two weeks.

FUNGUS GNATS:

AGRICULTURAL USE SITE APPLICATIONS (FUNGUS GNAT LARVAE CONTROL):

APPLICATION DIRECTIONS

Fungus Gnat Habitat	Bti WDG Application Rate Range†
Ornamental and nursery plantings in greenhouses or potting soil mixtures Vegetable plants such as the following: Tomatoes, leafy and cole crops, cucumbers, peppers and eggplants	Light Infestation: 3.2 to 6.4 oz of Bti WDG/100 gal of water applied as a soil drench Heavy infestation: 13 to 26 oz of Bti WDG/100 gal of water applied as a soil drench

†**NOTE:** The higher rates in the range provided may require the use of more than one package.

Apply Bti WDG with adequate water by soil drench (hand wand, drench nozzle, greenhouse sprinkler, drip/trickle, flood/basin) to sufficiently wet the soil surface above and under benches where larvae are found. Areas under benches should be treated at high application rates as this is one of the primary breeding areas. Reapply as needed. In situations where all life forms (eggs, larvae, pupae and adults) are present, such as with existing infestations, make three (3) weekly applications at the application rate range for heavy infestations. Regular follow-up applications using the light infestation application rates will establish a long-term maintenance program.

For best results, apply drenches toward the end of the irrigation period.

Bti WDG is a larvicide and will not control adult gnats; therefore, applications must be timed for a stage of development when larvae are present in the soil.

Fungus gnat larvae generally respond to Bti WDG treatment within 24 hours following application.

ORNAMENTAL PLANT PHYTOTOXICITY

Bti WDG is not known to be phytotoxic to ornamental plant species. However, since all ornamental plant species have not been evaluated, sensitivity to Bti WDG should be checked on several ornamental plants to be treated prior to wide-scale usage.

USE RESTRICTIONS

Important: Bti WDG must not be injected in combination with fertilizers or fungicides containing copper or chlorine as this may neutralize the active ingredient. (Chlorine levels in potable water supplies are not expected to present a problem with Bti WDG performance.)

Do not apply soil drenches to plants under stress, or follow application with excessive amounts of water.

NON-AGRICULTURAL USE SITE APPLICATIONS (FUNGUS GNAT LARVAE CONTROL FOR INDOOR ORNAMENTAL AND PLANTSCAPE USE):

For use on plants intended for aesthetic purposes and being grown in interior plantscapes and indoor ornamental gardens. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Do not apply this product to the non-agricultural use sites in this section through any type of irrigation system.

APPLICATION DIRECTIONS

Fungus Gnat Habitat	Bti WDG Application Rate Range†
Indoor ornamental and plantscape use	Light Infestation: 3.2 to 6.4 oz of Bti WDG/100 gal of water applied as a soil drench Heavy infestation: 13 to 26 oz of Bti WDG/100 gal of water applied as a soil drench

†NOTE: The higher rates in the range provided may require the use of more than one package.

Apply Bti WDG with adequate water by soil drench (hand wand, drench nozzle) to sufficiently wet the soil surface. Reapply as needed. In situations where all life forms (eggs, larvae, pupae and adults) are present, such as with existing infestations, make (3) weekly applications at the application rate range for heavy infestations. Regular follow-up using light infestation application rates will establish a long-term maintenance program.

Bti WDG is a larvicide and will not control adult gnats; therefore, applications must be timed for a stage of development when larvae are present in the soil.

Fungus gnat larvae generally respond to Bti WDG treatment within 24 hours following application.

ORNAMENTAL PLANT PHYTOTOXICITY

Bti WDG is not known to be phytotoxic to ornamental species. However, since all ornamental plant species have not been evaluated, sensitivity to Bti WDG should be checked on several ornamental plants to be treated prior to wide-scale usage.

USE RESTRICTIONS

Important: Bti WDG must not be injected in combination with fertilizers or fungicides containing copper or chlorine as this may neutralize the active ingredient. (Chlorine levels in potable water supplies are not expected to present a problem with Bti WDG performance.)

Do not apply soil drenches to plants under stress, or follow application with excessive amounts of water.

CHEMIGATION INSTRUCTIONS

Precautions:

Apply this product only through sprinkler (including solid set); flood (basin); or drip (trickle) irrigation systems. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

If you have questions about calibration, you should contact State Extension Service Specialists, equipment manufacturers or other experts.

Do not connect an irrigation system (including greenhouse systems) used for pesticide application to a public water system unless the pesticide label-prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

CHEMIGATION SYSTEMS CONNECTED TO PUBLIC WATER SYSTEMS

Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.

1. Chemigation systems connected to public water systems must contain a functional, reduced-pressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of the pesticide introduction. As an option to the RPZ, the water from the public water system should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the flow outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe.
2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
3. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
4. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where pesticide distribution is adversely affected.
5. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
6. Do not apply when wind speed favors drift beyond the area intended for treatment.
7. Remove scale, pesticide residues, and other foreign matter from the chemical supply tank and injector system and flush with clean water before use. Failure to provide a clean tank, free of scale or residues, may reduce effectiveness of this product.
8. Dilute Bti WDG in water prior to injection. Fill the supply tank with the desired quantity of water. Start mechanical or hydraulic agitation to provide moderate circulation before adding Bti WDG. Once injected and mixed, apply spray mixture continuously without agitation until the supply tank is empty. Bti WDG suspends readily in water and will stay suspended over normal application periods. Brief recirculation may be necessary if the spray mixture has been sitting for several hours.

FLOOD (BASIN) CHEMIGATION SYSTEMS

Systems using a gravity flow pesticide dispensing system must meter the pesticide into the water at the head of the field and downstream of a hydraulic discontinuity such as a drop structure or weir box to decrease potential for water source contamination from backflow if water flow stops.

Systems utilizing a pressurized water and pesticide injection system must meet the following requirements:

1. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
3. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
4. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
5. The irrigation line or water pump must include a functional pressure switch that will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
6. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.
7. Dilute Bti WDG in water prior to injection. Fill the supply tank with the desired quantity of water. Start mechanical or hydraulic agitation to provide moderate circulation before adding Bti WDG. Once injected and mixed, apply spray mixture continuously without agitation until the supply tank is empty. Bti WDG suspends readily in water and will stay suspended over normal application periods. Brief recirculation may be necessary if the spray mixture has been sitting for several hours.

GREENHOUSE SPRINKLER AND DRIP (TRICKLE) CHEMIGATION SYSTEMS

1. The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.
2. The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.
3. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.
4. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.
5. The irrigation line or water pump must include a functional pressure switch that will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.
6. Systems must use a metering pump, such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

7. Do not apply when wind speed favors drift beyond the area intended for treatment (Sprinkler Chemigation Only).
8. Dilute Bti WDG in water prior to injection. Fill the supply tank with the desired quantity of water. Start mechanical or hydraulic agitation to provide moderate circulation before adding Bti WDG. Once injected and mixed, apply spray mixture continuously without agitation until the supply tank is empty. Bti WDG suspends readily in water and will stay suspended over normal application periods. Brief recirculation may be necessary if the spray mixture has been sitting for several hours.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool (59 - 86°F; 15 - 30°C), dry place.

Pesticide Disposal: Wastes resulting from use of this product must be disposed of on site or at an approved waste disposal facility.

{For retail containers in pouches}

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty pouch into application equipment. Then offer for recycling if available or dispose of empty pouch in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.

{For bulk/repackaging containers in drums with liners}

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into repackaging equipment. Then offer for recycling if available or dispose of empty liner in a sanitary landfill or by incineration. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner. Do not burn, unless allowed by state and local ordinances. If burned, stay out of smoke.

WARRANTY

Certis USA LLC warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.