

G-Tab9 Tablet

ACTIVE INGREDIENT:


Sodium Chlorite 26.4%

INERT INGREDIENTS: 73.6%**TOTAL:** 100.0%**KEEP OUT OF REACH OF CHILDREN****DANGER****SEE (Side) (Back) PANEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS**

Net Weight:

MANUFACTURED BY:
Engelhard Corporation
Iselin, NJ 08830EPA Reg. No. 70060-26
EPA Est. No. 70060-___

Sodium chlorite in this product is from Spain

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS****DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Harmful if absorbed through skin or swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear (glasses, goggle, or face shield), protective clothing and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

FIRST AID	
If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic organisms.

PHYSICAL/CHEMICAL HAZARDS

Keep away from combustible, organic or other readily oxidizable materials.

70060-26

11/29/2006

Page 1 of 2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION OF DRINKING WATER (EMERGENCY/PUBLIC/INDIVIDUAL SYSTEMS)

PUBLIC SYSTEMS: G-Tab9 Tablet can be used to disinfectant drinking water. The source of the water to be treated may be from rivers, lakes, wells, cisterns, or similar systems. A chlorine dioxide residual concentration of no less than 0.2 ppm and no more than 0.6 ppm, throughout the system, is sufficient to provide adequate disinfection. Prepare a use-solution of approximately 0.6 ppm of chlorine dioxide by dissolving 1 gram of G-Tab9 Tablet per 40 gallons of water [2.5 grams per 100 gallons]. Check water frequently with a chlorine dioxide test kit. Bacteriological sampling must be conducted at a frequency of no less than that prescribed by the Nation Interim Primary Drinking Water Regulations. Contact your local Health Department for further details.

INDIVIDUAL SYSTEMS: DUG WELLS- Upon completion of the casing (lining) wash the interior of the casing (lining) with a 100 ppm available chlorine dioxide solution using a stiff brush. This solution can be made by dissolving 175 grams of this product into 40 gallons of water. After covering the well, pour the disinfectant solution into the well through both the pipe sleeve opening and the pipeline. Wash the exterior of the pump cylinder also with the disinfectant solution. Start pump and pump water until strong chlorine odor in water is noted. Stop pump and wait at least 24 hours. After 24 hours, flush well until all traces of chlorine have been removed from the water. Contact your local Health Department for future details.

INDIVIDUAL WATER SYSTEMS: DRILLED, DRIVEN & BORED WELLS- Run pump until water is as free from turbidity as possible. Pour a 100 ppm available chlorine dioxide disinfecting solution into the well. This solution can be made by dissolving 175 grams of this product into 40 gallons of water. Add 5 to 10 gallons of clean chlorinated water to the well in order to force the disinfectant into the rock formation. Wash the exterior of pump cylinder with the disinfectant. Drop pipeline into well, start pump and pump water until strong odor of chlorine water is noted. Stop pump and wait at least 24 hours. After 24 hours flush well until traces of chlorine have been removed from the water. Deep wells with high water levels may necessitate the use of special methods for introduction of the disinfectant into the well. Consult your local Health Department for further details.

INDIVIDUAL WATER SYSTEMS: FLOWING ARTESIAN WELLS- Artesian wells generally do not require disinfection. If analyses indicate persistent contamination the well should be disinfected. Consult your local Health Department for further details.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool, dry area away from sunlight and heat.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Place empty foil pouch in trash.

222