



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number:
70060-30

Date of Issuance:
OCT 17 2006

Term of Issuance:

Conditional

Name of Pesticide Product:

Aseptrol FC-Tab

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Engelhard Corporation
101 Wood Avenue
Iselin, NJ 08830-0770

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Revise the "EPA Registration Number to read, "EPA Reg. No. 70060-30".

Page 1 of 2

Signature of Approving Official:

Emily Mitchell
Emily Mitchell
Product Manager Team-32
Regulatory Management Branch II
Antimicrobials Division (7510P)

Date:

OCT 17 2006

- b. Under product description change *Salmonella choleraesuis* to *Salmonella enterica*.
- c. Under product description revise the claim "... and virucidal the Foot and Mouse Disease Virus to read "... and virucidal against the Foot and Mouth Disease Virus ..."
- d. Revise the disinfecting operations directions for use under the Fogging section as follows: "... after regular cleaning and as an adjunct to disinfecting operations."
- e. The basic formulation and Alternates #1, 2, 3, 5, and 6 Confidential Statements of Formula are acceptable.

3. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Emily Mitchell
 Emily Mitchell
 Product Manager 32
 Regulatory Branch II
 Antimicrobials Division (7510C)

Enclosure: (Stamped Label)

Aseprol FC-Tab is a new, product specially designed to control pathogenic viruses and bacteria in animal production facilities, and on farm premises.

A 200 ppm use-solution of Aseprol FC-Tab is a broad spectrum disinfectant effective against Newcastle Disease virus, Norwalk virus, Canine Parvovirus, and the following gram negative and positive bacteria: Escherichia coli pathogenic strain 0157:H7, Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella enteritidis after 10 minutes of contact. The 200 ppm use-solution is also effective against Staphylococcus aureus (MRSA) and Enterococcus faecalis (VRE) after 5 minutes of contact, and virucidal against Foot and Mouth Disease Virus after 30 minutes of contact.

Aseprol FC-Tabs can be used as a disinfectant/virucide* in Animal Production Facilities (e.g. poultry, swine, cattle), Farm Premises and on Animal Transport Vehicles and Equipment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PREPARATION OF USE-SOLUTION:

In a clean plastic container or pail, place two (2) 6.0 gram Aseprol FC-Tab or eight (8) 1.5 gram Aseprol FC-Tab for every gallon (4 liters) of clean potable water. Prepare in a well ventilated area. Wait 10 minutes for the 1.5 gram tab and 15 minutes for the 6 gram tab to completely dissolve. Once dissolved, this will yield a working solution containing 200 ppm of free chlorine dioxide. Prepare fresh solutions daily.

USE-INSTRUCTIONS

Poultry and Animal (swine, cattle, turkey, chicken) Houses and Related Facilities including kennels. Remove all poultry and other animals and feeds from premises, trucks or other vehicles, coops, crates and other enclosures. Remove all litter droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks, and other feeding and water appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with the 200 ppm disinfecting solution for a period of 10 minutes (or 30 minutes for Foot and Mouth Disease Virus). Immerse all harness, ropes, and other types of equipment used in handling used for removing litter and manure. Ventilator buildings, coops and other closed spaces. Do not house poultry or livestock or other equipment until treatment has been absorbed, set or dried. Thoroughly scrub treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent and rinse with potable water before reuse.

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No. 70060-30

Aseprol FC-Tab
Disinfectant/Virucidal

For use in Cleaning and Disinfecting Animal Production Facilities, and Farm Premises Effective Against Viruses, including Animal Viruses, and Bacteria

Active Ingredients	20.8%
Sodium Chlorite	7.0%
Sodium Dichloroisocyanurate Dehydrate	72.2%
Other Ingredients	100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER


See side panel for first aid and precautionary statements.

EPA Reg. No. 70060-
EPA Est. No. 70060-

Net Weight

Manufactured by:
Engelhard Corporation
Iselin, NJ 08830

Patent: 6,899,404



ACCEPTED
with the Federal Insecticide, Fungicide and Rodenticide Act as amended for the pesticide, registered under EPA Reg. No. 70060-30
EPA Letter Dated: [illegible]
(Sodium Chlorite in this product is from Spain)

OCT 17 2006

as an adjunct to

Fogging
The 200 ppm use-solution can also be used in fogging (wet misting) operations as a supplemental measure, either before or after regular cleaning and disinfecting operations. Fog (wet mist) until the area is moist using automatic foggers according to manufacturer's use instructions.

Note: The fog generated is irritating to eyes, skin and mucous membranes. Do not allow people to enter treated areas until [ten air exchanges] [2 hours of mechanical ventilation, i.e. fans] [4 hours of passive ventilation (i.e., windows, vents)] or [24 hours of no ventilation]. If the treated area must be entered before [insert the appropriate time period] then the individuals entering the area must wear a self contained respirator approved by NIOSH/MSHA, goggles, long sleeves and long pants.

Animal Transport Vehicles and Equipment

Use Aseprol FC-Tab to control animal pathogens on vehicles and equipment that are used to transport live animals (poultry, swine, cattle). Prior to application of Aseprol FC-Tab, remove all animals from the vehicle. Clean the vehicle with water to remove debris and dirt. Then apply, using a hand sprayer, a 200 ppm use-solution of Aseprol FC-Tab to the interior and exterior of the vehicle, transport cages, crates and other related equipment. Allow at 10 minutes of contact time. Allow to air dry.

Shoe Bath Sanitizer

To prevent tracking of harmful organisms into animal areas, shoe baths containing one-inch of a freshly made 50 ppm sanitizing solution of Aseprol FC-Tab should be placed at all entrances to buildings and hatcheries. Prepare the sanitizing use-solution by placing in the shoe bath, two (2) 1.5 grams of Aseprol FC-Tab for every gallon of clean potable water. Shoes and work boots must remain in the shoe bath for at least 60 seconds. Change the solution in the batch at least daily or more often if the solution appears diluted or soiled.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms.

(If container size is greater than 50 lbs add the following statement) Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local-sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

FIRST AID

- If in eyes:
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

(If container size is 5 lbs or less, add the following statement.)

STORAGE AND DISPOSAL

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration and in an area inaccessible to children. Place empty pouch or blister pack and container in plastic bag and discard in trash.

(If container size is greater than 5 lbs add the following statement.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration and in an area inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.



CONTAINER DISPOSAL: Place empty pouch or blister pack and container in plastic bag and discard in trash.

Notice: Seller expressly warrants that the product conforms to its chemical description. There are no warranties associated with the sale of this product, either expressed or implied, including but not limited to the warranties of fitness for a particular purpose.

ACCEPTED
with COMMENTS
EPA Letter Dated:

OCT 17 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 70060-30



1/1