

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

AUG - 5 2009

Ms. Peggy M. Galloway
Landis International
Agent for Babolna BioEnviromental Centre, Ltd.
3185 Madison Highway
P.O. Box 5126
Valdosta, Georgia 31603-5126

Dear Ms. Galloway:

Subject: Amendment- update for PR Notices 2001-1 and 2007-4

MCSI Methoprene- Based Residual Flea Killer Aerosol

EPA Registration Number 70062-5 Your submission dated July 13, 2009

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

A copy of the label is enclosed for your records.

If you have any questions please contact Linda A. DeLuise at 703.305.5428.

Sincerely yours,

Richard Gebken

Product Manager (10)

Insecticide Branch

Registration Division (7505P)

Enclosure

# MCSI METHOPRENE-BASED RESIDUAL FLEA KILLER AEROSOL

Active ingredients:	
Methoprene (Isopropyl (2E, 4E)-(7RS)-11-methoxy-3,7,11-trimethyl-2,4-dodecadienoate)	
Permethrin	
Pyrethrins	
N-octyl bicycloheptene dicarboximide*	
Other Ingredients	
Total	
*MGK® 264 Insecticide Syneraist	

MGK is a registered trademark of McLaughlin, Gormley, King Company.

# Keep Out of Reach of Children CAUTION

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 70062-5

EPA EST. 70062-HUN-1

Net Weight: 24.7 oz. (700 g)

# **BABOLNA BIOENVIRONMENTAL CENTRE LT**

1107 Budapest, X. Szállás u.6.

{Back Panel}

ACCEPTED
AUG - 5 2009
as amornio oticide Ace. Registered under pertiation RPA Reg. No. 70062 5

	First Aid
If Swallowed:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If on Skin or	Take off contaminated clothing.
Clothing:	Rinse skin immediately with plenty of water for 15-20 minutes.
·	Call a poison control center or doctor for treatment advice.
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
	Call a poison control center or doctor for treatment advice.
If Inhaled:	•Move person to fresh air
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably
	mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
For emergency inf	ormation on this product, call the National Pesticides Information Center at 13800-858-7378, 6:30
AM to 4:30 PM Pa	cific Time (PT), seven days a week. During other times, call the poison control center 1-800-222-
1222	13.7
Have the product of	ontainer or label with you when calling a poison control center or doctor, or going for treatment.

### PRECAUTIONARY STATEMENTS

## **Hazards to Humans and Domestic Animals**

CAUTION: Harmful if swallowed, absorbed through skin or inhaled. Causes moderate eye irritation. Avoid breathing vapor and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Do not contaminate feed or foodstuffs. When spraying rooms, rugs and carpets, remove pets, birds and plants and cover/ turn off aquariums before spraying. Do not remain in enclosed areas after use. This product is not for use on humans or pets. Do not allow children or pets to contact treated areas until surfaces are dry.

# **Physical or Chemical Hazards**

Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting. Protect from direct sunlight. Do not spray close to naked flames or incandescent bodies. Do not smoke during application.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### Introduction:

MCSI METHOPRENE-BASED RESIDUAL FLEA KILLER AEROSOL contains an Insect Growth Regulator (IGR), and insecticide combination for indoor control of fleas and ticks, ensuring six-months residual effect. The aerosol gives protection against both adult and larva fleas. Methoprene, the (IGR), works specifically on pre-adult fleas, preventing them from maturing into biting adults. Pyrethrins and Permethrin, which efficacy is enhanced by the synergist, kill adult ticks, fleas and other insects very quickly and effectively. MCSI METHOPRENE-BASED RESIDUAL FLEA KILLER AEROSOL is especially developed for surface treatment. Do not spray directly onto pets!

#### **Application Directions:**

Cover or remove food, dishes and food containers. Cover all food processing surfaces during treatment or thoroughly clean before using. Cover and unplug aquariums and remove birds and other pets before treatment. Thoroughly vacuum before spraying. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use. Shake well before using.

A noticeable foam will appear during application; this foam helps provide a uniform spray pattern and will dissolve a few minutes after application.

For Flea and Tick Infestations: One 24.7 oz. (700 ml/700 gm) can treats up to 3000 square feet of surface area. Hold can upside down, point application tip toward surface to be treated and push button to activate. Apply in a sweeping motion 2-3 feet from the surface area being treated. Apply spray in a uniform pattern to all surfaces infested with fleas and ticks including carpets, rugs, drapery, furniture and around pet sleeping/resting areas. Lightly dampen, but do not saturate, treated surfaces. Thorough coverage provides the best results for flea and lick infestations. Do not reoccupy treated areas until spray has dried. Reapply as reinfestation warrants, within 14-21 days, especially to infested areas possibly missed in the original treatment.

Simultaneously treat pets with a flea and tick control product registered for use on pets prior to allowing reentry into treated areas.

# Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place, away from heat, sparks and open flame. Keep container closed and out of reach by children and animals.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Handling: Do Not Puncture or Incinerate! Nonrefillable container; do not reuse or refill this container. If empty: This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If the recycling option is not available, discard container in the trash. If partly filled: Call your local solid waste agency for disposal instructions.

## WARRANTY AND CONDITIONS OF SALE

Seller warrants that this product in its unopened package conforms to the chemical description on the label and is reasonably fit for the purposes set forth on the label when used according to directions under normal use conditions. To the extent not prohibited by applicable law, there are no other warranties, express or implied, concerning the use of this product other than indicated on the label. To the extent not prohibited by applicable law, this warranty does not extend to the handling or use of this product contrary to label instructions or under abnormal conditions or conditions not reasonably foreseeable to seller, and buyer assumes all risk of any such use.

052609