DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Disenfection - Remove gross filth or heavy soil. Then apply IODIS with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled.

IODIS is a proven "one-step" cleaner-disinfectant-sanitizer-deodorizer in the presence of moderate amounts of organic soil and 400 ppm hard water.

Disinfection-Hospitals, Veterinary Clinics, Other Health Care Institutions, Institutions, Industry, Schools, Farm Premises and Poultry Houses:

Remove gross filth or heavy soil. Then apply 1/2 oz. per gallon IODIS to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, tife, porcelain, and bed frames. Allow surfaces to remain wet for at least 10 minutes.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and water appliances. Removed all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After 10 minutes disinfection, ventilate buildings, coop and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

Sanitizing-Meat and food processing equipment and utensils: Remove heavy soils by flushing, scraping, or moping. Wash with 1 oz. per gallon of IODIS (or other good cleaner). Rinse with clean water and sanitize surfaces with 1 oz. IODIS per 5 gallons of water (25 ppm titratable iodine). Surface should remain in contact with solution for 1-2 minutes. Drain well and air dry. No potable water rinse is required.

Hand Sanitizing-in food handling and meat cutting operations. Rinse and immerse hands in a 1 oz. IODIS per 5 gals. of water solution (25 ppm titratable iodine).

Retort Cooling Water-For canning Operations-add 1 oz. IODIS per 5-10 gals. of retort water prior to starting up operation to control slime and odor causing bacteria.

Sanitizing Poultry Drinking Water: Add 1 ounce of IODIS per 10 gallons of drinking

Shoe Bath Sanitizer-To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 oz. per gallon solution of IODIS for 30 seconds prior to entering area.



Zephyr Cove. NV 89448

IODIS

Disinfectant-Cleaner-Sanitizer-Deodorizer

With Organic Soil and 400 ppm Hard Water Tolerance for Hospital, Institutional, Industrial, School Dairy and Other Farm Use

lodine*.... Inert Ingredients * from Nonylphenoxypoly (ethyleneoxy) ethanol-iodine complete C C E

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for an 70171-3 least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 66171-8

Active Ingredient

Manufactured by

EPA Establishment No. 66171-TN-001

STORAGE AND DISPOSAL

1. Storage: Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal.

2. Pesticide Disposal: Pesticide wastes are acutely hazardous, Improper disposal of excess pesficide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Region- at Office for quid-

3. Container Disposal: Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burning stay out of

General: Consult Federal, State or local disposal authorities for approved alternative proce-

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

in eyes, on skir or on clothes. Wear goggles or face shield and rubber gloves when KEEP OUT OF REACH OF CHILDREN NOV 25 In eyes, on skill bit on clothes, wear guggres of lace shield and rubbel gives miles. Wear guggres of lace shield and rubbel gives miles. Avoid breathing soray mist. Remove contaminated clothing. of food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

Roderical Act, as an additional product is toxic to fish. Keep out of lakes, ponds needed at a second of lakes, ponds needed at lakes at lakes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open time.

NFPA HAZARD CLASSIFICATION

THE SERVICE TO A LIGHT			
HEALTH	FIRE	REACTIVITY	SPECIFIC
2	0	0	Acid

DOT SHIPPING NAME

DISINFECTANTS, CORROSIVE LIQUID, n.o.s. (PHOSPHORIC ACID), 8, UN1903, PG II

RVE INTERNATIONAL ZEPHY COVE, NV 89448, USA Telephone (800) 995-1607

NET CONTENTS: GALLONS