

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Disinfection - Remove gross filth or heavy soil. Then apply IODIS with a cloth, mop or mechanical coarse spray device. When applied with a mechanic coarse spray device, surface must be coarse sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled.

IODIS is a proven "one-step" cleaner-disinfectant-sanitizer-deodorizer in the presence of moderate amounts of organic soil and 400 ppm hard water.

Disinfection-Hospitals, Veterinary Clinics, Other Health Care Institutions, Institutions, Industry, Schools, Farm Premises and Poultry Houses:

Remove gross filth or heavy soil. Then apply 1/2 oz. per gallon IODIS to all, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, tile, porcelain, and bed frames. Allow surfaces to remain wet for at least 10 minutes.

For farms and poultry use, prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and water appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After 10 minute disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals or employ equipment until treatment has been absorbed, set or dried.

Sanitizing - Meat and food processing equipment and utensils: Remove heavy soils by flushing, scraping, or mopping. Wash with 1 oz. per gallon of IODIS (or other good cleaner). Rinse with clean water and sanitize surfaces with 1 oz. IODIS per 5 gallons of water (25 ppm titratable iodine). Surface should remain in contact with solution for 1-2 minutes. Drain well and air dry. No potable water rinse is required.

Hand Sanitizing - in food handling and meat cutting operations. Rinse and immerse hands in a 1 oz. IODIS per 5 gals. of water solution (25 ppm titratable iodine).

Retort Cooling Water - For canning Operations - add 1 oz. IODIS per 5-10 gallons of retort water prior to starting up operation to control slime and odor causing bacteria.

Sanitizing Poultry Drinking Water - 1 oz. IODIS per 10 gallons of drinking water.

Shoe Bath Sanitizer - To prevent tracking harmful organisms into animal areas, scrape shoes and place in a 3 oz. per gallon solution of IODIS for 30 seconds prior to entering area.

IODIS

Disinfectant-Cleaner-Sanitizer-Deodorizer With Organic Soil and 400 ppm Hard Water Tolerance for Hospital, Institutional, Industrial, School, Dairy, and Other Farm Use

ACTIVE INGREDIENT:

Iodine* 1.75%
Inert Ingredients 98.25%
* from Nonylphenoxy poly (ethyleneoxy) ethanol-iodine complex

KEEP OUT OF REACH OF CHILDREN DANGER


STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS



EPA Reg. No. 70171-3

EPA Est. No. 66171-CA-001

Net Contents:

Manufactured by:



UNICORE TECHNOLOGIES, INC.
ATWATER, CALIFORNIA 95301

STORAGE AND DISPOSAL

1. Storage: Store only in tightly closed, original container in a secure area inaccessible to children. Do not contaminate water, food or feed by storage or disposal.

2. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

3. Container Disposal: Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burning stay out of smoke.

4. General: Consult Federal, State or local authorities for approved alternative procedures.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS & DOMESTIC ANIMALS
DANGER**

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothes. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food and foodstuffs. Avoid breathing coarse spray mist. Remove contaminated clothing and wash before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame.



DOT SHIPPING NAME

DISINFECTANTS, LIQUID,
CORROSIVE, n.o.s., (PHOSPHORIC
ACID), 8, UN1903, PG II