P. Leanne Pruett Consultant for Diacon Technologies, Ltd. Pyxis Regulatory Consulting 4110 136th Street, NW Gig Harbor, WA 98332

MAY -2 2013

\GENCY

Mycostat® BX2 EPA Registration No.: 70227-9 Notification Date: April 08, 2013 EPA Receipt Date: April 10, 2013

Dear Ms. Muchow,

Subject:

This letter acknowledges receipt of your notification submitted under the provisions of FIFRA section 3(c) 9 and PR Notice 98-10.

UNIT STATES ENVIRONMENTAL PROTECTIV

Proposed Notification

• Adding alternate product brand name: Mycostat®BG2

General Comments

Based on a review of the submitted materials, adding alternate product brand name Mycostat® BG2 per PR Notice 98-10 is **acceptable** and apart of the record on file for future reference.

Should you have any questions or comments concerning this letter, you may contact me by telephone at (703) 308-6416 or by e-mail at <u>campbell.jacqueline@epa.gov</u> or Lorena Rivas by telephone at (703) 305-5027 or by e-mail at <u>rivas.lorena@epa.gov</u>. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely. dueline ampbell

Product Manager (34) Regulatory Management Branch II Antimicrobials Division (7510P)

1

CONCURRENCES								
SYMBOL	7510							ي يو در بر
SURNAME	Rug				4			
DATE	5/2/13							***************
EPA Form 1320-1A (1/90)		Printed on Recycled Paper				OFFICIAL FILE COPY		

	(Ć	·	2
Please read instructions of	n roverse before complet	ting form.		Form Ar	prove	. OMB No.	2070-00	060. Approvel expires 2-28-
Please read instructions on reverse before completing form. United States Environmental Protection Agen Washington, DC 20460			•	y .	x	Registra Amend Other		OPP Identifier Number
		Applicatio	on for Pes	ticide - Sec	tion	1		<u> </u>
. Company/Product Num			2.	EPA Product Ma	nager		3,	Proposed Classification
Diacon Technologies				. Campbell-McF	arlane)	[X None Restricted
 Company/Product (Nan Diacon Technologies 			PN	34				
5. Name and Address of Diacon Technologies c/o Pyxis Regulatory 4110 136th St., NW Gig Harbor, WA 9833	s Ltd. Consulting, Inc. 32	de)	(b) to: E	(i), my product PA Reg. No.	is sin	hilar or iden	tical in	th FIFRA Section 3(c)(3) composition and labeling
Check if t	his is a new address			roduct Name				
1997 - Maria Mandala, para para di sa mangana mangana di sa mangana mangana di sa mangana mangana mangana mang 1997 - Mangana Mandala, pangana di sa mangana mangana mangana mangana mangana mangana mangana mangana mangana m			Section	<u>n - 11</u>				an a
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in repsonse to Agency letter dated				
Notification - Expla	in below.			X Other - Ex	plain b	elow.		
· · · · · · · · · · · · · · · · · · ·	I may be subject to enfo	orcement acti	on and penal Section		ons 12	and 14 of F	FIFRA.	
1. Material This Product V						T		
Child-Resistant Packaging Yes X No	Unit Packaging Yes X No		Water Solu Yes X No	ble Packaging		2. Түре of	Contain Metal Plastic Glass	
• Certification must be submitted	lf "Yes" Unit Packaging wgt.	No. per conteiner	if "Yes" Package w	No.per gt containe	5 7		Paper Other	(Specify)
Location of Net Conten	ts Information Container	4. Size(s) Ret 22 - 1000			5. Lo [X			tions lying product
i. Manner in Which Label	is Affixed to Product	X Paper Stenci	raph glued led	Othe	er			
			Section	- IV				· [[[[
. Contact Point /Comple	te items directly below fo	or identificatio	n of individual	to be contacted,	if nec	essery, to pr		
Name Title P. Leanne Pruett Agent				Telephone No. ຊິໂຄລິໂນ້de Area Cod 1 253-853-7369				
	tements I have made on any knowling!ly false or r is law.		all attachmen			mprisonmen		6: Date Application Received
2. Signature 3. Title Ager				ί(ίις				
. Typed Name P. Leanne Pruett			5. Date April 8, 20	13				

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

PYXIS REGULATORY CONSULTING, INC.

4110 136th St. NW Gig Harbor, WA 98332 Phone: 253-853-7369 Fax: 253-853-5516 www.PyxisRC.com

> ιοιο ειτο εοσο

> >

LLLL

April 8, 2013

COURIER DELIVERY

Jacqueline Campbell (PM 34) Document Processing Desk (**NOTIF**) Office of Pesticide Programs – Antimicrobials Div. (7510P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

RE: Diacon Technologies Ltd.– Mycostat BX2 (EPA Reg. No. 70227-9) Notification of Alternate Brand Name per PRN 98-10

Dear Ms. Campbell,

On behalf of Diacon Technologies, Ltd. please find the enclosed notification of an alternate brand name for Diacon's Mycostat BX2 (EPA Reg. No. 70227-9). The alternate product brand name is "Mycostat BG2".

In support of this notification submission, we submit the following documents:

- 1. Completed Application for Registration (EPA Form 8570-1)
- 2. One (1) copy of the Mycostat BG2 labeling with changes tracked
- 3. One (1) copy of the Mycostat BG2 labeling with changes incorporated
- 4. Certification with Respect to Label Integrity
- 5. One (1) copy of the Mycostat BG2 on CD
- 6. Letter of Authorization

Please feel free to contact me by phone (253) 853-7369 or by email at <u>Leanne@PyxisRC.com</u> if you have any questions or need any additional information.

Best Regards,

lann

P. Leanne Pruett

Enclosures cc: K. Mehrtabar, Diacon

SAPSTAIN CONTROL FOR FRESH CUT LUMBER

Controls the growth of mold and fungus that may cause discoloration and/or deterioration of freshly cut or kiln dried lumber during storage and shipment.

ACTIVE INGREDIENT:	
Propiconazole	
OTHER INGREDIENTS:	
TOTAL:	

KEEP OUT OF REACH OF CHILDREN DANGER

CORROSIVE TO EYE AND SKIN

FIRST AID					
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
 IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 					
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 				
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 				
· · · · · · · · · · · · · · · · · · ·	HOT LINE NUMBER				
with you when calling a NOTE TO PHYSICIAI	ergency, call CHEMTREC at 1-800-424-9300. Have the product container of label Poison Control Center or doctor or going in for treatment. I: Probable mucosal damage may contraindicate the use of gastric lavage. The antidote is available. Treat symptomatically.				

EPA Reg. No. 70227 - 9

EPA Est. No.

1

Batch No: _____

Net Weight: _____lbs (______kg)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride ≥ 14 mils or Viton ≥ 14 mils. For more options, follow the instructions for category C on the chemical resistance category selection chart in the EPA Label Review Manual, 3rd Edition (EPA-735-b-03-001, August 2003).

Mixers and loaders using liquid formulations must wear:

- · Long-sleeved shirt and long pants,
- Shoes and socks
- Chemical-resistant gloves
- Goggles or face shield

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them.

USER SAFETY REQUIREMENTS

Users must:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and shrimp. Do not apply directly to water. Do not contaminate water when disposing of equipment wastewaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into severe systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Open dumping is prohibited. Store only in original container. Place this product

under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. Keep from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous Waste representative at the nearest EPA Regional Office for guidance.

2

ιςτικ

c c i c c

알? 구

CONTAINER HANDLING [NONREFILLABLE CONTAINER]:

Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

CONTAINER HANDLING: [REFILLABLE CONTAINER]

Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

FOR INDUSTRIAL USE ONLY. It is a violation of Federal Law to use this product in a manner inconsistent with this labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

MYCOSTAT BG2 is used to control sapstain, mold and decay on green or freshly cut or kiln dried lumber and wood products such as logs, poles, posts, composites, veneers and wood chips/sawdust or other similar byproducts intended for non-food contact. Lumber and wood products should be treated immediately after sawing or cutting. A delay in treatment of 24 hours or more permits stain, mold and decay growth to start which requires an increased concentration of antisapstain treatment to achieve adequate control. MYCOSTAT BG2 is applied by dipping or spraying the wood until complete surface wetting is achieved. Treated lumber should be protected from rain and removed from direct soil/ground contact. Wood treated with MYCOSTAT BG2 shall not be used in marine/estuarine habitats. Remove sawdust and other debris from treating solution on a regular basis to maintain correct concentration of MYCOSTAT BG2 in treating solution. Application rates will vary according to wood species and moisture content, temperature, humidity, storage conditions and inoculum pressure. Dip tanks and drip aprons must be roofed, paved and drained to prevent dilution and loss of the anti-stain solution. Monitor dip tank and/or spray booth mixtures to ensure proper concentrations are being maintained. Contact your MYCOSTAT BG2 representative for application and monitoring advice.

DIP TREATMENT

Prepare the treating solution by adding 4 to 100 gallons of water per one gallon of the product. Mix thoroughly to ensure uniform composition. Stack the wood to be treated on a suitable bolder and convey the stack into the treating solution making sure the stack is completely immersed. Dip times should range from 30 seconds (individual pieces) up to 30 minutes (bundled wooden articles).

SPRAY TREATMENT

For spray box application prepare the treating solution by adding 4 to 20 gallons of water per one gallon of the product. Mix thoroughly to ensure uniform composition.

3

.....

(((((((

cccccc

NOTICE OF WARRANTY AND DISCLAIMER

Diacon Technologies Ltd. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with the directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Diacon Technologies Ltd. In no case shall Diacon Technologies Ltd. be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. DIACON TECHNOLOGIES LTD. MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

ЧĘ

Mycostat[®] is a registered trademark of Diacon Technologies Ltd.

DIACON TECHNOLOGIES LTD. 135 – 11960 Hammersmith Way Richmond BC V7A 5C9 (604) 271-8855 Toll Free 1-888-290-2299

[EPA Approval Date]

ι

εe

LCLC