



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

April 25, 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Donna Bishel
Technical Director for BioSafe Systems
22 Meadow Street
East Hartford, CT 06108

Subject:

Product Name: GreenClean Pro Granular Algaecide/Fungicide

EPA Reg. No: 70299-6

Application for label Notification Dated March 19, 2008 to Correct Typographical

Error

Dear Ms. Bishel:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PRN 98-10 and it has been determined that the action(s) requested falls within the scope of PRN 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification, received and reviewed" and will be placed accordingly in our records.

Questions concerning this action should be directed to Ms. Diana Hudson at (703) 308-8713 or email at <a href="mailto:hudson.diana@epa.gov">hudson.diana@epa.gov</a>.

Sincerely,

Linda Hollis

Linda Hollis, Chief Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P)

## NOTIFICATION

Date Reviewed: 4-25-08
Reviewed By: D. Hudson

# GreenClean® Pro

# Granular Algaecide/Fungicide

(Alternate Brand Name: GreenClean® Pro Granular Algaecide)

# **MASTER LABEL**

**Sublabel A: Aquatic and Surface Uses** 

**Sublabel B: Turf Applications** 

(Alternate Brand Name: TerraCyte® Pro)

\* For indoor or outdoor uses.

# **Active Ingredient:**

EPA Registration No. 70299-6 EPA Establishment No. 68660-TX-001

#### Manufactured by:

BioSafe Systems 22 Meadow Street East Hartford, CT 06108 Tel.: (888) 273-3088

# GreenClean® Pro

# Granular Algaecide/Fungicide

\* For indoor or outdoor uses.

**Active Ingredient:** 

 Sodium Carbonate Peroxyhydrate\*
 85.00%

 Other Ingredients:
 15.00%

 Total:
 100.00%

# DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID				
If in eyes	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.			
•	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	Call a poison control center or doctor for treatment advice.			
lf on skin or	Take off contaminated clothing.			
clothing	Rinse skin immediately with plenty of water for 15 – 20 minutes.			
•	Call a poison control center or doctor for treatment advice.			
If swallowed	Call poison control center or doctor immediately for treatment advice.			
	Have person sip a glass of water if able to swallow.			
	Do not induce vomiting unless told to do so by a poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
If inhaled	Move person to fresh air.			
	If person is not breathing, call 911 or an ambulance, then give artificial respiration,			
	preferably by mouth-to-mouth, if possible.			
	Call a poison control center or doctor for treatment advice.			
	HOTLINE NUMBER			
	t container or label with you when calling a poison control center or doctor, or going for			
treatment. You may also contact 1-800-222-1222 for emergency medial treatment information.				
	NOTE TO PHYSICIAN			
Probable mucos	al damage may contraindicate the use of gastric lavage.			

EPA Registration No. 70299-6 EPA Establishment No. 68660-TX-001

# Manufactured by:

BioSafe Systems 22 Meadow Street, East Hartford, CT 06108

Tel.: (888) 273-3088

#### **Net Contents:**

<sup>\*</sup>Contains 27.60% Hydrogen Dioxide by weight.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS – DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

## PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Protectivé eyewear (goggles or face shield)
- · Chemical resistant gloves and
- · Chemical resistant footwear plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS:** Users should:

- Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet,
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to birds. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees and other beneficial insects exposed to direct contact on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply this product or allow it to drift to crops where beneficials are part of an integrated pest management strategy.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Corrosive. Do not bring in contact with other pesticides, cleaners or oxidative agents.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the state or tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Avoid use near shallow waterbody margins during amphibian breeding seasons.

### **Agricultural Use Requirements**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted entry intervals (RFI). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

#### For enclosed environments:

There is a restricted entry of one (1) hour for this product when applied via spraying or foaming on hard surfaces in enclosed environments. PPE requirement for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is coveralls, waterproof gloves and shoes plus socks.

There is a restricted entry of zero (0) hours for spreading, broadcasting, spot treatment, injection or other non-spraying or non-foaming application methods when used in enclosed environments.

For water treatment and applications in non-enclosed environments:

Keep unprotected persons out of treated areas until sprays have dried or dusts have settled.

# Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are **not** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried or dusts have settled.

Apply GreenClean Pro Granular Algaecide/Fungicide to any listed water or surface sites.

## \* Application sites include:

Farms, Sod Farms, Rice Paddies and Fields, Aquaculture Production Facilities, Fisheries, Hatcheries, Greenhouses, Nurseries, Golf Courses, Amusement Parks, Water Parks, Aquariums, Zoos, Botanical Gardens, National Parks, Recreational Areas, Non-Chlorinated Swimming Areas, Raceways, Sports Facilities, Business Parks, Indoor/Interiors, Malls, Hotels, Kennels, Livestock Barns, Livestock Stalls and Holding Pens, Cemeteries, Carwashes, Marinas, Boats, Docks, Garden Centers, Power Washing, Water Gardens, Landscapes, Municipalities, Reservoirs, Waterways, Storm Waters, Drainage Systems, Impounded Waters, and Wastewater.

#### \* Application surfaces include:

#### **WATER SURFACES**

Ponds, Lakes, Lagoons, Fish Ponds, Stock Tanks, Golf Course Ponds, Industrial/Commercial Ponds, Impounded Waters, Standing Water, Bilge Water, Reservoir Water, Waterways, Conveyance Ditches, Canals, Laterals, Drainage Systems, Irrigation Systems, Irrigation Ponds, Catch Basins, Flooded Areas, Sewage Systems, Drain Fields, Fire Ponds, Watering Tanks, Storage Tanks, Water Collectors and Domestic/Commercial Waters

#### **NON-PAINTED SURFACES**

Floors, Walkways, Storage Areas, Patios, Decks, Railings, Roofs, Asphalt Shingles, Siding, Fiberglass, Boats, Piers, Docks, Stairs, Ramps, Ground Cover Mats, Weed Control Mats, Animal Bedding and Litter, Concrete, Brick, Tile, Slate, Granite, Statues/Monuments, Outdoor Furniture, Tennis Courts (non-grass), Nursery Yards, Shorelines, Gravel, Dirt Floors, Under Benches, and Other Non-Painted Surfaces

#### WATER TREATMENT:

Use GreenClean Pro Granular Algaecide/Fungicide to treat, control, and prevent a broad spectrum of (filamentous and planktonic blue-green) algae and fungus. Effects of treatment are immediately apparent (bubbling, bleaching/discoloration of algae or fungus, floating of dead organic matter). Waters treated with GreenClean Pro Granular Algaecide/Fungicide are permissible to be used without interruption.

#### **DETERMINING WATER VOLUME**

Measure length (L), width (W), and average depth (D) in feet (ft) or meters (m) and calculate volume using one of the following formulas:

Square/Rectangular:

Circular/Elliptical:

L(ft) x W(ft) x D(ft) x 7.5 = Gallons L(m) x W(m) x D(m) x 1000 = Liters L(ft) x W(ft) x D(ft) x 5.9 = Gallons L(m) x W(m) x D(m) x 786 = Liters

#### 1 acre-foot of water =

- water measuring 208.7 ft long x 208.7 ft wide x 1 ft deep
- 43,560 cubic feet
- 325,851 gallons
- 2,780,000 pounds

Avg. Length (ft) x Avg. Width (ft) x Avg. Depth (ft)

43.560

= acre-feet of water

Avg. Length (ft) x Avg. Width (ft)

43,560

= acres

### **APPLICATION RATES**

#### **Full Water Volume Rates:**

	HEAVY ALGAE GROWTH	LOW ALGAE GROWTH / MAINTENANCE
GRANULAR: Lg. Volume	<b>50-250 pounds</b> of GreenClean Pro Granular Algaecide/Fungicide per million gallons of water.	<b>5-25 pounds</b> of GreenClean Pro Granular Algaecide/Fungicide per million gallons of water.
	- or - 20-90 pounds of GreenClean Pro Granular Algaecide/Fungicide per acre- foot of water.	- or - 2-9 pounds of GreenClean Pro Granular Algaecide/Fungicide per acre-foot of water.
For example: I	akes, ponds, lagoons	
GRANULAR: Sm. Volume	2-10 tablespoons of GreenClean Pro Granular Algaecide/Fungicide per 1000	1-3 teaspoons of GreenClean Pro Granular Algaecide/Fungicide per 1000
	gallons of water. (16 Tbs. = 1 Cup) (2 Cups = 1 lb.)	gallons of water. (3 tsp. = 1 Tbs.)
For example: I	ndoor or outdoor water gardens, fountains	, ornamental waterfalls

#### **Surface Water Volume Only Rates:**

Use a "surface only" treatment for suspended algae and free-floating algae mats.

	HEAVY ALGAE GROWTH	LOW ALGAE GROWTH / MAINTENANCE
GRANULAR:	20-90 pounds of GreenClean Pro	2-9 pounds of Green Clean Pro Granular
	Granular Algaecide/Fungicide per acre-	Algaecide/Fungicide per acre-foot of water.

	foot of water.				
LIQUID:	Solution Preparation:				
	Due to solubility limitations, use at least 1 gallon of water to fully dissolve each 0.5 pounds of GreenClean Pro Granular Algaecide/Fungicide.				
32.500	Dissolution of GreenClean Pro Granular Algaecide/Fungicide in cold water takes approximately 5 minutes.				
	Treatment Rates:				
	Use the same rates as the granular application given above.				

Application to Control Algae in Rice/Wild Rice Fields and Paddies:

bba	
GRANULAR:	After the field has been flooded to a depth of 4-6 inches, apply 10-25 lbs. of granular
	GreenClean Pro per acre as a broadcast or aerial spread by plane or other
	professional device at the first signs of algae. Applications are most effective when
	made before algae rises to the water surface. Reapply as needed in accordance with
	General Treatment Notes.

#### **GENERAL TREATMENT NOTES**

- Control is most easily achieved when algae are not yet well established. <u>Treat when growth first begins</u> to appear. This is especially important in the prevention of clogged irrigation systems, pumps, filters etc.
- Apply <u>early</u> in the day under <u>calm</u>, <u>sunny</u> conditions, and when water temperatures are warm.
   Sunlight and higher temperatures both enhance GreenClean Pro Granular Algaecide/Fungicide activity.
- Apply in a manner that will insure <u>even distribution</u> of GreenClean Pro Granular Algaecide/Fungicide within the treatment area.
- Break up any heavy floating algae mats before or during application.
- Skim any dead algae and organic matter that rises to the water's surface after treatment.
   Allowing dead organics to sink and decay will provide a food source and additional nutrients that stimulate algae re-growth and further blooms.
- Use GreenClean Pro Granular Algaecide/Fungicide as an integral part of your <u>water</u> <u>management system</u>. If using in conjunction with other water additives (such as bacteria or enzymes), always apply GreenClean Pro Granular Algaecide/Fungicide first and wait several hours before adding any other products.
- Re-treat areas if re-growth begins to appear. Allow 48 hours between consecutive treatments.
- Maintain an algae free pond with GreenClean Pro Granular Algaecide/Fungicide <u>maintenance</u> rates at a frequency appropriate for your environmental conditions.
- In regions where water freezes in the winter, treatment with GreenClean Pro Granular Algaecide/Fungicide (including skimming) 6-8 weeks before expected freeze will help prevent masses of decaying algae under the ice cover.
- After application, do not allow undiluted granules to remain in an area where humans or animals are exposed.
- Non-target plants will suffer contact burn if undiluted granules are accidentally spilled on them. Do not apply in such a way that the concentrated product comes in contact with grass, ornamentals and other foliage.
- <u>Do not tank mix</u> with aquatic herbicides or algaecides containing copper or bromides. Always apply GreenClean Pro Granular Algaecide/Fungicide at least one day prior to the application of these products.
- 100 pounds of GreenClean Pro Granular Algaecide/Fungicide per million gallons of water = 4ppm of sodium.

#### **EFFECTIVENESS FACTORS**

- Effects of GreenClean Pro Granular Algaecide/Fungicide treatment are immediately apparent (bubbling, bleaching/discoloration of algae, floating dead organic matter).
- GreenClean Pro Granular Algaecide/Fungicide treatments are successful when contact of the pesticide is made with the algae.
- Liquid applications will not sink through the water column as readily as a granular application.
- When treating surface mats and blooms, it is possible that GreenClean Pro Granular Algaecide/Fungicide will not penetrate the water column below the infested area, and a second application is then required for treating any bottom growing algae.
- Apply more frequently during the summer months when water consumption and temperatures are high.

#### **APPLICATION METHODS**

In bodies of water where an aerator is available, and when treating the entire water volume, dose GreenClean Pro Granular Algaecide/Fungicide at the edges, or in the turbulence created while the aerator runs to facilitate rapid and adequate mixing.

#### SPREADING / BROADCASTING:

Broadcast GreenClean Pro Granular Algaecide/Fungicide with a mechanical spreader or by hand, directly on the water surface, from shore or from a properly equipped boat.

#### SPOT TREATMENT:

Apply GreenClean Pro Granular Algaecide/Fungicide directly over the infested area. Re-treatment is required when heavy growth occurs.

#### LIQUID:

Make a solution with GreenClean Pro Granular Algaecide/Fungicide (refer to liquid application rates). Spray this solution on the water surface from shore or a properly equipped boat. When using this method, the wind direction is important as well as the operation of the boat. If using a slurry, agitate constantly.

#### INJECTION:

Make a solution with GreenClean Pro Granular Algaecide/Fungicide (refer to liquid application rates). Inject this solution into the water via a piping system.

#### SUBSURFACE:

Place GreenClean Pro Granular Algaecide/Fungicide in burlap bags and drag through the water by means of a boat. Use granular application rates. Begin treatment along the shoreline, and proceed outward. The path of the boat shall insure an even distribution. Continue dragging until all GreenClean Pro Granular Algaecide/Fungicide is dissolved.

AERIAL: Apply in granular form, directly to water surface using conventional aerial application equipment. Avoiding spray drift at the application site is the responsibility of the applicator. The interactions of many equipment and weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

#### **SURFACE TREATMENT:**

Use GreenClean Pro Granular Algaecide/Fungicide on all listed non-painted surfaces, to prevent and control algae, moss, fungus, liverwort, molds, slime molds and their spores, and the odors and conditions that these organisms cause (such as the breeding grounds for pests such as shore flies and fungus gnats).

## **APPLICATION RATES**

#### **Ground/Surface Rates:**

	HEAVY GROWTH LOW ALGAE GROWTH / MAINTENA						
GRANULAR:	1-2 pounds of GreenClean Pro	0.5-1 pounds of GreenClean Pro Granula					
	Granular Algaecide/Fungicide per 1000	Algaecide/Fungicide per 1000 square feet					
	square feet of area.	of area.					
	(1 lb. = 2 cups)	(1 lb. = 2 cups)					
	Make granular applications over a wet surface or activate with water imm following application.						
LIQUID:	Solution Preparation:						
	Due to solubility limitations, it is necessary to use at least 1 gallon of water to fully dissolve each 0.5 pounds of GreenClean Pro Granular Algaecide/Fungicide.						
	Dissolution of GreenClean Pro Granular Algaecide/Fungicide in cold water takes approximately 5 minutes.						
	Treatment Rates:						
	Use the same rates as the granular application given above.						
FOAM:	Solution Preparation:						
	Follow the Liquid solution preparation instructions above.						
	Add 2.0 - 5.0 fluid ounces of an alkaline-based foam, such as BioSafe Systems "Alk-						
	A-Foam", per gallon of finished solution.						
	Treatment Rates:						
	Use the same rates as the granular/liquid application given above.						

Animal Bedding and Litter Rates for Livestock Barns, Stalls and Holding Pens:

LIQUID:	Solution Preparation:
	Due to solubility limitations, it is necessary to use at least 1 gallon of water to fully
	dissolve each 0.5 pounds of GreenClean Pro Granular Algaecide/Fungicide.
	Dissolution of GreenClean Pro Granular Algaecide/Fungicide in cold water takes
	approximately 5 minutes.
	Treatment Rates:
	Mix 1/2 lb of GreenClean Pro Granular Algaecide/Fungicide in one gallon of clean
	water. Spray mixed solution over bedding and/or litter to be treated. Repeat as
	necessary or every other day.

Application Via Foot Mats, Foot Pads, Walk Through Trays:

L	10	C	11	D.

Apply GreenClean Pro via foot mats, foot pads and walk through trays to prevent the tracking and spread of dirt and microorganisms in greenhouses, nurseries, farms, aquaculture production facilities, fisheries, hatcheries, aquariums, zoos, kennels, and livestock barns.

#### Solution Preparation:

Make a solution using  $\frac{1}{4}$  -  $\frac{1}{2}$  lb. cup of GreenClean Pro Granular Algaecide/Fungicide per gallon of water. Fill foot mat, food pad or walk through tray to capacity. Use the stronger rate for applications with heavy soil loading. Change solution as needed.

#### **GENERAL TREATMENT NOTES**

- Control is most easily achieved when growth is not yet well established. <u>Treat when growth first begins</u> to appear.
- Apply in a manner that will insure <u>even distribution</u> of GreenClean Pro Granular Algaecide/Fungicide within the treatment area.
- GreenClean Pro Granular Algaecide/Fungicide is <u>water activated</u>. Watering before application is preferred over misting after application because it prevents over watering leading to a reduced effectiveness.
- Use GreenClean Pro Granular Algaecide/Fungicide in conjunction with the family of BioSafe Systems products as part of a comprehensive cleanliness/treatment program.
- When applying GreenClean Pro Granular Algaecide/Fungicide to soil, gravel or other similar media, <u>incorporate</u> the application of GreenClean Pro Granular Algaecide/Fungicide into the first inch of substrate for optimum effectiveness.
- To maintain clean surfaces, apply GreenClean Pro Granular Algaecide/Fungicide at maintenance rates every 5-7 days or as needed to control new or established conditions.
- After application, do not allow undiluted granules to remain in an area where humans or animals are exposed.
- Non-target plants will suffer contact burn if undiluted granules are accidentally spilled on them. Do not apply in such a way that the concentrated product comes in contact with grass, ornamentals and other foliage.
- Do not tank mix with aquatic herbicides or algaecides containing copper or bromides. Always apply GreenClean Pro Granular Algaecide/Fungicide at least one day prior to the application of these products.

#### **APPLICATION METHODS**

#### SPREADING / BROADCASTING:

Broadcast GreenClean Pro Granular Algaecide/Fungicide with a mechanical spreader or by hand. A lawn spreader or any other applicator that will insure uniform coverage is acceptable.

#### **SPOT TREATMENT:**

Apply GreenClean Pro Granular Algaecide/Fungicide directly over the infested area. Re-treatment is required when heavy growth occurs.

#### LIQUID:

Make a solution with GreenClean Pro Granular Algaecide/Fungicide (refer to liquid application rates). Spray this solution on the desired treatment surface.

#### **FOAM**

Make a solution with GreenClean Pro Granular Algaecide/Fungicide (refer to foam application rates). Spray this solution on the desired treatment surface. Use a foamer, such as the BioSafe BioFoamer, to apply.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

#### WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTIBILITY IS MADE.

# **Sublabel B: Turf Applications**

# GreenClean® Pro Granular Algaecide/Fungicide

#### **Active Ingredient:**

Sodium Carbonate Peroxyhydrate\* 85.00%

Other Ingredients: 15.00%

Total: 100.00%

\*Contains 27.60% Hydrogen Dioxide by weight.

# KEEP OUT OF REACH OF CHILDREN DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

	FIRST AID
If in eyes	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
lf on skin or	Take off contaminated clothing.
clothing	Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
If swallowed	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
If inhaled	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration,
	preferably by mouth-to-mouth, if possible.
	Call a poison control center or doctor for treatment advice.
	HOTLINE NUMBER
	ct container or label with you when calling a poison control center or doctor, or going for
treatment. You	may also contact 1-800-222-1222 for emergency medial treatment information.
	NOTE TO PHYSICIAN
Probable muco:	sal damage may contraindicate the use of gastric lavage.

EPA Registration No. 70299-6 EPA Establishment No. 68660-TX-001

# Manufactured by:

BioSafe Systems
22 Meadow Street, East Hartford, CT 06108

Tel.: (888) 273-3088

#### **Net Contents:**

#### FOR USE ON TURF GRASSES:

Apply GreenClean Pro Granular Algaecide/Fungicide to well-established lawns, golf course fairways, greens, and tees. The best time of year to apply GreenClean Pro Granular Algaecide/Fungicide for curative applications is either the spring or fall when temperatures are 50°F or above. During summer months, use GreenClean Pro Granular Algaecide/Fungicide for spot treatments.

#### ALGAE, MOSS AND SLIME MOLD TREATMENT:

Use GreenClean Pro Granular Algaecide/Fungicide for the prevention and control of algae, fungi, moss, slime molds and their spores.

#### TURF DISEASE TREATMENT:

Use GreenClean Pro Granular Algaecide/Fungicide for the prevention and control of Snow Mold, Brown Batch, Summer Patch, Fairy Ring, Dollar Spot, *Pythium*, and *Phytophthora*.

### **Application Directions**

- 1. Make a liquid solution of GreenClean Pro Granular Algaecide/Fungicide by diluting ½ lb. of the granular concentrate for each gallon of water. (Dissolution of GreenClean Pro Granular Algaecide/Fungicide in cold water will take approximately 5 minutes)
- 2. Spray evenly over area to be treated.
- 3. Make subsequent applications by diluting ¼ lb. of the granular concentrate for each gallon of water. GreenClean Pro Granular Algaecide/Fungicide may be applied in the same area up to 3 consecutive days.
- 4. Repeat treatment as needed.

The optimum application time is early morning or late afternoon.

**NOTICE:** A broad spectrum of plant and turf species have been found to be tolerant to GreenClean Pro Granular Algaecide/Fungicide. However, due to the large number of species and varieties of ornamental plants and turf, it is impossible to test every one for tolerance. Neither the manufacturer nor the seller has determined whether or not this product can be used on all known species of plants and turf. Therefore, test a small section at labeled rates for phytotoxicity prior to widespread use. Repeat applications can raise soil pH to levels that can adversely affect plant growth. GreenClean Pro Granular Algaecide/Fungicide with metal-based fungicides and fertilizers. Do not apply GreenClean Pro Granular Algaecide/Fungicide within three days of metal-based fungicides or fertilizer applications.

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original containers in dry conditions in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated (>50°C) in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur. Do not store near incompatible materials such as reducing agents, combustible materials, organic materials or acids.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinses (or equivalent). Then offer for recycling or dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities by burning. If burned, stay out of smoke.

14/

#### WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.

	·				aucus (Séu espeléte régis)	uuravala, riiga sandiiraaaga valga ya dha dha cha qaa sadii dha	Friegopassa <b>tis et S</b> ERFORMAN A VIII papa a	15/
Please read instructions on the	U Environmental	nited States	•	Form A		OMB No. 207 Registration Amendme Other	on (	Approvel expires 2-28-9 DPP Identifier Number
		Applicatio	n for Pesti	cide - Se	ction	]		
I. Company/Product Number 70299-6			į.	A Product Ma a Hollis	nager			osed Classification
I. Company/Product (Name) GreenClean Pro Granul	ar Algaecide/Fund	nicide	PM# 91/E	PM# 91/Biochemical Pesticides Br/BPPD				
i. Name and Address of App BioSafe Systems 22 Meadow Street East Hartford, CT 061		de)	6. Ex (b)(i), to: EPA	pedited Remy produc	eveiw. t is sim	In accordance	with FI	FRA Section 3(c)(3) position and labeling
			Section					
Resubmission in responsion in	nelow.  al page(s) if necessar ographical error per Pl with the provisions of F tent of formula for this tif this notification is no	y. (For section RN 98-10. Refer PR Notice 98-10 product. I under of consistent wit	r to attached cover and EPA regulates stand that it is a version of PR	"Me Too" Other - Exit of the state of the st	Applica cplain be ails. R 152.46 18 U.S.C 0, and 4	, and no other ch . Sec.1001 to will	ewed: d By: นี้ nanges ha lfully make	ve been made to the any false statement to
FIFRA and may be subject to	enforcement action an	d penalties und	er sections 12 an					
. Material This Product Will	Be Packaged in:							
Child-Resistant Packaging Yes No Certification must submitted	Unit Packaging  Yes  ✓ No  If "Yes" Unit Packaging wgt.	No. per container	Water Soluble Yes ✓ No If "Yes" Package wgt	Packaging No. per		√ P G P	ntainer fetal lastic ilass aper other (Spe	cify)
. Location of Net Contents I	nformation	4. Size(s) Ret	ail Container		5. Lo	cation of Label (		
Label C	ontainer Affixed to Product	Lithogr Paper Stenci	lb. pail, 50 lb. l reph plued	oag Oth	ner	on containe	r label	
<del></del>	<del> </del>	Stence	Section -	IV				
. Contact Point (Complete	items directly below f	or identification	<del></del>	<del></del>	d, if nece	essary, to Droce	ss this ac	p(ication.)
lame Donna Bishel / dbishel@bi			Title Technical Dire	<del></del>		Te		lo. (Include Area Code)
I certify that the stater I acknowledge that and both under applicable I	y knowlinglly false or		all attachments				Bic.	. Nate Application Received (Stamped)
2. Signature	_	:	3. Title			·		
Na n Techi				or	<del></del> .,			
f. Typed Name  Donna Bishel / dbishel@bi	osafesystems.com	!	5. Date M	arch 19,	2008			



22 Meadow Street

East Hartford, CT 06108

Phone: 860.290.8890 Fax: 860.290.8802

E-mail: info@biosafesystems.com

Web: biosafesystems.com

March 19, 2008

Linda Hollis
Chief, Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511P)
Office of Pesticide Programs, EPA
One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

RE: GreenClean Pro™ Granular Algaecide/Fungicide

EPA Registration No. 70299-6

Notification to correct typographical error

Dear Ms. Hollis:

Enclosed with this letter you will find the following in support of a notification to add optional descriptive text, and add an alternate brand name for the above referenced product:

- 1) Notification form;
- 2) One (1) copy of the revised label with all changes highlighted in redline.
- 3) One (1) clean copy of the label.

Changes included in this notification are:

a. Page 9 of 14 of the Master Label - Correction of typographical error - from 'cup' to "b."

All of these changes are:

- a. Consistent with PR Notice 98-10 and 40 CFR Part 156; and
- b. Involve no change in the ingredients statement, signal word, use classification, precautionary statements, First Aid, physical/ chemical/ biological properties, storage and disposal, or directions for use advisory and mandatory language.

Please contact me directly if you have any questions or comments.

Sincerely,

Donna Bishel

Technical Director for BioSafe Systems

Doma R

Direct dial (410) 878-7700; email <a href="mailto:dbishel@biosafesystems.com">dbishel@biosafesystems.com</a>