

70299-7

04/20/2006

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1/11

APR 20 2006

BioSafe Systems LLC
36 Commerce Street
Glastonbury, CT 06033

Attention: Amy Plato Roberts
Regulatory Consultant


Subjec SaniDate Disinfectant
EPA Registration No. 70299-7
Your Notification Dated March 29, 2006

This will acknowledge receipt of your notification to revise the primary brand name to "SaniDate Disinfectant" and to make minor text revisions, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is not in compliance with PR Notice 98-10, and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely



Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2/11

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 70299-7	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SaniDate Disinfectant	PM# 33	
5. Name and Address of Applicant (Include ZIP Code) BioSafe Systems LLC 36 Commerce Street Glastonbury, CT 06033 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification to revise the primary brand name to read SaniDate Disinfectant and to make minor text revisions per PRN 98-10 Refer to the attached cover letter for details.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> on container label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Amy Plato Roberts		Title Regulatory Consultant		Telephone No. (Include Area Code) (202) 828-8964	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Consultant			
4. Typed Name Amy Plato Roberts		5. Date March 29, 2006			

SANIDATE DISINFECTANT

For the disinfection of hard, non-porous surfaces, structures and equipment.

FOR COMMERCIAL USE ONLY

ACTIVE INGREDIENT:

Hydrogen Peroxide27.0%

Peroxyacetic Acid2.0%

OTHER INGREDIENTS:71.0%

TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call poison control center or doctor for treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.</p>	
NOTE TO PHYSICIAN	
Probable mucosal damage may contraindicate the use of gastric lavage.	

Sold by: BioSafe Systems, 36 Commerce Street, Glastonbury, CT 06033

EPA Registration No.: 70299-7

EPA Establishment No.: 60156-IL-001

Net Contents:

SANIDATE SANIDATE DISINFECTANT; (EPA Reg. No. 70299-7)

MASTER LABEL – Notification Redline version (5) dated March 28, 2006

Page 1 of 7

4/11

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Wash thoroughly after handling with soap and water, and before eating and drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse. When spraying or fogging, wear a mask or pesticide respirator jointly approved by the Mine Safety and Health Administration and National Institute for Occupational Safety and Health.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either indirectly or through drift.

| SANIDATESANIDATE DISINFECTANT works best when diluted with water with minimal levels of organic or inorganic materials, and with water having a neutral pH. Thoroughly rinse out tank with water before mixing concentrate. SANIDATESANIDATE DISINFECTANT will readily mix with clean, neutral water and does not require agitation.

| SANIDATESANIDATE DISINFECTANT concentrate should not be combined or mixed with any other pesticide.

APPLICATION DIRECTIONS:

GENERAL DISINFECTION

| SANIDATESANIDATE DISINFECTANT disinfects as it cleans in one operation. SANIDATESANIDATE DISINFECTANT can be used to disinfect floors, walls and other hard nonporous surfaces such as tables, chairs, countertops, bathroom fixtures, sinks, shelves, racks, carts, refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl, porcelain, plastic polyethylene, stainless steel, or glass.

SURFACE DISINFECTION

| SANIDATESANIDATE DISINFECTANT is an effective disinfectant against gram positive and negative bacteria (vegetative forms) such as *Staphylococcus aureus*, *Pseudomonas aeruginosa* and *E. coli* and may be used in general commercial environments to clean, disinfect and deodorize inanimate surfaces, such as:

- Floors, walls, and other non-porous surfaces such as tables, chair counter tops, garbage cans/bins, bathroom fixtures, sinks, bed frame shelves, racks, carts, refrigerators, coolers, tile, use sites listed on this label made of linoleum, vinyl, porcelain, plastic (such as polyethylene), stainless steel, or glass.
- Packinghouses
- Schools, colleges, industrial facilities, dietary areas, office building recreational facilities, retail and wholesale establishment.
- Animal hospitals, veterinary clinics, animal life science laboratories, kennels, kennel runs, cages, feeding and watering equipment, pet shops, zoos, pet animal quarters, poultry premises, trucks, hatcheries and live stock quarters.

UNCLEANED SURFACES-SURFACE DISINFECTION

Prepare SANIDATESANIDATE DISINFECTANT disinfecting solution by adding 2.5 fl. oz. of the product to 1 gallon of potable water. Remove gross filth from surfaces to be disinfected by cleaning with SANIDATESANIDATE DISINFECTANT solution by wiping, mopping, or as a coarse spray. Applications involving treatment of food contact surfaces, require a sterile or potable water rinse following disinfection.

COMBINATION DISINFECTION AND CLEANING

SANIDATESANIDATE DISINFECTANT is effective against *Salmonella enteritidis*, *Salmonella typhimurium*, *Proteus vulgaris*, *Streptococcus pyogenes*, *Enterobacter aerogenes*, *Lactobacillus malefermentans*, *Pediococcus damnosus*, *Listeria monocytogenes*, *Klebsiella pneumoniae* and *Escherichia coli*. Use a rate of 1.3 fl. oz per gallon for hard non-porous surfaces that are lightly soiled or have been pre-rinsed to remove gross contamination. For heavily soiled hard non-porous surfaces use a rate of 2.6 oz per 1 gallon of water. Apply solution with mop, cloth, sponge, brush, scrubber, or coarse spray device or by soaking so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes then remove solution and entrapped soil with a clean wet mop, cloth, or wet vacuum pickup. Prepare a fresh solution daily or when it becomes soiled or diluted.

For treating sewer backups and for flooding remediation, prepare disinfecting solution of SANIDATESANIDATE DISINFECTANT by adding 2.5 fl. oz. of the product to 1 gallon of potable water. Remove gross filth from surfaces by cleaning with SANIDATESANIDATE DISINFECTANT solution by wiping, mopping, or as a coarse spray. Applications involving treatment of food contact surfaces, require a sterile or potable water rinse following cleaning.

DISINFECTING PHARMACEUTICAL AND COSMETIC SURFACES

SANIDATESANIDATE DISINFECTANT is recommended for use on hard, non-porous, environmental surfaces such as floors, walls and processing equipment in pharmaceutical and cosmetic processing facilities. This product is effective at 1.3 fl. oz. per 1 gallon water for pre-washed or lightly soiled surfaces to disinfect. For heavily soiled or surfaces that have not been pre-cleaned use a rate of 2.6 oz per gallon. Rinse all surfaces thoroughly with the disinfecting solution and maintain a contact time of at least 10 minutes. Product contact surfaces must be rinsed with sterile water.

SANIDATESANIDATE DISINFECTANT is designed for use in animal hospitals, animal laboratories, kennels, pet shops, zoos, pet animal quarters, poultry premises, poultry hatcheries, and livestock quarters. When used as directed, SANIDATESANIDATE DISINFECTANT is specifically designed to disinfect, deodorize and clean inanimate, hard, surfaces such as walls, floors, sink tops, furniture, operation tables, kennel runs, cages and feeding and watering equipment. In addition SANIDATESANIDATE DISINFECTANT will disinfect bins and cans, and any other areas that are prone to odors caused by microorganisms.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

6/11

For heavily soiled areas, a pre-cleaning step is required. Prepare a fresh solution for each use.

DISINFECTION OF POULTRY PREMISES, TRUCKS, COOPS, AND CRATES

1. Remove all poultry and feeds from premises, trucks, coops and crates.
2. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces with a solution of 1.3 fl. oz. per 1 gallon of water for a period of 10 minutes.
6. Immerse all types of equipment used in handling and restraining poultry, as well as forks, shovels and scapers used for removing litter and manure.
7. Ventilate buildings, coops and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set or dried.
8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

POULTRY HATCHERY DISINFECTION

1. Clean out any remaining eggs and chicks. Remove all poultry and feeds from premises, trucks, coops and crates
2. Remove gross soils, such as litter, droppings, down shell fragments or other hatching related debris from floors, walls and surfaces of facilities occupied or traversed by poultry.
3. Empty all troughs, racks and other feeding and watering appliances and equipment.
4. Thoroughly clean all surfaces with soap or detergent and rinse thoroughly with water.
5. Saturate all surfaces with a solution of 1.3 fl. oz. per 1 gallon of water for period of 10 minutes.
6. Ventilate buildings, coops, and other closed spaces. Allow to dry before reintroducing eggs or poultry.
7. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

DISINFECTION AND DEODORIZING OF ANIMAL HOUSING FACILITIES (BARN, KENNELS, HUTCHES)

1. Remove all animals and feed from premises, vehicles and enclosures.
2. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
3. Empty all troughs, racks and other feeding and watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with water.
5. Saturate all surfaces with a solution of 1.3 fl. oz. per 1 gallon of water for a period of 10 minutes.
6. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels and scapers used for removing litter and manure.

- 7. Ventilate buildings, cars, boats and other closed spaces. Do not house livestock or employ equipment until treatment has been absorbed, set or dried.
- 8. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, fountains and waterers with soap or detergent, and rinse with potable water before reuse.

DISINFECTION OF NON-FOOD CONTACT PACKAGING EQUIPMENT

Prior to use of this product, remove gross soil particles from surfaces. Wash with a recommended detergent solution and rinse thoroughly with potable water. For disinfection against beverage spoilage organisms that include *Pediococcus damnosus*, *Lactobacillus malefermentans*, and *Saccharomyces cerevisiae* apply 1.3 fl. oz. of SANIDATESANIDATE DISINFECTANT to surfaces at a temperature of 25 to 45 deg C and allow to remain wet for ten (10) minutes. Allow surfaces to drain thoroughly before operations are resumed.

DISINFECTION OF WATER FILTER MEDIA, MEMBRANES AND RELATED COMPONENTS AND SYSTEMS

SANIDATESANIDATE DISINFECTANT is an effective disinfectant used for the reduction and removal of bio-organisms on the surfaces of the filter and membrane media, media housings, and related devices and equipment. SANIDATESANIDATE DISINFECTANT may be used for filter media or related system components or in Clean in Place (CIP) systems.

Disinfection and or treatment of filter media and membrane in potable water systems should be performed when system is **NOT** in use or online.

For filter media disinfection applications use a rate of 2.5 – 0.25 fl. oz. per gallon, and allow to soak for ten (10) minutes. Drain filter media and then rinse with clean water. Prior to producing product water (Permeate), test a sample of the permeate using BioSafe Systems Test Strips to determine the level of hydrogen peroxide remaining in the permeate.

For clean in place (CIP) applications involving filters use a rate of 25 to 6.4 fl. oz. per 100 gallons. Re-circulate solution for a minimum of 10 minutes. Upon completion of cleaning cycle, flush filter housings and/or assemblies with clean water. Test a sample of water being used to flush filter media with BioSafe Systems Test Strips to determine levels of hydrogen peroxide remaining in the flush water.

For direct disinfection of membranes use a solution of 0.25 fl. oz. per 1 gallon of water, within a pH range of 3-7 and maximum water temperature of 80 degrees F. Allow the membranes to soak for a minimum of 10 minutes. Flush or rinse membranes with clean water after treatment. Test flush water with BioSafe Systems Test Strips to determine remaining hydrogen peroxide levels.

For membrane CIP systems use a dilution rate of 25 – 6.4 fl. oz. per 100 gallons within a pH of 3-7 and a maximum water temperature of 80 Degrees F. After thorough draining of the solution, rinse the media thoroughly with clean or sterile water for a minimum of 10 minutes. Test sample of flush water with BioSafe Systems Test Strips to determine remaining hydrogen peroxide levels.

To calculate amount of product to be used for CIP systems, identify total volume of all tanks, vessels and piping. Prepare dilution based on sum of all identified tank, vessel and piping volumes.

PACKINGHOUSE DISINFECTION

SANIDATESANIDATE DISINFECTANT is effective against *Salmonella enteritidis*, *Salmonella typhimurium*, *Proteus vulgaris*, *Saccharomyces cerevisiae*, *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Streptococcus pyogenes*, *Enterobacter aerogenes*, *Lactobacillus malefermentans*, *Pediococcus damnosus*, *Listeria monocytogenes*, *Klebsiella pneumoniae* and *Escherichia coli*.

For Pre-Cleaned Surfaces: Use a rate of 1.3 fl. oz per gallon for hard non-porous surfaces that are lightly soiled or have been pre-rinsed to remove gross contamination.

For Uncleaned Surfaces: For heavily soiled hard non-porous surfaces use a rate of 2.6 oz per 1 gallon of water. Apply solution with mop, cloth, sponge, brush, scrubber, or coarse spray device or by soaking so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes then remove solution and entrapped soil with a clean wet mop, cloth, or wet vacuum pickup. Prepare a fresh solution daily or when it becomes soiled or diluted.

SANIDATESANIDATE DISINFECTANT is effective against microorganisms such as *Xanthomonas campestris (axonopodis) pathovars citrumelo* (citrus canker surrogate).

1. Remove gross contamination with a cleaner or other suitable detergent and rinse with potable water.
2. Use SANIDATESANIDATE DISINFECTANT at a dilution rate of 1:400 – 1:800 as a general coarse spray to reduce bacterial and fungi contamination of walls, floors, conveyors and harvesting containers.
3. Allow to contact surface for ten (10) minutes. Allow to air dry, do not rinse.

FIELD EQUIPMENT DISINFECTION

SANIDATESANIDATE DISINFECTANT may be used to disinfect harvest equipment such as pickers, trailers, trucks (including truck body parts and tires), bins, packing crates, ladders, power tools, hand tools, gloves, rubber boots, pruning shears or other equipment that may transfer *Xanthomonas campestris (axonopodis) pathovars citrumelo* (citrus canker surrogate). This product can also be used to disinfect surfaces contaminated with *P. aeruginosa*, *S. cholerasuis* and *S. aureus*.

1. Before disinfection move the field equipment into an area with an impervious surface and with controlled drainage. Ensure that no disinfection solution will be released into the environment.

9/11

2. Remove gross contamination with a cleaner or other suitable detergent and rinse with water.
3. For *Xanthomonas campestris (axonopodis) pathovars citrumelo* (citrus canker surrogate) use SANIDATESANIDATE DISINFECTANT at a dilution rate of 1:400 – 1:800 as a general coarse spray. For *P. aeruginosa*, *S. cholerasuis* and *S. aureus* use SANIDATESANIDATE DISINFECTANT at a dilution rate of 1:100 (1.3 fl. oz./gal) as a general coarse spray.
4. Allow SANIDATESANIDATE DISINFECTANT to contact surface for ten (10) minutes.
5. Allow to air dry, do not rinse.

BACTERIOSTATIC

At 1.3 fl. oz. per 1 gallon of water SANIDATESANIDATE DISINFECTANT is effective at inhibiting the growth of bacteria when used in the presence of 400 ppm hard water and organic soil. SANIDATESANIDATE DISINFECTANT can be used on floors, walls and other hard nonporous surfaces such as tables, chairs, countertops, bathroom fixtures, sinks, shelves, racks, carts, refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl, porcelain, plastic (such as polypropylene and polyethylene), stainless steel, or glass.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or dispose in a sanitary landfill, or incineration, if allowed by state and local authorities by burning. Stay out of smoke.

WARRANTY - This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, method of application, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.**

37

10/11



WASHINGTON
 1150 18th Street, N.W.
 Suite 1000
 Washington, D.C. 20036
 Telephone 202 223-4392
 Fax 202 872-0745

Marshall Swindell, PM 33
 Regulatory Management Branch I
 Antimicrobial Division (7510C)
 Office of Pesticide Programs, EPA
 1801 South Bell Street
 Arlington, VA 22202

March 29, 2006

**RE: SaniDate
 EPA Reg. No. 70299-7**

Notification to revise the primary brand name and to make minor text revisions per PR Notice 98-10

SACRAMENTO
 712 Fifth Street
 Suite A
 Davis, CA 95616
 Telephone 530 757-1298
 Fax 530 757-1299

Dear Mr. Swindell:

Enclosed with this letter you will find the following in support of a notification to make minor text revisions for the above referenced product:

- 1) Notification form,
- 2) One (1) copy of the revised label with all changes highlighted in redline, and
- 3) Three (3) clean copies of the revised label.

Changes include in this notification are:

- Revising the primary brand name.
- Adding headers to text in the Directions for Use.
- Adding directions for using test strips to determine the levels of hydrogen peroxide
- Adding microorganisms (previously approved) to the Packinghouse Disinfection section of the label.

CANADA
 275 Slater Street
 Suite 900
 Ottawa, Ontario
 K1P 5H9
 Telephone 613 247-6285
 Fax 613 236-3754



WASHINGTON

1150 18th Street, N.W.
Suite 1000
Washington, D.C. 20036
Telephone 202 223-4392
Fax 202 872-0745

Page 2 of 2
March 29, 2006

All of the changes in this notification are:

- a. Consistent with PR Notice 98-10 and 40 CFR Part 156; and
- b. Involve no change in the ingredients statement, signal word, use classification, precautionary statements, First Aid, physical / chemical / biological properties, storage and disposal, or directions for use.

SACRAMENTO

712 Fifth Street
Suite A
Davis, CA 95616
Telephone 530 757-1298
Fax 530 757-1299

Lastly, we are submitted the revised CSFs for this product (pre-reaction and post-reaction) indicating the revised primary brand name.

If you have any questions or comments, please do not hesitate to let me know.

Sincerely,

A handwritten signature in black ink that reads "Amy Plato Roberts".

Amy Plato Roberts
Regulatory Consultant for BioSafe Systems
Direct dial (202) 828-8964; Email: aroberts@tsgusa.com

CANADA

275 Slater Street
Suite 900
Ottawa, Ontario
K1P 5H9
Telephone 613 247-6285
Fax 613 236-3754