



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON D.C., 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

BioSafe Systems, LLC 22 Meadow Street East Hartford, CT 06108

Attention: Donna Bishel Regulatory Specialist

OCT 10 2008

Subject:

SANIDATE® Ready to Use EPA Reg. No. 70299-9

Amendment Letter Dated July 9, 2008

The following amendment, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable The Agency has no objections to the addition of me-too uses.

Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4(a) when the Agency requires all registrants of similar products to submit such data.

If the above condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimicrobials Division (7510C)

SANIDATE®

Ready to Use

(Alternate Brand Names: SaniDate Fruit and Vegetable Wash, OxiDate Ready To Use, ZeroTol Ready To Use)

Sublabel A: Commercial Directions for Use Sublabel B: Residential Directions for Use

 Active Ingredient:
 0.108%

 Hydrogen Peroxide
 99.892%

 Total:
 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	ct container or label with you when calling a poison control center or doctor, or going for may also contact 1-800-222-1222 for emergency medical treatment information.

See (back) (side) (inside) panel for additional precautionary statements and directions for use.


EPA Registration No. 70299-9
EPA Establishment No. 68660-TX-001

EPA Establishment No. 68660-TX-001; 58996-MO-001

Sold by:

BioSafe Systems 22 Meadow Street East Hartford, CT 06108

Net Contents: (32 fl oz, 2 liter, 1 and 5 gallon(s))





Sublabel A: Commercial Directions for Use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate. [For 5 gallon products only] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water board of Regional Office of the EPA.

SURFACE SANITATION

SANIDATE® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria (vegetative forms) such as Staphylococcus aureus and Klebsiella pneumoniae.

Use this product in general commercial environments to clean, sanitize, and deodorize inanimate surfaces, such as:

- Floors, walls, and other non-porous surfaces such as tables, chairs, counter tops, garbage
 cans/bins, bathroom fixtures, sinks, bed frames, shelves, racks, carts, tools, equipment,
 exterior of refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl,
 porcelain, plastic (such as polyethylene), metal, stainless steel, or glass.
- Schools, colleges, industrial facilities, dietary areas, office buildings, recreational facilities, retail and wholesale establishments.
- Animal hospitals, veterinary clinics, animal life science laboratories, kennels, kennel runs, cages, feeding and watering equipment, pet shops, zoos, pet animal quarters, poultry premises, trucks, hatcheries and live stock quarters.
- Greenhouses, farms, nurseries

FRUIT AND VEGETABLE WASH

Use SaniDate® Ready to Use to clean fruits and vegetables. SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use this product to clean fruits and vegetables in the following commercial environments:

- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Eating establishments, restaurants, cafeterias
- Food preparation areas

SaniDate® Ready to Use; EPA Reg. No. 70299-9

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

(For Spray Bottle) Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; do not dilute. Let stand 5 minutes, and then air dry. No potable rinse is required.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

APPLICATION INSTRUCTIONS:

(For 1 or 5 Gallon Container) Pour required amount into bucket; do not dilute. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; do not dilute. Let stand for 5 minutes and then air dry. No potable rinse is required.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

Pesticide Disposal: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Container Disposal: If empty - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled - Never place unused product down any indoor or outdoor drain. Batch-Gode

SaniDate® Ready to Use; EPA Reg. No. 70299-9

MASTER LABEL CLEAN COPY - Version (12) amendment dated October 22, 2008

Page 3 of 8

OCT 10 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Acras emended, for the

esticide, registered under

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.



Sublabel B: Residential Directions for Use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate.

SaniDate® Ready to Use is an activated form of hydrogen peroxide and can be used to clean, sanitize, and deodorize floors, walls, and other hard, non-porous surfaces such as linoleum, vinyl, porcelain tile, plastic polyethylene, stainless steel, and glass.

SaniDate® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria such as *Staphylococcus aureus* (*Staph*) and *Klebsiella peumoniae*.

SaniDate® Ready to Use contains an activated form of hydrogen peroxide that may be used to clean fruits and vegetables.

SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use SaniDate® Ready to Use as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants and trees.

SaniDate® Ready to Use is a preventative treatment for suppressing plant diseases such as – Alternaria – Anthracnose – Aphanomyces – Black Spot - Botrytis (grey mold) - Downy Mildew – Erwinia, Fusarium (root rot) - Leaf Spot - Phytophthora (blights, rots) – Plasmopara - Powdery Mildew - Pseudomonas - Pythium - Rhizoctonia - Rust - Scab - Smut - Thielaviopsis – Uncinula (powdery mildew) – Xanthomonas - Wilts & Blights - Ralstonia solanacearum (brown rot, bacterial wilt), - Sclerotinia sclerotiorum (white mold).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

(For Spray Bottle) Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; do not dilute. Let stand 5 minutes and then air dry. No potable rinse is required.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

OCT 1 0 2008

SaniDate® Ready to Use; EPA Reg. No. 70299-9

MASTER LABEL CLEAN COPY - Version (12) amendment dated October 22, 2008

Page 5 of 8

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. 140. 70249-9

Plant Disease Treatment

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Apply SaniDate® Ready to Use to all plant surfaces. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

APPLICATION INSTRUCTIONS:

(For 1 or 5 Gallon Container) Pour required amount into bucket; do not dilute. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

Fruit and Vegetable Treatment


Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

Plant Disease Treatment

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Using a hand held sprayer, apply SaniDate® Ready to Use to all plant surfaces. Do not dilute. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Interiorscapes, House Plants, Potted Plants, Seedlings, Ornamentals: Use SaniDate® Ready to Use as a soil or media drench to control / suppress soil borne plant diseases. Use as a soil drench at the time of seeding or transplanting, and on potting soil and growing mediums prior to planting. Apply to soil or growing media to the point of saturation. Wait fifteen minutes before planting or watering.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

If empty – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. Batch Code _____

If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.



Optional Label Claims:

- Easy to use
- For sanitizing of hard, non-porous surfaces, structures & equipment
- Ready to use Activated Peroxide Sanitizer
- Contains no phosphates
- Sanitizes and deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Kills 99.9% of Bacteria! * *Staphylococcus aureus, Klebsiella pneumoniae
- Versatile Sanitizer
- Ready to Use treatment for healthier plants
- Ready to Use treatment for the prevention and control of plant diseases
- For use in home gardens
- Fruit and Vegetable Wash
- Makes fruits and vegetables cleaner
- Keeps fruits and vegetables fresher
- Leaves fruits and vegetables naturally clean with no residue
- Reduces spoilage
- Controls the growth of spoilage and decay causing organisms
- · Fruits and vegetables last longer
- Helps oxygenate the soil

