

70299-9

10-26-2009

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON D.C., 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

BioSafe Systems, LLC  
22 Meadow Street  
East Hartford, CT 06108

OCT 26 2009

Attention: Donna Bishel  
Regulatory Specialist

Subject: SANIDATE® Ready-To-Use  
EPA Reg. No. 70299-9  
Amendment Letter Dated July 22, 2009

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. The Agency has no objections to revisions to Precautionary, Environmental Hazard, and Warranty statements on your label. A stamped copy of the label is attached for your records.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

A handwritten signature in black ink that reads "Marshall Swindell".

Marshall Swindell  
Product Manager (33)  
Regulatory Management Branch 1  
Antimicrobials Division (7510C)

# SANIDATE<sup>®</sup>

Ready to Use

(Alternate Brand Names: SaniDate Fruit and Vegetable Wash, OxiDate Ready To Use, ZeroTol Ready To Use)

**Sublabel A: Commercial Directions for Use**  
**Sublabel B: Residential Directions for Use**

<b>Active Ingredient:</b>	
Hydrogen Peroxide.....	0.108%
<b>Other Ingredients:</b> .....	99.892%
<b>Total:</b> .....	100.00%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**


FIRST AID	
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	

See (back) (side) (inside) panel for additional precautionary statements and directions for use.

**EPA Registration No.** 70299-9  
**EPA Establishment No.** 68660-TX-001; 58996-MO-001; 067441-IL-001, 60156-IL-001

**Sold by:**  
BioSafe Systems  
22 Meadow Street  
East Hartford, CT 06108

**Net Contents:** (32 fl oz, 2 liter, 1 and 5 gallon(s))



# Sublabel A: Commercial Directions for Use

## PRECAUTIONARY STATEMENTS

~~HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.~~

~~ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate. [For 5 gallon products only] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water board of Regional Office of the EPA.~~

ACCEPTED

OCT 26 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under 70299-9

## SURFACE SANITATION

**SANIDATE® Ready to Use** is an effective sanitizer against ~~gram positive and gram negative~~ bacteria (vegetative forms) such as *Staphylococcus aureus* and *Klebsiella pneumoniae*.

Use this product in general commercial environments to clean, sanitize, and deodorize inanimate surfaces, such as:

- Floors, walls, and other non-porous surfaces such as tables, chairs, counter tops, garbage cans/bins, bathroom fixtures, sinks, bed frames, shelves, racks, carts, tools, equipment, exterior of refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl, porcelain, plastic (such as polyethylene), metal, stainless steel, or glass.
- Schools, colleges, industrial facilities, dietary areas, office buildings, recreational facilities, retail and wholesale establishments.
- Animal hospitals, veterinary clinics, animal life science laboratories, kennels, kennel runs, cages, feeding and watering equipment, pet shops, zoos, pet animal quarters, poultry premises, trucks, hatcheries and live stock quarters.
- Greenhouses, farms, nurseries

## SANITIZING FOOD CONTACT SURFACES

**SANIDATE® Ready to Use** is an effective sanitizer against *Staphylococcus aureus* and *E. coli* on food contact surfaces and equipment. Surfaces to be sanitized include but are not exclusive to cutting boards, sinks, countertops, tabletops, trays, pans, racks, platters, cans, produce cases, pasteurizers, aseptic equipment, vats, and tanks. **SANIDATE® Ready to Use** is an effective sanitizer for use in the washing, rinsing and sanitizing of conveyor, boxing or packing equipment, peelers, corers, de-boners, scrapers, collators, slicers, dicers, knives, and saws.

Use this product in the following commercial environments to clean, sanitize, and deodorize food contact surfaces:

- Dairies, wineries, breweries, and beverage plants
- Packing houses, food processing plants and farms

4  
11


- Meat, meat products, milk and dairy processing, packing, and rendering plants
- Seafood, poultry and egg processing/packing plants
- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Food service operations, eating establishments, restaurants, cafeterias, kitchens, food preparation areas
- Schools, office buildings, industrial facilities

**FRUIT AND VEGETABLE WASH**

Use SaniDate® Ready to Use to clean fruits and vegetables. SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use this product to clean fruits and vegetables in the following commercial environments:

- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Eating establishments, restaurants, cafeterias
- Food preparation areas



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. 70299-9

**APPLICATION INSTRUCTIONS:**

**(For Spray Bottle)** Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

**Sanitization of Hard, Non-Porous Surfaces**

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes, and then air dry. No potable rinse is required.

**Sanitization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**APPLICATION INSTRUCTIONS:**

**(For 1 or 5 Gallon Container)** Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

**Sanitization of Hard, Non-Porous Surfaces**

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with

5  
11

potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

**Sanitization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.


**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

**Pesticide Disposal:** Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**Container Disposal:** If empty – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled – Never place unused product down any indoor or outdoor drain. Batch Code \_\_\_\_\_



**WARRANTY**

~~This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.~~

**WARRANTY**

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**


**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.



7  
11

## Sublabel B: Residential Directions for Use

### PRECAUTIONARY STATEMENTS

~~HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.~~

~~ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate.~~

SaniDate® Ready to Use is an activated form of hydrogen peroxide and can be used to clean, sanitize, and deodorize floors, walls, and other hard, non-porous surfaces such as linoleum, vinyl, porcelain tile, plastic polyethylene, stainless steel, and glass.

SaniDate® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria such as *Staphylococcus aureus* (Staph) and *Klebsiella pneumoniae*.

SaniDate® Ready to Use is for the sanitization of hard, non-porous food contact surfaces. Use SaniDate® Ready to Use to kill *Staphylococcus aureus* (Staph) and *E. coli* in kitchens and food preparation areas on countertops, tabletops, stovetops, microwave ovens, cutting boards, sinks and appliances.

SaniDate® Ready to Use contains an activated form of hydrogen peroxide that may be used to clean fruits and vegetables.

SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use SaniDate® Ready to Use as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants and trees.

SaniDate® Ready to Use is a preventative treatment for suppressing plant diseases such as - *Alternaria* - *Anthracnose* - *Aphanomyces* - Black Spot - *Botrytis* (grey mold) - Downy Mildew - *Erwinia*, *Fusarium* (root rot) - Leaf Spot - *Phytophthora* (blights, rots) - *Plasmonara* - Powdery Mildew - *Pseudomonas* - *Pythium* - *Rhizoctonia* - Rust - Scab - Smut - *Thielaviopsis* - *Uromyces* (powdery mildew) - *Xanthomonas* - Wilts & Blights - *Ralstonia solanacearum* (brown rot, bacterial wilt), - *Sclerotinia sclerotiorum* (white mold).

OCT 26 2009  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
pesticide, registered under  
EPA Reg. #10. 70299-9

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with

### APPLICATION INSTRUCTIONS:

(For Spray Bottle) Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

### Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes and then air dry. No potable rinse is required.

**Sanitization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**Plant Disease Treatment**

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Apply SaniDate® Ready to Use to all plant surfaces. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

**APPLICATION INSTRUCTIONS:**

(For 1 or 5 Gallon Container) Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

**Sanitization of Hard, Non-Porous Surfaces**

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

**Sanitization of Hard, Non-Porous Food Contact Surfaces**


To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**Plant Disease Treatment**

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Using a hand held sprayer, apply SaniDate® Ready to Use to all plant surfaces. Do not dilute. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.





9  
11

Interiorscapes, House Plants, Potted Plants, Seedlings, Ornamentals: Use SaniDate® Ready to Use as a soil or media drench to control / suppress soil borne plant diseases. Use as a soil drench at the time of seeding or transplanting, and on potting soil and growing mediums prior to planting. Apply to soil or growing media to the point of saturation. Wait fifteen minutes before planting or watering.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

**ACCEPTED**  
OCT 26 2009  
The Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
product registered under  
EPA Reg. No. 70299-9

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE**

Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING**

**If empty** – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. Batch Code \_\_\_\_\_

**If partly filled** – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WARRANTY**

~~This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing, unfavorable temperatures, water conditions, presence of other materials, method of application, weather, watering practices, nature of soil, disease problem, condition of crop, incompatibility with other chemicals, pre-existing conditions and other conditions influencing the use of this product are beyond the control of the seller. Buyer assumes all risks associated with the use, storage, or handling of this material not in strict accordance with directions given herewith. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.~~

**WARRANTY**

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.


10  
11

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.



11  
11

**Optional Label Claims:**

- Easy to use
- For sanitizing of hard, non-porous surfaces, structures & equipment
- Activated Peroxide Sanitizer for Hard Non-Porous Surfaces and Food Preparation Areas
- Hard Surface Sanitizer
- Ready to use Activated Peroxide Sanitizer
- Contains no phosphates
- Sanitizes and deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Kills 99.9% of Bacteria! \*      \**Staphylococcus aureus, Klebsiella pneumoniae, E. coli*
- Versatile Sanitizer
- Ready to Use treatment for healthier plants
- Ready to Use treatment for the prevention and control of plant diseases
- For use in home gardens
- Fruit and Vegetable Wash
- Makes fruits and vegetables cleaner
- Keeps fruits and vegetables fresher
- Leaves fruits and vegetables naturally clean with no residue
- Reduces spoilage
- Controls the growth of spoilage and decay causing organisms
- Fruits and vegetables last longer
- Helps oxygenate the soil
- Use SaniDate® Ready to Use to sanitize hard, non-porous food contact surfaces
- Sanitizes kitchen countertops, tabletops, stovetops, microwave ovens, sinks, and appliances
- Leaves household surfaces sanitized
- Sanitizes food preparation areas
- Kills odor causing bacteria
- Use throughout the home
- Use for a healthier kitchen

