



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D.C., 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

BioSafe Systems, LLC
22 Meadow Street
East Hartford, CT 06108

MAR 26 2010

Attention: Donna Bishel
Regulatory Specialist

Subject: SaniDate Ready to Use
EPA Reg. No. 70299-9
Notification Letter Dated February 23, 2010

This will acknowledge receipt of your notification for the aforementioned product label, submitted under the provisions of FIFRA Section 3(c) (9). Based on a review of the submitted material, the following apply:

- To add the Alternate Brand Name "SaniDate Versatile Sanitizer"

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

A handwritten signature in cursive script that reads "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510C)

Please read instructions on reverse before completing form.

Form Approved. O... No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 70299-9	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SaniDate Ready To Use	PM# 33/Antimicrobial Division	
5. Name and Address of Applicant (Include ZIP Code) BioSafe Systems 22 Meadow Street East Hartford, CT 06108 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION to add Alternate Brand Name and Optional Label claim. Refer to attached cover letter for details.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN Notice 98-10, and 40 CFR 152.46, this product may be in violation of FIFRA and may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
<i>Certification must be submitted</i>		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 32 fl oz, 2 liter, 1 and 5 gallon(s)		5. Location of Label Directions <input checked="" type="checkbox"/> on container label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Donna Bishel / dbishel@biosafesystems.com		Title Technical Director		Telephone No. (Include Area Code) (410) 878-7700	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Technical Director			
4. Typed Name Donna Bishel / dbishel@biosafesystems.com		5. Date February 23, 2010			

22 Meadow Street
East Hartford, CT 06108
Phone: 860.290.8890
Fax: 860.290.8802
Solutions@BioSafeSystems.com
www.biosafesystems.com

Marshall Swindell
Product Manager 33
Antimicrobial Division (7504P)
Office of Pesticide Products
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

February 23, 2010

**RE: SaniDate® Ready To Use
EPA Registration No. 70299-9
Notification to add Alternate Brand Name, Optional Label Claim**

Dear Mr. Swindell:

Enclosed with this letter you will find the following in support of a notification for the above referenced product:

- 1. EPA Notification form 8570-1
- 2. One (1) copy of the revised label with all changes highlighted in red
- 3. Three (3) clean copies of the label

Changes included in this notification are as follows:

- Page 1 of the Master Label – Addition of the Alternate Brand Name 'SaniDate Versatile Sanitizer'.
- Page 4 – Delete Warranty Statement.
- Page 5 – Addition of new Warranty Statement.
- Page 9 – Delete Warranty Statement.
- Page 10 – Addition of new Warranty Statement.
- Page 11 – Addition of new Optional Label Claim.

All of these changes are:

- a. Consistent with PR Notice 98-10 and 40 CFR Part 156; and
- b. Involve no change in the ingredients statement, signal word, use classification, precautionary statements, First Aid, physical/ chemical/ biological properties, storage and disposal, or directions for use advisory and mandatory language.

Please contact me directly if you have any questions or comments.

Sincerely,



Donna Bishel
Technical Director for BioSafe Systems
Direct dial (410) 878-7700; email dbishel@biosafesystems.com

4/15

SANIDATE®

Ready to Use

(Alternate Brand Names: SaniDate Fruit and Vegetable Wash, OxiDate Ready To Use, ZeroTol Ready To Use, SaniDate Versatile Sanitizer)

Sublabel A: Commercial Directions for Use
Sublabel B: Residential Directions for Use

Active Ingredient:

Hydrogen Peroxide..... 0.108%

Other Ingredients:..... 99.892%

Total:..... 100.00%

KEEP OUT OF REACH OF CHILDREN

See (back) (side) (inside) panel for directions for use.

EPA Registration No. 70299-9

EPA Establishment No. 68660-TX-001; 067441-IL-001, 60156-IL-001

Sold by:

BioSafe Systems
22 Meadow Street
East Hartford, CT 06108

Net Contents: (32 fl oz, 2 liter, 1 and 5 gallon(s))

Sublabel A: Commercial Directions for Use

SURFACE SANITATION

SANIDATE® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria (vegetative forms) such as *Staphylococcus aureus* and *Klebsiella pneumoniae*.

Use this product in general commercial environments to clean, sanitize, and deodorize inanimate surfaces, such as:

- Floors, walls, and other non-porous surfaces such as tables, chairs, counter tops, garbage cans/bins, bathroom fixtures, sinks, bed frames, shelves, racks, carts, tools, equipment, exterior of refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl, porcelain, plastic (such as polyethylene), metal, stainless steel, or glass.
- Schools, colleges, industrial facilities, dietary areas, office buildings, recreational facilities, retail and wholesale establishments.
- Animal hospitals, veterinary clinics, animal life science laboratories, kennels, kennel runs, cages, feeding and watering equipment, pet shops, zoos, pet animal quarters, poultry premises, trucks, hatcheries and live stock quarters.
- Greenhouses, farms, nurseries

SANITIZING FOOD CONTACT SURFACES

SANIDATE® Ready to Use is an effective sanitizer against *Staphylococcus aureus* and *E. coli* on food contact surfaces and equipment. Surfaces to be sanitized include but are not exclusive to cutting boards, sinks, countertops, tabletops, trays, pans, racks, platters, cans, produce cases, pasteurizers, aseptic equipment, vats, and tanks. SANIDATE® Ready to Use is an effective sanitizer for use in the washing, rinsing and sanitizing of conveyor, boxing or packing equipment, peelers, corers, de-boners, scrapers, collators, slicers, dicers, knives, and saws.

Use this product in the following commercial environments to clean, sanitize, and deodorize food contact surfaces:

- Dairies, wineries, breweries, and beverage plants
- Packing houses, food processing plants and farms
- Meat, meat products, milk and dairy processing, packing, and rendering plants
- Seafood, poultry and egg processing/packing plants
- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Food service operations, eating establishments, restaurants, cafeterias, kitchens, food preparation areas
- Schools, office buildings, industrial facilities

FRUIT AND VEGETABLE WASH

Use SaniDate® Ready to Use to clean fruits and vegetables. SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use this product to clean fruits and vegetables in the following commercial environments:

- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Eating establishments, restaurants, cafeterias
- Food preparation areas

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

(For Spray Bottle) Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes, and then air dry. No potable rinse is required.

Sanitization of Hard, Non-Porous Food Contact Surfaces

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

APPLICATION INSTRUCTIONS:

(For 1 or 5 Gallon Container) Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

Sanitization of Hard, Non-Porous Food Contact Surfaces

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

Pesticide Disposal: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Container Disposal: If empty – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled – Never place unused product down any indoor or outdoor drain. Batch Code _____

WARRANTY

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

~~NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.~~

~~The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.~~

~~BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.~~

~~In no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.~~

~~BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.~~

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE

RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.

Sublabel B: Residential Directions for Use

SaniDate® Ready to Use is an activated form of hydrogen peroxide and can be used to clean, sanitize, and deodorize floors, walls, and other hard, non-porous surfaces such as linoleum, vinyl, porcelain tile, plastic polyethylene, stainless steel, and glass.

SaniDate® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria such as *Staphylococcus aureus* (Staph) and *Klebsiella pneumoniae*.

SaniDate® Ready to Use is for the sanitization of hard, non-porous food contact surfaces. Use SaniDate® Ready to Use to kill *Staphylococcus aureus* (Staph) and *E. coli* in kitchens and food preparation areas on countertops, tabletops, stovetops, microwave ovens, cutting boards, sinks and appliances.

SaniDate® Ready to Use contains an activated form of hydrogen peroxide that may be used to clean fruits and vegetables.

SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use SaniDate® Ready to Use as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants and trees.

SaniDate® Ready to Use is a preventative treatment for suppressing plant diseases such as – *Alternaria* – *Anthraco*se – *Aphanomyces* – Black Spot - *Botrytis* (grey mold) - Downy Mildew – *Erwinia*, *Fusarium* (root rot) - Leaf Spot - *Phytophthora* (blights, rots) – *Plasmopara* - Powdery Mildew - *Pseudomonas* - *Pythium* - *Rhizoctonia* - Rust - Scab - Smut - *Thielaviopsis* – *Uncinula* (powdery mildew) – *Xanthomonas* - Wilts & Blights - *Ralstonia solanacearum* (brown rot, bacterial wilt), - *Sclerotinia sclerotiorum* (white mold).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS:

(For Spray Bottle) Turn nozzle to “spray” or “stream”. Spray 6 to 8 inches from surface.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes and then air dry. No potable rinse is required.

Sanitization of Hard, Non-Porous Food Contact Surfaces

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

Plant Disease Treatment

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Apply SaniDate® Ready to Use to all plant surfaces. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

APPLICATION INSTRUCTIONS:

(For 1 or 5 Gallon Container) Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

Sanitization of Hard, Non-Porous Surfaces

To Sanitize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

Sanitization of Hard, Non-Porous Food Contact Surfaces

To Sanitize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

Fruit and Vegetable Treatment

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

Plant Disease Treatment

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Using a hand held sprayer, apply SaniDate® Ready to Use to all plant surfaces. Do not dilute. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Interiorscapes, House Plants, Potted Plants, Seedlings, Ornamentals: Use SaniDate® Ready to Use as a soil or media drench to control / suppress soil borne plant diseases. Use as a soil drench at the time of seeding or transplanting, and on potting soil and growing mediums prior to planting. Apply to soil or growing media to the point of saturation. Wait fifteen minutes before planting or watering.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

If empty – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. Batch Code _____

If partly filled – Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

~~NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.~~

~~The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.~~

~~BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.~~

~~In no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.~~

~~BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.~~

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE

14/15

RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.

Optional Label Claims:

- Easy to use
- For sanitizing of hard, non-porous surfaces, structures & equipment
- Activated Peroxide Sanitizer for Hard Non-Porous Surfaces and Food Preparation Areas
- Hard Surface Sanitizer
- Ready to use Activated Peroxide Sanitizer
- Contains no phosphates
- Sanitizes and deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Kills 99.9% of Bacteria! * **Staphylococcus aureus, Klebsiella pneumoniae, E. coli*
- Versatile Sanitizer
- Ready to Use treatment for healthier plants
- Ready to Use treatment for the prevention and control of plant diseases
- For use in home gardens
- Fruit and Vegetable Wash
- Makes fruits and vegetables cleaner
- Keeps fruits and vegetables fresher
- Leaves fruits and vegetables naturally clean with no residue
- Reduces spoilage
- Controls the growth of spoilage and decay causing organisms
- Fruits and vegetables last longer
- Helps oxygenate the soil
- Use SaniDate® Ready to Use to sanitize hard, non-porous food contact surfaces
- Sanitizes kitchen countertops, tabletops, stovetops, microwave ovens, sinks, and appliances
- Leaves household surfaces sanitized
- Sanitizes food preparation areas
- Kills odor causing bacteria
- Use throughout the home
- Use for a healthier kitchen
- Ready to Use