

70299-9

06/18/2013

1/12

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460



Office of Pesticide Programs

BioSafe Systems, LLC  
22 Meadow Street  
East Harford, CT 06108  
08902

JUN 18 2013

Attention: Donna Bishel

**Subject: SaniDate Ready To Use**  
EPA Registration No: 70299-9  
Notification Dated: April 26, 2013

This will acknowledge receipt of your notification for the following additional alternate brand name, submitted under the provisions of Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) Section 3(c) (9).

ALTERNATE BRAND NAME

**General Comments**

Based on a review of the submitted material, the following comments apply:

The Notification to add additional alternate brand name "*Biosafe Fruit & Vegetable Wash*" for California registration and to delete producers "68660-TX, 60156-IL-001" is acceptable and is in compliance with PR Notice 98-10. This information has been added to your file.

If you have any questions concerning this letter, please feel free to contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swindell  
Product Manger (33)  
Regulatory Management Branch I  
Antimicrobial's Division (7501P)



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 70299-9	2. EPA Product Manager Marshall Swindell	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SaniDate Ready To Use	PM# 33/Antimicrobial Division	
5. Name and Address of Applicant (Include ZIP Code) BioSafe Systems, LLC 22 Meadow Street East Hartford, CT 06108 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION to add alternate brand name: "BioSafe Fruit & Vegetable Wash" to the 70299-9 label per PR Notice 98-10 for California registration purposes. Refer to attached cover letter for details.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PRN Notice 98-10, and 40 CFR 152.46, this product may be in violation of

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container  
32 fl oz, 2 liter, 1 and 5 gallon

5. Location of Label Directions  
 on container label

6. Manner in Which Label is Affixed to Product  
 Lithograph Paper glued Stenciled  Other \_\_\_\_\_

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Donna Bishel / dbishel@biosafesystems.com	Title Technical Director	Telephone No. (Include Area Code) (410) 878-7700
---	-----------------------------	---

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Technical Director	6. Date Application Received (Stamped)
4. Typed Name Donna Bishel / dbishel@biosafesystems.com	5. Date April 24, 2013	





**Sublabel A: Commercial Directions for Use**

SURFACE SANITATION AND DEODORIZATION

SANIDATE® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria (vegetative forms): *Staphylococcus aureus* and *Klebsiella pneumoniae*.

Use this product in general commercial environments to clean, sanitize, and deodorize inanimate surfaces, such as:

- Floors, walls, and other non-porous surfaces such as tables, chairs, counter tops, garbage cans/bins, bathroom fixtures, sinks, bed frames, shelves, racks, carts, tools, equipment, exterior of refrigerators, coolers, tile, and use sites listed on this label made of linoleum, vinyl, glazed porcelain, plastic (such as polyethylene), metal, stainless steel, or glass.
- Schools, colleges, industrial facilities, dietary areas, office buildings, recreational facilities, retail and wholesale establishments.
- Animal hospitals, veterinary clinics, animal life science laboratories, kennels, kennel runs, cages, feeding and watering equipment, pet shops, zoos, pet animal quarters, poultry premises, trucks, hatcheries and live stock quarters.
- Greenhouses, farms, nurseries

SANITIZING AND DEODORIZING FOOD CONTACT SURFACES

SANIDATE® Ready to Use is an effective sanitizer and deodorizer against *Staphylococcus aureus* (*Staph*), *Salmonella enterica* (*Salmonella*) and *Escherichia coli* (*E. coli*) on hard, non-porous food contact surfaces and equipment. Use this product to sanitize and deodorize non-wooden cutting boards, sinks, countertops, tabletops, trays, pans, racks, platters, cans, produce cases, pasteurizers, aseptic equipment, vats, and tanks. SANIDATE® Ready to Use is an effective sanitizer for use in the washing, rinsing and sanitizing of conveyor, boxing or packing equipment, peelers, corers, de-boners, scrapers, collators, slicers, dicers, knives, and saws.

Use this product in the following commercial environments to clean, sanitize, and deodorize food contact surfaces:

- Dairies, wineries, breweries, and beverage plants
- Packing houses, food processing plants and farms
- Meat, meat products, milk and dairy processing, packing, and rendering plants
- Seafood, poultry and egg processing/packing plants
- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Food service operations, eating establishments, restaurants, cafeterias, kitchens, food preparation areas
- Schools, office buildings, industrial facilities

FRUIT AND VEGETABLE WASH

Use SaniDate® Ready to Use to clean fruits and vegetables. SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use this product to clean fruits and vegetables in the following commercial environments:

- Fruit and vegetable processing/packing plants
- Grocery stores, supermarkets, food distribution and storage facilities
- Eating establishments, restaurants, cafeterias
- Food preparation areas

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**APPLICATION INSTRUCTIONS:**

**(For Spray Bottle)** Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

**Sanitization and Deodorization of Hard, Non-Porous Surfaces**

To Sanitize and Deodorize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes, and then air dry. No potable rinse is required.

**Sanitization and Deodorization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize and Deodorize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**APPLICATION INSTRUCTIONS:**

**(For 1 or 5 Gallon Container)** Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

**Sanitization and Deodorization of Hard, Non-Porous Surfaces**

To Sanitize and Deodorize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

**Sanitization and Deodorization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize and Deodorize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE**


Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING**

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

This product is reasonably fit for the purposes described on the label when used in strict accordance with label instructions. The manufacturer is not responsible for any use of this product that is contrary to the label instructions on the container, or under abnormal conditions that are not reasonably foreseeable by the manufacturer and or seller. The buyer assumes all risk associated with use beyond label instructions or under abnormal conditions.



## Sublabel B: Residential Directions for Use

SaniDate® Ready to Use is an activated form of hydrogen peroxide and can be used to clean, sanitize, and deodorize floors, walls, and other hard, non-porous surfaces such as linoleum, vinyl, glazed porcelain, tile, plastic polyethylene, stainless steel, and glass.

SaniDate® Ready to Use is an effective sanitizer against gram positive and gram negative bacteria such as *Staphylococcus aureus* (Staph) and *Klebsiella pneumoniae*.

SaniDate® Ready to Use is for the sanitization and deodorization of hard, non-porous food contact surfaces. Use SaniDate® Ready to Use to kill *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella) and *Escherichia coli* (E. coli) in kitchens and food preparation areas on countertops, tabletops, stovetops, microwave ovens, non-wooden cutting boards, sinks and appliances.

SaniDate® Ready to Use contains an activated form of hydrogen peroxide that may be used to clean fruits and vegetables.

SaniDate® Ready to Use will help remove pesticide residues, chemicals, and soil, as well as spoilage and decay organisms on the surfaces of fruit and vegetables.

Use SaniDate® Ready to Use as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants and trees.

SaniDate® Ready to Use is a preventative treatment for suppressing plant diseases such as – *Alternaria* – *Anthraco*se – *Aphanomyces* – Black Spot - *Botrytis* (grey mold) - Downy Mildew – *Erwinia*, *Fusarium* (root rot) - Leaf Spot - *Phytophthora* (blights, rots) – *Plasmopara* - Powdery Mildew - *Pseudomonas* - *Pythium* - *Rhizoctonia* - Rust - Scab - Smut - *Thielaviopsis* – *Uncinula* (powdery mildew) – *Xanthomonas* - Wilts & Blights - *Ralstonia solanacearum* (brown rot, bacterial wilt), - *Sclerotinia sclerotiorum* (white mold).

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **APPLICATION INSTRUCTIONS:**

**(For Spray Bottle)** Turn nozzle to "spray" or "stream". Spray 6 to 8 inches from surface.

#### **Sanitization and Deodorization of Hard, Non-Porous Surfaces**

To Sanitize and Deodorize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, or with a cleaning treatment of SaniDate® Ready to Use. Spray until thoroughly wet; *do not dilute*. Let stand 5 minutes and then air dry. No potable rinse is required.

#### **Sanitization and Deodorization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize and Deodorize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Spray until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.



**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Rinse with clean water to remove excess soil. Spray all fruit or vegetable surfaces until wet with SaniDate® Ready to Use. Rub produce for 30-60 seconds. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**Plant Disease Treatment**

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Apply SaniDate® Ready to Use to all plant surfaces. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

**APPLICATION INSTRUCTIONS:**

**(For 1 or 5 Gallon Container)** Pour required amount into bucket; *do not dilute*. Apply solution with a mop, cloth, sponge, brush, scrubber, or coarse spray device, or by soaking to completely immerse all surfaces to be treated.

**Sanitization and Deodorization of Hard, Non-Porous Surfaces**

To Sanitize and Deodorize: Remove gross filth. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent or with a cleaning treatment of SaniDate® Ready to Use, and rinse well with potable water. Apply fresh solution to surface until thoroughly wet; *do not dilute*. Let stand for 5 minutes and then air dry. No potable rinse is required.

**Sanitization and Deodorization of Hard, Non-Porous Food Contact Surfaces**

To Sanitize and Deodorize: Remove gross food particles. Pre-clean hard, non-porous surfaces to be treated with a recommended detergent, followed by a potable water rinse. Apply SaniDate® Ready to Use to surface until thoroughly wet; *do not dilute*. Let stand 1 minute. If desired, wipe with paper towel or clean dish towel. Allow to air dry. Do not rinse.

**Fruit and Vegetable Treatment**

Fruit and Vegetable Wash: Pour solution into a container and let fruit and vegetables soak in the solution for a minimum of 30-60 seconds. Rub or swish as needed. Thoroughly rinse produce under clean running water to remove soil and excess cleaner.

**Plant Disease Treatment**

Vegetables, Fruit Trees, Flowers, Ornamentals, Houseplants, Trees and Shrubs: Apply at the first sign of disease. Using a hand held sprayer, apply SaniDate® Ready to Use to all plant surfaces. Do not dilute. Spray foliage to point of runoff. Apply consecutive treatments until control is achieved.

Interiorscapes, House Plants, Potted Plants, Seedlings, Ornamentals: Use SaniDate® Ready to Use as a soil or media drench to control / suppress soil borne plant diseases. Use as a soil drench at the time of seeding or transplanting, and on potting soil and growing mediums prior to planting. Apply to soil or growing media to the point of saturation. Wait fifteen minutes before planting or watering.

Note: SaniDate® Ready to Use has not been tested all plant species, it is always advisable to test SaniDate® Ready to Use on a small number of plants before treating large numbers. Do not apply to wilted plants.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE**


Store this product in a cool place. Keep out of direct sunlight. Do not freeze.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING**

Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.


**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

This product is reasonably fit for the purposes described on the label when used in strict accordance with label instructions. The manufacturer is not responsible for any use of this product that is contrary to the label instructions on the container, or under abnormal conditions that are not reasonably foreseeable by the manufacturer and or seller. The buyer assumes all risk associated with use beyond label instructions or under abnormal conditions.



**Optional Label Claims:**

- Easy to use
- For sanitizing of hard, non-porous surfaces, structures & equipment
- Activated Peroxide Sanitizer for Hard Non-Porous Surfaces and Food Preparation Areas
- Hard Surface Sanitizer
- Ready to use Activated Peroxide Sanitizer
- Contains no phosphates
- Sanitizes and deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Kills 99.9% of Bacteria! \*     \**Staphylococcus aureus (Staph)*, *Klebsiella pneumoniae*, *Escherichia coli ( E. coli)*, and *Salmonella enterica (Salmonella)*
- Versatile Sanitizer
- Ready to Use treatment for the prevention and control of plant diseases
- For use in home gardens
- Fruit and Vegetable Wash
- Makes fruits and vegetables cleaner
- Keeps fruits and vegetables fresher
- Leaves fruits and vegetables clean with no residue
- Reduces spoilage
- Controls the growth of spoilage and decay causing organisms
- Fruits and vegetables last longer
- Helps oxygenate the soil
- Use SaniDate® Ready to Use to sanitize hard, non-porous food contact surfaces
- Sanitizes kitchen countertops, tabletops, stovetops, microwave ovens, sinks, and appliances
- Leaves household surfaces sanitized
- Sanitizes food preparation areas
- Kills odor causing bacteria
- Use throughout the home
- Use for a cleaner kitchen
- Ready to Use
- Use for a fresher kitchen
- Peroxide Sanitizer
- Leaves no harmful residue
- Deodorizes
- Deodorizes kitchen surfaces
- Removes stains
- Removes pet stains
- Color safe
- Contains no harsh chemicals
- Contains no abrasives
- For daily use



- Sanitizes food preparation areas without rinsing
- Antibacterial
- Kills odor causing bacteria
- Breaks down into oxygen and water
- Removes surface contamination from produce
- Leaves no aftertaste or smell
- Reduced spoilage
- Easy
- Convenient
- No rinsing

