GreenClean® Tablets

MASTER LABEL

(Alternate Brand Names: GreenClean® Tablets – Commercial, GreenClean® Pond Tablets)

Sublabel A: Aquatic Uses
Sublabel B: Residential Uses

Active Ingredient:

This product is equivalent to 13.80% Hydrogen Dioxide by weight.

EPA Registration No. 70299-10 EPA Establishment No. 66397-OK-001

Manufactured by: BioSafe Systems 22 Meadow Street East Hartford, CT 06108 (888) 273-3088

NOTIFICATION

Date Reviewed: 12/3/09

Reviewed By: G. Casciano

Sublabel A: Aquatic Uses

GreenClean® Tablets

Active Ingredient:

The product contains 13.80% Hydrogen Dioxide by weight.

KEEP OUT OF REACH OF CHILDREN DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

	FIRST AID			
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye Call a poison control center or doctor for treatment advice. 			
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 			
If swallowed				
lf inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. 			
	HOTLINE NUMBER ct container or label with you when calling a poison control center or doctor, or going for may also contact 1-800-222-1222 for emergency medical treatment information. NOTE TO PHYSICIAN			

See (back) (side) panel for additional precautionary statements and directions for use.

EPA Registration No. 70299-10 EPA Establishment No. 66397-OK-001

Probable mucosal damage may contraindicate the use of gastric lavage.

Manufactured by:

BioSafe Systems 22 Meadow Street East Hartford, CT 06108 (888) 273-3088 Net Contents: (3, 8, 16 and 40 lbs.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS – DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Wear protective eyewear such as goggles, face shield or safety glasses. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Applicators and handlers must wear: ● coveralls over long-sleeved shirt, long pants ● chemical resistant footwear plus socks ● chemical resistant gloves ● protective eyewear (goggles or face shield). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees and other beneficial insects exposed to direct contact on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Do not apply this product or allow it to drift to crops where beneficials are part of an integrated pest management strategy.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. **Corrosive.** Do not bring in contact with other pesticides, cleaners or oxidative agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply to waterbody margins when amphibian eggs or young (e.g. tadpoles) are present.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted entry intervals (REI). The requirements in this box apply to uses of this product that are covered by the Worker Protection Standard.

There is a restricted entry of zero (0) hours for application of tablets to water sites.

Apply GreenClean Tablets to any listed site(s). Do not apply this product through any type of irrigation system.

* Application sites:

For Use in Water Bodies and Water Sites In or On: Farms, Ranches, Sod Farms, Aquaculture Production Facilities, Fisheries, Hatcheries, Greenhouses, Nurseries, Golf Courses, Amusement Parks, Water Parks, Aquariums, Zoos, Botanical Gardens, Recreational Areas, Non-Chlorinated Swimming Areas, Raceways, Sports Facilities, Business Parks, Residential Developments, Indoor/Interiors, Malls, Hotels, Kennels, Animal Production Facilities, Livestock Barns, Livestock Stalls and Holding Pens, Feedlots, Cattle Facilities, Dairy Barns, Poultry Premises, Equine Facilities, Pet Animal Quarters, Cemeteries, Marinas, Boats, Garden Centers, Water Gardens, Landscapes, Municipalities, Reservoirs, Waterways, Storm Waters, Drainage Systems, Impounded Waters, and Wastewater.

* Application surfaces:

Ponds, Lakes, Lagoons, Fish Ponds, Stock Tanks, Stock Watering Ponds, Watering Troughs, Livestock Watering Systems, Water Gardens, Koi Ponds, Ornamental Pools/Ponds, Ornamental Waterfalls, Fountains, Golf Course Ponds, Industrial/Commercial Ponds, Impounded Waters, Standing Water, Bilge Water, Reservoir Water, Waterways, Conveyance Ditches, Canals, Laterals, Drainage Systems, Irrigation Ponds, Catch Basins, Flooded Areas, Sewage Systems, Drain Fields, Fire Ponds, Watering Tanks, Storage Tanks, Water Collectors and Domestic/Commercial Waters

GreenClean Tablets are not intended for use in drinking water.

WATER TREATMENT

Use GreenClean Tablets to treat, control, and prevent a broad spectrum of (filamentous and planktonic blue-green) algae, bacteria and fungus in listed aquatic environments. Effects of treatment are immediately apparent (bubbling, bleaching/discoloration of algae or fungus, floating of dead organic matter). Waters treated with GreenClean Tablets are permissible to be used without interruption.

FOR STOCK TANKS AND LIVESTOCK WATER:

Use GreenClean Tablets to suppress / control algae, bacteria and fungi in stock tanks, stock watering ponds, tanks and troughs, and livestock water. Apply 1 tablet per 200 gallons of water for algae control. Product can be simply added to the body of water, as the residual control will allow for even distribution throughout the water column. Apply GreenClean Tablets as needed to control and prevent algae growth; make applications more frequently in times of higher water temperatures.

FOR SEWAGE WATER TREATMENT:

Use GreenClean Tablets to reduce the malodors caused by bacteria that produce hydrogen sulfide gas. Apply 6 GreenClean Tablets per 1200 gallons of water. For lagoons, wait 24 hours before adding beneficial bacteria. GreenClean Tablets may not be used to create potable water, only to reduce the malodors of hydrogen sulfide gas.

Application Rates Based on Gallons of Water:

Gallons	Tablet(s)
200	1
400	2
600	3
800	4
1000	5
1200	6

Application Instructions:

- GreenClean Tablets works best for preventative control of algae. For maximum results, water should be free of established algae problems.
- Add tablet(s) according to the recommended application rates. When using more than one tablet in an application, distribute the tablets evenly throughout the water body.
- Apply early in the day under calm, sunny conditions, and when water temperatures are warm.
- Skim any dead algae and organic matter that rises to the water's surface after treatment. Allowing
 dead organics to sink and decay will provide a food source and additional nutrients that stimulate
 algae re-growth and further blooms.

General Treatment Notes:

- Use for algae control in early spring and all season long.
- Control is most easily achieved when algae are not yet well established. Regular maintenance applications will prevent algae from appearing.
- Apply GreenClean Tablets on a bi-weekly basis. Do not apply more than twice a month.
- Never apply at higher than recommended rates.
- GreenClean Tablets is a slow-release formula. Results will not be immediate, but will be prolonged.
- For flare-ups and spot treatments, use GreenClean Granular. Wait at least 72 hours to apply GreenClean Tablets before or after GreenClean Granular application.
- GreenClean Tablet(s) can be applied to water bodies such as fountains and ornamental water features containing fish when used at listed rates. If using in conjunction with other water additives (such as bacteria or enzymes) always apply GreenClean Tablets first, and wait 48 hours before adding any other products.
- Never mix GreenClean Tablets with aquatic herbicides or algaecides containing copper or bromides. Always apply GreenClean Tablets at least 48 hours prior to the application of these other products.
- Wait 24 hours before treating lagoons with beneficial bacteria.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers in dry, cool, well-vented area. Do not allow product to get wet. Keep away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited. If wastes cannot be disposed of

according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.

Optional Label Claims:

- Algaecide
- · For indoor and outdoor use.
- For use in water features containing live fish and plants.
- Eliminates, controls algae and keeps water free of algae.
- Removes stubborn algae from fountains.
- Easy to use!
- Effective over a wide range of pH conditions.
- Reduces organic build-up and noxious odors including hydrogen sulfide.
- · Controls algae blooms.
- No measuring required.
- Same formula as GreenClean® Granular algaecide in the convenience of a tablet.
- · Treats, controls, and prevents algae growth.
- Helps keep water clear of algae.
- Quick application lets you get back to enjoying your pond.
- Algae control in a convenient tab.
- Treats and controls algae.
- Immediate algae control.
- Easy to use algae control tablets.
- A convenient way to kill or control algae without all the guesswork.
- Another product by BioSafe Systems.
- Controls algae.
- Helps maintain an algae-free pond.

Reduces hydrogen sulfide odors caused by bacteria. Effective in reducing hydrogen sulfide odors associated with bacterial decomposition. Controls odor-causing bacteria.

Sublabel B: Residential Uses

GreenClean® Tablets

FOR RESIDENTIAL USE

Active Ingredient:

This product is equivalent to 13.80% Hydrogen Dioxide by weight.

KEEP OUT OF REACH OF CHILDREN DANGER – PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

	FIRST AID		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 		
If swallowed	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice. 		
	HOTLINE NUMBER ct container or label with you when calling a poison control center or doctor, or going for may also contact 1-800-222-1222 for emergency medical treatment information. NOTE TO PHYSICIAN		
	Probable mucosal damage may contraindicate the use of gastric lavage.		

See (back) (side) panel for additional precautionary statements and directions for use.

EPA Registration No. 70299-10 EPA Establishment No. 66397-OK-001

Manufactured by:

BioSafe Systems 22 Meadow Street East Hartford, CT 06108 (888) 273-3088 Net Contents: (3, 8, 16 and 40 lbs.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS – DANGER: Corrosive. Causes irreversible eye damage. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses) and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. When prolonged or repeated contact may occur, use chemically resistant gloves and full body clothing.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to birds. Do not contaminate water when disposing of equipment washwaters or rinsate.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. **Corrosive.** Mix only with water in accordance with label instructions. Do not bring in contact with other pesticides, cleaners or oxidative agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply to waterbody margins when amphibian eggs or young (e.g. tadpoles) are present.

Corrosive. Causes irreversible eye damage. Wear protective eyewear (goggles, face shield, or safety glasses) and gloves when applying GreenClean Tablets. Wash hands after use.

Apply GreenClean Tablets to any listed site(s).

Application surfaces include the following containerized waters:

Water Gardens, Fish Ponds, Koi Ponds, Ornamental Pools/Ponds, Ornamental Waterfalls, Fountains, Standing Water, Flooded Areas, Water Collection and Irrigation Ponds.

Use GreenClean Tablets to treat, control, and prevent a broad spectrum of algae in listed aquatic environments.

Application Rates Based on Gallon Size:

Gallons	Tablet(s)
200	1
400	2
600	3
800	4
1000	5
1200	6 .

Application Instructions:

- GreenClean Tablets works best for preventative control of algae. For maximum results, water should be free of established algae problems.
- Add tablet(s) according to the recommended application rates. When using more than one tablet in an application, distribute the tablets evenly throughout the water body.
- Skim any dead algae and organic matter that rises to the water's surface after treatment. Allowing
 dead organics to sink and decay will provide a food source and additional nutrients that stimulate
 algae re-growth and further blooms.

General Treatment Notes:

- Use for algae control in early spring and all season long.
- Control is most easily achieved when algae are not yet well established. Regular maintenance applications will prevent algae from appearing.
- Apply GreenClean Tablets on a bi-weekly basis. Do not apply more than twice a month.
- Never apply at higher than recommended rates.
- GreenClean Tablets is a slow-release formula. Results will not be immediate, but will be prolonged.
- For flare-ups and spot treatments, use GreenClean Granular according to label directions. Wait at least 72 hours to apply GreenClean Granular before or after GreenClean Tablets application.
- GreenClean Tablet(s) can be applied to water features such as fountains and ornamental water features containing fish when used at listed rates.
- If using in conjunction with other water additives (such as bacteria or enzymes) always apply GreenClean Tablets first, and wait 48 hours before adding any other products.
- Never mix GreenClean Tablets with aquatic herbicides or algaecides containing copper or bromides. Always apply GreenClean Tablets at least 48 hours prior to the application of these other products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original containers in dry, cool, well-vented area. Do not allow product to get wet. Keep away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

CONTAINER DISPOSAL: Nonrefillable container. **If empty** – Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled** – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.

Optional Label Claims:

- Algaecide
- For indoor and outdoor use.
- For use in water features containing live fish and plants.
- Eliminates, controls algae and keeps water free of algae.
- Removes stubborn algae from fountains.
- Easy to use!
- Effective over a wide range of pH conditions.
- Reduces organic build-up and noxious odors including hydrogen sulfide.
- Controls algae blooms.
- No measuring required.
- Same formula as GreenClean® Granular algaecide in the convenience of a tablet.
- · Treats, controls, and prevents algae growth.
- · Helps keep water clear of algae.
- Quick application lets you get back to enjoying your pond.
- Algae control in a convenient tab.
- Treats and controls algae.
- Immediate algae control.
- Easy to use algae control tablets.
- A convenient way to kill or control algae without all the guesswork.
- Another product by BioSafe Systems.
- Controls algae.
- Helps maintain an algae-free pond.

Reduces hydrogen sulfide odors caused by bacteria. Effective in reducing hydrogen sulfide odors associated with bacterial decomposition. Controls odor-causing bacteria.