

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

BioSafe Systems
22 Meadow Street
East Hartford, CT
06108

SEP 17 2010

Attention: Donna Bishel

Subject: GreenClean 6% Liquid
EPA Registration No: 70299-16
Amendment Dated June 14, 2010

This will acknowledge receipt of your Amendment to update the container handling statement per PR Notice 2007-4 and make other minor changes to the product label, submitted under the provision of FIFRA Section 3(c)(9).

Proposed Amendment:

Revise label per PR Notice 2007-4 and additional minor changes

General Comments:

Based on a review of the submitted material, the following comments apply:

The Amendment dated June 14, 2010 is acceptable, and is in compliance with the PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-63417.

Sincerely

A handwritten signature in black ink, appearing to read "M. Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch I
Antimicrobial's Division (7501P)

2/27

GreenClean 6% Liquid

(Alternate Brand Names: GreenClean 6% Liquid Microbiocide, OxiDate Ready To Spray, ZeroTol Ready To Spray, GreenClean FX, StorOx Ready To Spray, GreenClean for Ponds, GreenClean FX Hardscapes, GreenCleanFX Liquid Algaecide, GreenCleanFX Moss, Mold, and Mildew Treatment, ZeroTol Ready to Spray Turf & Ornamental)

Sublabel A: Commercial Directions for Use
Sublabel B: Residential Directions for Use

ACTIVE INGREDIENTS:
 Hydrogen Peroxide 5.34%
 Peroxyacetic Acid..... 1.36%
OTHER INGREDIENTS:..... 93.30%
Total:..... 100.00

KEEP OUT OF REACH OF CHILDREN
DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	
NOTE TO PHYSICIAN - Probable mucosal damage may contraindicate the use of gastric lavage.	

See (back) (side) (inside) panel for first aid, additional precautionary statements and directions for use.

Sold by: BioSafe Systems, 22 Meadow Street, East Hartford, CT 06108
 (888) 273-3088
EPA Registration No.: 70299-16

Batch Code _____

ACCEPTED
 with COMMENTS
 in EPA Letter 70299-16
 SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
 Amendment REDLINE COPY Label version (4) dated June 14, 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended for the pesticide registered under EPA Reg. No. 70299-16

3/27

EPA Establishment No.: EPA Est. No. : 070299-CT-001, 067441-IL-001

Net Contents: (16 fl oz, 32 fl oz, 1 and 5 gallon(s))

Sublabel A: Commercial Directions for Use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS- DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or shielded safety glasses). Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray. Wash thoroughly with soap and water immediately after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. When prolonged or repeated contact may occur, use chemically resistant gloves and full body clothing.

ENVIRONMENTAL HAZARDS: Do not contaminate water when disposing of equipment washwaters or rinsate. [For 5 gallon products only] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: Corrosive. Strong oxidizing agent. Do not use in concentrated form. Mix only with water in accordance with label instructions. Never bring concentrate in contact with other pesticides, cleaners or oxidative agents.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the state or tribal agency responsible for pesticide regulation.

GreenClean 6% Liquid should not be combined or mixed with any other pesticide concentrates.

GreenClean 6% Liquid is not to be used in an aquaculture setting.

This product is not intended as treatment against any public health organism for any use on this label.

WATER TREATMENT

CONTAINED WATERS - To suppress, control and prevent algae and cyanobacteria in contained waters such as Water Gardens, Fish Ponds, Ornamental Pools/Ponds, Ornamental Waterfalls, Fountains, Watering Tanks, Storage Tanks, Water Collectors and Domestic/Commercial Waters. Waters treated with GreenClean 6% Liquid are permissible to be used without interruption.

ACCEPTED

with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16

Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

4/27

DETERMINING WATER VOLUME

Measure length (L), width (W), and average depth (D) in feet (ft) or meters (m) and calculate volume using one of the following formulas:

Square/Rectangular:

$L(ft) \times W(ft) \times D(ft) \times 7.5 = \text{Gallons}$

$L(m) \times W(m) \times D(m) \times 1000 = \text{Liters}$

Circular/Elliptical:

$L(ft) \times W(ft) \times D(ft) \times 5.9 = \text{Gallons}$

$L(m) \times W(m) \times D(m) \times 786 = \text{Liters}$

Avg. Length (ft) x Avg. Width (ft)

43,560 = acres

APPLICATION METHODS

In bodies of water where an aerator is available, and when treating the entire water volume, dose at the edges, or in the turbulence created while the aerator runs to facilitate rapid and adequate mixing.

Spot Treatment: Apply GreenClean 6% Liquid directly over the infested area. Re-treatment is required when heavy growth occurs.

Liquid Treatment: Spray solution on the water surface from shore or a properly equipped boat.

Injection Treatment: Inject solution into the water via a piping system.

APPLICATION RATES

Algae Density	Teaspoons GreenClean 6% Liquid / 50 gallons	Fluid Ounces GreenClean 6% Liquid / 500 gallons	Dilution Rate	PPM Peroxyacetic Acid (AI)	PPM Hydrogen Dioxide (AI)
Low	3	5	1:12,600	1.1	3.8
Moderate	5	8.3	1:8100	1.6	6.6
High	7	11.6	1:5700	2.4	9.4

EFFECTIVENESS FACTORS

- Effects of GreenClean 6% Liquid treatment are immediately apparent (bubbling, bleaching, & discoloration of algae).
- GreenClean 6% Liquid treatments are successful when contact of the pesticide is made with the algae.
- When treating surface mats and blooms, it is possible that GreenClean 6% Liquid will not penetrate the water column below the infested area, and a second application is then required for treating any bottom growing algae.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.
70299-16

Apply more often during the summer months when water consumption and temperatures are high.

STOCK TANKS AND LIVESTOCK WATER- Use GreenClean 6% Liquid to suppress / control algae, bacteria and fungi in stock tanks, stock watering ponds, tanks and troughs, and livestock water. Apply 1-2 fl oz of GreenClean 6% Liquid per 50 gallons of water for algae control. Product can be simply added to the body of waters as the residual control will allow for even distribution throughout the water column. Where existing algae mats are present at time of treatment, the most effective control will be obtained by breaking up mats and/or evenly dispersing diluted GreenClean 6% Liquid over the algae mats. Apply GreenClean 6% Liquid as needed to control and prevent algae growth; apply more frequent applications in times of higher water temperatures.

Drip system application for livestock watering tanks: Tanks fed by a continuous flow of spring or well water can be equipped with a chemical drip system designed to meter-in GreenClean 6% Liquid based upon water flow rates. Pre-dilute GreenClean 6% Liquid at a 1:100 rate or 4-mL/minute water flow rate. Treat continuously or as needed to control and prevent algae re-growth.

FOR DRAINAGE DITCHES- Use GreenClean 6% Liquid to treat water to suppress / control algae, bacteria and fungi in drainage water and ditches. For irrigation water, apply 10 to 23 fluid ounces of GreenClean 6% Liquid per 1,000 gallons of water. Product can be simply added to the body of water, as the residual control will allow for even distribution throughout the water column. Apply GreenClean 6% Liquid as needed to control and prevent algae growth; apply more often in times of higher water temperatures.

TREATMENT FOR NON-POTABLE WATER SYSTEMS (wash tanks, dip tanks, drench tanks, evaporators, humidification systems and/or storage tanks) - Treat water to control the growth of spoilage and decay causing non-public health organisms with 0.6 fl. oz. of GreenClean 6% Liquid for every 10 gallons of water or use a dilution rate of 1:2133.

POST HARVEST TREATMENTS

DIRECT INJECTION INTO SPRAY WATERS USED ON PROCESS LINES AND HUMIDIFICATION SYSTEMS - Treat water containing plant pathogens by injecting GreenClean 6% Liquid directly into spray system water with 6 fl. oz. of concentrate for every 100 gallons of water or use a dilution rate of 1:2133. Applicable for use on all types of post-harvest commodities.

DIRECT INJECTION INTO DUMP TANKS, HYDRO COOLERS, SPRAY SYSTEM AND PROCESS WATERS- For treatment of water containing plant pathogens, inject GreenClean 6% Liquid and maintain a predetermined residual level by using metering equipment, coupled with ORP measuring probes.

- 1) Determine biological organic loading prior to treatment if possible.
- 2) For waters that contain low levels of biological and organic loading inject GreenClean 6% Liquid at 21.5 - 7.2 fl. oz. of concentrate for every 100 gallons of water or at a dilution rate of 1:600 -1:1800.
- 3) For clean water, inject 5.4 fl. oz. of GreenClean 6% Liquid for every 100 gallons of water or a dilution rate of 1:2400 to prevent the formation of algae, bacteria and fungi.

~~RECEIVED~~
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No
70299-16

POST HARVEST SPRAY TREATMENTS ON PROCESS AND PACKING LINES-

Inject GreenClean 6% Liquid directly into spray system water on process and packing lines to prevent bacterial and fungal diseases on post-harvest fruits and vegetables. Inject at a rate of 1:150 - 1:600 concentrate to clean water. For best results, where dump tanks are used, make post harvest spray treatment as produce is leaving dump tanks. Applicable for use on all types of post harvest commodities.

POST HARVEST SPRAY TREATMENTS- Use GreenClean 6% Liquid to prevent bacterial and fungal diseases on post-harvest fruits and vegetables. Mix 0.85 fl. oz. GreenClean 6% Liquid per gallon of clean water. Spray fruit or vegetables to runoff using hydraulic, backpack, air-assisted or other similar sprayer or foaming device.

TREATMENT OF COOLING WATER SYSTEMS - (such as cooling towers, evaporative condensers) Severely fouled systems should be cleaned before treatment. Discontinue use of chlorine or bromine products prior to using this product. GreenClean 6% Liquid should be added to the system directly and not mixed with other chemicals or additives prior to dosing. Other chemicals should be added separately. Check compatibility of GreenClean 6% Liquid with any other chemicals or additives prior to use. Contamination with certain chemicals could result in lack of efficacy. Add GreenClean 6% Liquid at a point in the system where uniform mixing and even distribution will occur such as the cooling tower basin sump. Shock doses may be applied for 1 to 2 hours, as necessary, whereas intermittent doses are applied for 5 to 60 minutes 1 to 100 times per day. For either shock, intermittent or continuous dosing, apply 12.2 to 85.3 fl. oz of GreenClean Liquid 6% solution per 1,000 gallons of water. This will provide 95 to 667 ppm of total product, or 1 to 9 ppm of 100% peracetic acid. Repeat treatment as required to maintain control.

TREATMENT OF GREENHOUSE EVAPORATIVE COOLERS - Treat contaminated surfaces with a dilution of 1:150 of GreenClean 6% Liquid. For maintenance, treat cooler water once a week with a dilution of 1:12, 600 of GreenClean 6% Liquid for every gallon of cooling water.

TREATMENT OF GREENHOUSE IRRIGATION SYSTEMS - (such as flooded floors, flooded benches, recycled water systems, drip trickle, capillary mats, sprinkler systems, humidification and misting systems) - Treat contaminated water with a dilution of 1:5,700 of GreenClean 6% Liquid. For maintenance, treat clean water with a dilution of 1:12, 600 of GreenClean 6% Liquid as needed.

SURFACE TREATMENT

Use GreenClean 6% Liquid on all listed hard, non-porous surfaces, to suppress/control odor-causing bacteria, algae, fungi, moss, mold and mildew, and the odors and conditions that these organisms cause.

Application surfaces include:

Floors, Walkways, Walls, Storage Areas, Patios, Decks, Railings, Roofs, Asphalt Shingles, Siding, Stairs, Ramps, Sealed concrete, linoleum, formica, vinyl, glazed porcelain, plastic, sealed fiberglass, polyethylene, CPVC, PVC, aluminum, steel, stainless steel, sealed wood, and glass. Brick, Stone, Landscape Pavers, Glazed Tile, Slate, Granite, Statues/Monuments, Outdoor Furniture, Tennis Courts (non-grass), Under Benches.

with COMMENTS
in EPA Letter Dated:

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

- 1) Sweep and remove all debris. Use power sprayer to wash all surfaces to remove loose dirt.
- 2) Use a dilution of 1:100 or 1.3 fl. oz. of GreenClean 6% Liquid per gallon of water if surfaces that are to be treated have not been pre-cleaned with water to remove organic deposits.
- 3) Apply solution with mop, sponge, pump or power sprayer or fogger to thoroughly wet all surfaces.
- 4) Allow to remain wet with solution for one (1) minute.
- 5) Allow items and/or surfaces to air dry. Do not rinse.
- 6) Scrub off heavy growths of algae and fungi following application. Use a solution of GreenClean 6% Liquid to wash away dead growth.

Reapply as often as needed for control.

TREATMENT OF GREENHOUSE SURFACES AND EQUIPMENT – (glazing, plastic, pots, flats, trays, cutting tools, benches, work areas, walkways, floors, walls, fan blades, watering systems, coolers, storage rooms, structures and equipment) – Use GreenClean 6% Liquid to control algal, fungal and slime forming bacterial growth. Clean surfaces before treatment. Sweep and remove all plant debris, and use power sprayer to wash all surfaces to remove loose dirt. Use a dilution of 1:100 or 1.3 fl. oz. of GreenClean 6% Liquid per gallon of water for all non-porous surfaces that have been pre-cleaned with water. Apply solution with mop, sponge, power sprayer or fogger to thoroughly wet all surfaces. Cutting tools may be soaked to ensure complete coverage. Allow to remain wet with solution for one (1) minute. Allow items and/or surfaces to air dry. Do not rinse. Heavy growths of algae and fungi may have to be scrubbed off following application. Repeat treatment as required to maintain control.

APPLICATION METHODS

SPOT TREATMENT:

Make a solution with GreenClean 6% Liquid (refer to liquid application rates). Apply directly over the infested area. Re-treatment is required when heavy growth occurs.

LIQUID:

Make a solution with GreenClean 6% Liquid (refer to liquid application rates). Spray this solution on the desired treatment surface using sprayer or power wash equipment.

FOAM:

Make a solution with GreenClean 6% Liquid (refer to foam application rates). Spray this solution on the desired treatment surface. Use a foamer, such as the BioSafe BioFoamer, to apply.

HOSE END SPRAYER:

Follow use directions on manufacturers hose end sprayer. ~~Set sprayer to deliver a rate of 0.85 fl. oz. per gallon or a 1:150 dilution.~~ Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt. Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution. Spray this solution on the desired treatment surface.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

To Refill Hose End Sprayer Bottle From Concentrate:

- 1) Remove spray applicator from empty hose end sprayer.
- 2) Wear rubber gloves when handling concentrate.
- 3) Unscrew cap on refill concentrate and pour contents directly into empty hose end sprayer.
- 4) Replace spray applicator on hose end sprayer, hook hose onto spray unit and use according to directions.

FOLIAR TREATMENTS

Use GreenClean 6% Liquid as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants, trees and shrubs.

GreenClean 6% Liquid works immediately on contact with any plant surfaces for the control / suppression of fungi and bacteria: *Botrytis*, Downy Mildew, Powdery Mildew, Leaf Spot, Leaf Blight, *Xanthomonas*, Anthracnose, *Rhizoctonia*, and *Pseudomonas*. Apply GreenClean 6% Liquid to ornamentals, vegetable plants, bedding plants, flowering plants, shrubs, and trees. To ensure that this contact fungicide is effective, thorough coverage and wetting of the foliage is necessary.

Care should be taken when using GreenClean 6% Liquid for curative control of obligate organisms living on the plant tissue (such as downy and powdery mildew). These treatments may result in lesions on plant tissue. GreenClean 6% Liquid will oxidize parasitic organisms living in plant tissue that are not always visible to the naked eye. Resulting oxidative effects may include spotting, or drying of the plant tissue where organisms inhabited tissue.

Spray Application:**Initial Application:**

- 1) Use a dilution of 1:150 or 0.85 fl. oz. of GreenClean 6% Liquid to one gallon of water. Do not reuse already mixed solution, make fresh daily.
- 2) Spray, mist or fog plants in early morning or late evening.
- 3) Thoroughly wet all surfaces of plant, upper and lower foliage, including stems, branches and stalks to ensure full contact with plant and flower tissue.
- 4) Apply consecutive applications until control is achieved and then follow directions for preventative treatment.

Weekly Preventative Treatment:

- 1) Use a dilution of 1:200 or 0.64 fl. oz. of GreenClean 6% Liquid per gallon of clean water.
- 2) Spray, mist or fog plants.
- 3) Thoroughly wet all surfaces of plant, upper and lower foliage, including stems, branches and stalks.
- 4) Spray every five to seven days as a preventive treatment.

At the first sign of disease spray daily with a 0.85 fl. oz. per gallon of water for three consecutive days and then resume weekly preventative treatment.

Hose End Sprayer Application:

~~RECEIVED~~
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

~~Follow use directions on manufacturers hose end sprayer. Fill reservoir with GreenClean 6% Liquid. Set sprayer to deliver a rate of 0.85 fl. oz. per gallon or a 1:150 dilution. Spray solution on all plant surfaces, ensuring complete coverage.~~

- 1) Attach GreenClean 6% Liquid hose end sprayer to the end of a garden hose and turn on water.
- 2) Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt.
- 3) Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution.
- 4) Allow treated items and/or surfaces to remain wet with solution for one (1) minute.
- 5) Allow treated items and/or surfaces to air dry. Do not rinse.
- 6) Turn water off and detach hose-end sprayer when not in use.

Note: GreenClean 6% Liquid has not been tested on all plant species, it is always advisable to test GreenClean 6% Liquid on a small number of plants before treating large numbers. Do not apply to wilted plants.

TURF TREATMENTS

TURF AND LAWNS - Use on well-established lawns, to control / suppress algae, bacterial and fungal diseases, and the odors and conditions that these organisms may cause.

- Broad spectrum treatment for control of algae, fungi and bacteria on turf, as well as synthetic and artificial turf.
- Use GreenClean 6% Liquid to treat / prevent the bacterial/fungal diseases including but not limited to: *Anthrachnose*, Brown Spot, Dollar Spot, Copper Spot, Summer patch, Strip Smut, Take-All Patch, Leaf Spot, *Fusarium*, Fairy Ring, Pink Snow Mold, *Pythium*, *Phytophthora*, *Rhizoctonia*. Use GreenClean 6% Liquid to treat algae, slime molds, and scum.
- For use on all turf types such as commercial turf, lawns, athletic fields and golf course fairways, greens and tees.
- GreenClean 6% Liquid controls on contact.

For Spray Application: Dilute 1.3 fl oz or a 1:100 dilution of GreenClean 6% Liquid per gallon of clean water. Spray this solution on the desired area of the lawn. Three to ten gallons of diluted solution treats approximately 1000 square feet of lawn area.

Hose End Sprayer Application:

~~Follow use directions on manufacturers hose end sprayer. Fill reservoir with GreenClean 6% Liquid. Set sprayer to deliver a rate of 0.85 fl. oz. per gallon or a 1:150 dilution. Spray solution on all plant surfaces, ensuring complete coverage.~~

ACCEPTED

with COMMENTS
in EPA Letter Dated:

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

1. Attach GreenClean 6% Liquid hose end sprayer to the end of a garden hose and turn on water.
2. Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt.
3. Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution.
4. Allow treated items and/or surfaces to remain wet with solution for one (1) minute.
5. Allow treated items and/or surfaces to air dry. Do not rinse.
6. Turn water off and detach hose-end sprayer when not in use.

- For best results, apply immediately after grass has been cut.
- Optimum treatment time is early morning or late afternoon.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water.

Pesticide Disposal: Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Container Disposal: If empty — Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled — Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Store this product in a cool place. Keep out of direct sunlight. Do not freeze. Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. —or— Refill only with this product. Do not reuse or refill except as described in the directions for use. Place in trash or offer for recycling if available.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 9 of 26

the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.

BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

This product is reasonably fit for the purposes described on the label when used in strict accordance with label instructions. The manufacturer is not responsible for any use of this product that is contrary to the label instructions on the container, or under abnormal conditions that are not reasonably foreseeable by the manufacturer and or seller. The buyer assumes all risk associated with use beyond label instructions or under abnormal conditions.

Optional Label Claims:

- Microbiocide
- Algacide

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 10 of 26

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide
registered under EPA Reg. No.

70299-16

12/27

- Fungicide
- Bactericide
- Ready to Spray
- Roofing and Siding Treatment
- Marine and Boat Treatment
- Post Harvest Treatment
- Fast acting moss and algae control
- Heavy moss and algae deposits will often require a second application
- Textured surfaces may require scrubbing
- May discolor copper roofing and trim
- Liquid solutions have six-hour shelf life
- Brightens mold stained decking and wood
- Kills bacteria and fungi that cause odors
- Maybe used on sealed clay tiles, Terracotta, slate and concrete surfaces
- May be used on cedar shakes, cedar siding, redwood
- May be used on sealed stone, concrete and asphalt driveway and surfaces
- Contains no phosphates
- Deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Activated Peroxygen treatment
- Effectively eliminate offensive odors caused by mold and mildew
- Controls the growth of odor-causing and slime forming bacteria
- A treatment for the prevention and control of algae & cyanobacteria in waters.
- Easy to use.
- Effective over a wide range of pH conditions.
- Reduces organic build-up and noxious odors including hydrogen sulfide.
- Controls algae blooms.
- Controls odors.
- Roof and siding cleaner.
- Controls the growth of odor-causing and slime forming bacteria
- Effective over a wide range of pH conditions
- Kills algae
- Non harmful to fish or aquatic life
- May be used in water features containing fish and plants
- Keeps water clean
- Rids water of algae
- Removes algae on contact
- Treats, controls, and prevents algae
- Use on water gardens, ornamental ponds, waterfalls, fountains, or stone water features
- Alternative to copper-based products
- Liquid algaecide for treating waterscapes
- Enhance water's quality and appearance
- Kills stubborn algae quickly
- Removes algae from your water

ACCEPTED
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide
registered under EPA Reg. No.

70299-16

- Fact-acting algae control
- Pond algaecide
- Kills stubborn algae
- Reduces algae growth
- Inhibits growth of many types of algae
- Will not harm plants
- Contains no metals
- For use in water containing fish
- For pristine water
- For algae-free water
- Begins working immediately
- Eliminates algae
- Get rid of algae problems
- Non harmful to fish or aquatic life
- May be used in water features containing fish and plants
- Keeps water clean
- For use on water gardens, ornamental ponds, waterfalls, fountains
- For use on stone water features
- For use on Waterscapes
- For use on Pondless Waterfalls
- For use on Birdbaths
- Inhibits Growth of Algae
- Eradicate String Algae on contact
- Control Algae on rocks and gravel
- 32 fl oz container treats over 15,000 gallons
- Outdoor Algae Treatment
- Outdoor Algaecide
- Algae removal on hard surfaces around your home
- Quickly removes algae, moss, and mold
- Works on contact
- For use on outdoor furniture, retaining walls, stone, asphalt, poolsides, or any concrete surface
- For use on Planters, Fences, Gravel
- Kills algae on roofs, siding, patios, or retaining walls and buildings
- Outdoor cleaner for algae, moss, mold, and mildew
- Cleans and removes algae
- Ready to spray nozzle
- Hooks up to your garden hose for easy application
- Easy to use hose application
- Removes Algae
- Algae Cleaner
- Algae Remover
- No Odor
- Non-Staining
- Eliminates and Prevents regrowth
- Will not harm plants

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

- Effectively controls moss and algae without using any synthetic chemicals that may be damaging to soil biology.
- Begins to work immediately upon application
- Does not harm roofs or siding
- Controls algae on roofs, sidewalks and siding
- Remove algae and stains from statuary and fountains
- Chlorine-free
- Phosphate-free
- Meets National Organic Program standards
- May be used in pressure washers
- 32 fl oz makes up to 25 gallons of solution.
- For Patios, Decks and Siding
- Easy Spray Application
- No Harmful Residues
- Begins Working Immediately
- 32 oz Covers 1500 Feet
- Hardscape treatment
- Fungicide /Bactericide
- Moss, Mold and Mildew Treatment
- Mold & mildew treatment for awnings
- Treatment for barns, stalls and trailers
- Treatment for watering troughs & buckets
- Truck & Trailer Wash
- Use on outdoor patio furniture
- Grill cover treatment
- Tent mold and mildew treatment
- ~~Recycling containers and garbage can odor control~~
- Odor control for garbage cans and recycling containers
- Playscape treatments
- Composite decks
- Will not harm plants & lawns
- Shrub & Tree Treatment
- For Bedding plants
- Effective Fungicide
- Effective Bactericide
- Won't burn plants
- Kills plant diseases such as: Botrytis, Downy Mildew, Powdery Mildew, Leaf Spot, Leaf Blight, Xanthomonas, Anthracnose, Rhizoctonia, and Pseudomonas
- Effective on Dollar Spot, Brown Patch, Fairy Ring
- Kills Disease such as: Anthracnose, Brown Spot, Dollar Spot, Copper Spot, Summer Patch, Stripe Smut, Take-All Patch, Leaf Spot, Fusarium, Fairy Ring, Pink Snow Mold, Pythium, Phytophthora, Rhizoctonia.
- Effective on all types of Turf grasses
- Liquid Algaecide
- Plant, Turf and Garden Disease Treatment
- Disease Treatment for Plants, Trees, & Shrubs
- Garden & Orchard Disease Treatment
- Treatment for Healthier Fruits & Vegetables

ACCEPTED
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 13 of 26

SEP 17 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act
amended by the
registered user

70299-16

- No Mixing Required
- Treatment for Turf Diseases
- (1 gallon) (5 gallon) concentrate can be used to refill our convenient 32 oz. ready-to-use, hose-end spray bottle.
- Refillable container
- For refilling the GreenClean 6% 32 oz. hose-end spray bottle
- (1 gallon) (5 gallon) concentrate
- Plant Disease Treatment for healthier flowers, shrubs & lawns
- Garden Disease Treatment for healthier fruits and vegetables
- Treats up to 12,000 sq. ft.
- Hooks up to your garden hose
- Use GreenClean 6% Liquid to control plant diseases on bedding flowers, shrubs, trees, and lawns.
- Plant and Turf Disease Treatment
- Garden Disease Treatment
- Activated Peroxygen treatment begins working immediately
- Effectively eliminates offensive odors caused by mold and mildew
- Controls the growth of odor-causing and slime-forming bacteria

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 14 of 26

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the use of lawns,
registered under EPA Reg. No.
70299-16

Sublabel B: Residential Directions for Use

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS- DANGER: Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or shielded safety glasses). Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray. Wash thoroughly with soap and water immediately after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. When prolonged or repeated contact may occur, use chemically resistant gloves and full body clothing.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the state or tribal agency responsible for pesticide regulation.

GreenClean 6% Liquid should not be combined or mixed with any other pesticide concentrates.

This product is not intended as treatment against any public health organism for any use on this label.

WATER TREATMENT

CONTAINERIZED WATERS (*with no outflow to the natural environment*) - To suppress, control and prevent algae and cyanobacteria in containerized waters such as Water Gardens, Fish Ponds, Ornamental Pools/Ponds, Ornamental Waterfalls, Fountains.

Waters treated with GreenClean 6% Liquid are permissible to be used without interruption.

DETERMINING WATER VOLUME

Measure length (L), width (W), and average depth (D) in feet (ft) or meters (m) and calculate volume using one of the following formulas:

Square/Rectangular:

$L(ft) \times W(ft) \times D(ft) \times 7.5 = \text{Gallons}$

$L(m) \times W(m) \times D(m) \times 1000 = \text{Liters}$

Circular/Elliptical:

$L(ft) \times W(ft) \times D(ft) \times 5.9 = \text{Gallons}$

$L(m) \times W(m) \times D(m) \times 786 = \text{Liters}$

Avg. Length (ft) x Avg. Width (ft)

With COMMENTS
in EPA Letter Dated:

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide
registered under EPA Reg. No.

70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16

Amendment REDLINE COPY Label version (4) dated June 14, 2010

17/27

43,560 = acres

APPLICATION RATES

Treatment	Teaspoons GreenClean 6% Liquid / 50 gallons	Fluid Ounces GreenClean 6% Liquid / 500 gallons
Preventative	1	1.7
Curative	2	3.4

APPLICATION INSTRUCTIONS

- 1) Apply early in the morning under sunny, calm conditions.
- 2) Add one – two teaspoons per 50 gallons of pond/fountain water. Apply to an area of pond/fountain with the greatest water flow (near pump outflow, waterfall or aeration device or in the turbulence created while the aerator runs to facilitate rapid and adequate mixing). GreenClean 6% Liquid may also be mixed in a bucket of pond/fountain water and evenly distributed around the pond or fountain.
- 3) Do not shut off pump(s) or aeration device(s); aeration must be continuous during treatment for 48 hours.
- 4) Repeat dose every 3 days until algae is under control. Once algae is controlled, apply dose once a week.

Removing excessive algae growth from pond/fountain will reduce the amount of decaying organic matter in the pond.

EFFECTIVENESS FACTORS

- Effects of GreenClean 6% Liquid treatment are immediately apparent (bubbling, bleaching, & discoloration of algae).
- GreenClean 6% Liquid treatments are successful when contact of the pesticide is made with the algae.
- When treating surface mats and blooms, it is possible that GreenClean 6% Liquid will not penetrate the water column below the infested area, and a second application is then required for treating any bottom growing algae.

Apply more often during the summer months when water consumption and temperatures are high.

SURFACE TREATMENT

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 17 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide,
registered under EPA Reg. No.
70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Use GreenClean 6% Liquid on all listed hard, non-porous surfaces, to suppress/control odor-causing bacteria, algae, fungi, moss, mold and mildew, and the odors and conditions that these organisms cause.

Application surfaces include:

Greenhouses, Floors, Walkways, Walls, Storage Areas, Patios, Decks, Railings, Roofs, Asphalt Shingles, Siding, Stairs, Ramps, Sealed Concrete, Linoleum, Formica, Vinyl, Glazed Porcelain, Plastic, Sealed Fiberglass, Polyethylene, CPVC, PVC, Aluminum, Steel, Stainless Steel, Sealed Wood, and Glass. Brick, Stone, Landscape Pavers, Glazed Tile, Slate, Granite, Statues/Monuments, Outdoor Furniture, Tennis Courts (non-grass), Under Benches.

(For hose-end sprayer)

- 1) Sweep and remove all debris.
- 2) Attach GreenClean 6% Liquid hose end sprayer to the end of a garden hose and turn on water.
- 3) Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt.
- 4) Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution.
- 5) Allow treated items and/or surfaces to remain wet with solution for one (1) minute.
- 6) Allow treated items and/or surfaces to air dry. Do not rinse.
- 7) Scrub off heavy growths of algae and fungi following application. Re-treat with solution to wash away dead growth.
- 8) Turn water off and detach hose-end sprayer when not in use.

To Refill Hose End Sprayer Bottle From Concentrate:

- 1) Remove spray applicator from empty hose end sprayer.
- 2) Wear rubber gloves when handling concentrate.
- 3) Unscrew cap on refill concentrate and pour contents directly into empty hose end sprayer.
- 4) Replace spray applicator on hose end sprayer, hook hose onto spray unit and use according to directions.

(For non hose-end sprayer containers)

- 1) Sweep and remove all debris. Use power sprayer to wash all surfaces to remove loose dirt.
- 2) Use a dilution of 1:150 or 0.85 fl. oz. of GreenClean 6% Liquid per gallon of water if surfaces that are to be treated have not been pre-cleaned with water to remove organic deposits.
- 3) Apply solution with mop, sponge, pump or power sprayer or fogger to thoroughly wet all surfaces.
- 4) Allow to remain wet with solution for one (1) minute. Air dry. Do not rinse.
- 5) Scrub off heavy growths of algae and fungi following application. Use a solution of GreenClean 6% Liquid to wash away dead growth.

Reapply as often as needed for control.

(Optional text for labels that include greenhouse uses)

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

TREATMENT OF GREENHOUSE SURFACES AND EQUIPMENT - (glazing, plastic, pots, flats, trays, cutting tools, benches, work areas, walkways, floors, walls, fan blades, watering systems, coolers, storage rooms, structures and equipment) – Use GreenClean 6% Liquid to control algal, fungal and slime forming bacterial growth. Clean surfaces before treatment. Sweep and remove all plant debris, and use power sprayer to wash all surfaces to remove loose dirt. Use a dilution of 1:150 or 0.85 fl. oz. of GreenClean 6% Liquid per gallon of water for all non-porous surfaces that have been pre-cleaned with water. Apply solution with mop, sponge, power sprayer or fogger to thoroughly wet all surfaces. Cutting tools may be soaked to ensure complete coverage. Allow to remain wet with solution for one (1) minute. Allow items and/or surfaces to air dry. Do not rinse. Heavy growths of algae and fungi may have to be scrubbed off following application. Repeat treatment as required to maintain control.

APPLICATION METHODS

SPOT TREATMENT:

- 1) Refer to Surface Treatment instructions (above) when mixing, preparing treatment area and applying.
- 2) Apply GreenClean 6% Liquid solution directly over the infested area, thoroughly wetting treated surface spot, item or area.
- 3) Allow contact time of 1 minute and let air dry.
- 4) Re-treatment is required when heavy growth occurs.

LIQUID TREATMENT:

- 1) Refer to Surface Treatment instructions (above) when mixing, preparing treatment area and applying
- 2) Apply GreenClean 6% Liquid solution directly over the infested area, thoroughly wetting treated items and surface areas.
- 3) Allow contact time of 1 minute and let air dry.
- 4) Re-treatment is required when heavy growth occurs.

FOAM:

- 1) Refer to Surface Treatment instructions (above) when mixing, preparing treatment area and applying.
- 2) Mix Foaming Agent solution to manufacturer-specified rate.
- 3) Use a Foaming Device, such as the BioSafe BioFoamer®, to apply.
- 4) Apply GreenClean 6% Liquid foam directly over the infested area, thoroughly covering treated items and surface areas with the foam treatment.
- 5) Allow contact time of 1 minute and let air dry.
- 6) Re-treatment is required when heavy growth occurs.

FOLIAR TREATMENTS

Use GreenClean 6% Liquid as a fungicide/bactericide to treat/control plant diseases on all flowering plants, ornamentals, house plants, vegetable, berry and fruit plants, trees and shrubs.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No
70299-16

GreenClean 6% Liquid works immediately on contact with any plant surfaces for the control / suppression of fungi and bacteria: *Botrytis*, Downy Mildew, Powdery Mildew, Leaf Spot, Leaf Blight, *Xanthomonas*, Anthracnose, *Rhizoctonia*, and *Pseudomonas*. Apply GreenClean 6% to ornamentals, bedding plants, vegetable plants, flowering plants, shrubs, and trees. To ensure that this contact fungicide is effective, thorough coverage and wetting of the foliage is necessary.

Care should be taken when using GreenClean 6% Liquid for curative control of obligate organisms living on the plant tissue (such as downy and powdery mildew). These treatments may result in lesions on plant tissue. GreenClean 6% Liquid will oxidize parasitic organisms living in plant tissue that are not always visible to the naked eye. Resulting oxidative effects may include spotting, or drying of the plant tissue where organisms inhabited tissue.

Spray Application:

Initial Application:

- 1) Use a dilution of 1:150 or 0.85 fl. oz. of GreenClean 6% Liquid to one gallon of water. Do not reuse already mixed solution, make fresh daily.
- 2) Spray, mist or fog plants in early morning or late evening.
- 3) Thoroughly wet all surfaces of plant, upper and lower foliage, including stems, branches and stalks to ensure full contact with plant and flower tissue.
- 4) Apply consecutive applications until control is achieved and then follow directions for preventative treatment.

Weekly Preventative Treatment:

- 1) Use a dilution of 1:200 or 0.64 fl. oz. of GreenClean 6% Liquid per gallon of clean water.
- 2) Spray, mist or fog plants.
- 3) Thoroughly wet all surfaces of plant, upper and lower foliage, including stems, branches and stalks.
- 4) Spray every five to seven days as a preventive treatment.

At the first sign of disease spray daily with a 0.85 fl. oz. per gallon of water for three consecutive days and then resume weekly preventative treatment.

Hose End Sprayer Application:

~~Follow use directions on manufacturers hose end sprayer. Fill reservoir with GreenClean 6% Liquid. Set sprayer to deliver a rate of 0.85 fl. oz. per gallon or a 1:150 dilution. Spray solution on all plant surfaces, ensuring complete coverage.~~

- 1) Attach GreenClean 6% Liquid hose end sprayer to the end of a garden hose and turn on water.
- 2) Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt.
- 3) Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution.
- 4) Allow treated items and/or surfaces to remain wet with solution for one (1) minute.
- 5) Allow treated items and/or surfaces to air dry. Do not rinse.
- 6) Turn water off and detach hose-end sprayer when not in use.

To Refill Hose End Sprayer Bottle From Concentrate:

ACCEPTED
with COMMENTS
in EPA Letter Dated:

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

SEP 17 2010

Page 19 of 26

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

- 1) Remove spray applicator from empty hose end sprayer.
- 2) Wear rubber gloves when handling concentrate.
- 3) Unscrew cap on refill concentrate and pour contents directly into empty hose end sprayer.
- 4) Replace spray applicator on hose end sprayer, hook hose onto spray unit and use according to directions.

Note: GreenClean 6% Liquid has not been tested on all plant species; it is always advisable to test GreenClean 6% Liquid on a small number of plants before treating large numbers. Do not apply to wilted plants.

TURF TREATMENTS

TURF AND LAWNS - Use on well-established lawns, to control / suppress algae, bacterial and fungal diseases, and the odors and conditions that these organisms may cause.

- Broad-spectrum treatment for control of algae, fungi and bacteria on turf, as well as synthetic and artificial turf.
- Use GreenClean 6% Liquid to treat / prevent the bacterial/fungal diseases including but not limited to: *Anthrachnose*, Brown Spot, Dollar Spot, Copper Spot, Summer patch, Strip Smut, Take-All Patch, Leaf Spot, *Fusarium*, Fairy Ring, Pink Snow Mold, *Pythium*, *Phytophthora*, *Rhizoctonia*. Use GreenClean 6% Liquid to treat algae, slime molds, and scum.
- For use on all turf types such as commercial turf, lawns, athletic fields and golf course fairways, greens and tees.
- GreenClean 6% Liquid controls on contact.

For Spray Application: Dilute 1.3 fl oz of GreenClean 6% Liquid per gallon of clean water. Spray this solution on the desired area of the lawn. Three to ten gallons of diluted solution treats approximately 1000 square feet of lawn area.

~~For Hose End Sprayer Application: Follow use directions on manufacturers hose end sprayer. Fill reservoir with GreenClean 6% Liquid. Set sprayer to deliver a rate of 1.3 fl. oz. per gallon. Spray solution on all plant surfaces, ensuring complete coverage.~~

- 1) Attach GreenClean 6% Liquid hose end sprayer to the end of a garden hose and turn on water.
- 2) Set hose-end sprayer to "H2O" setting (water only) and spray all surfaces to remove loose dirt.
- 3) Set hose-end sprayer to "Mix" setting and thoroughly wet all surface with solution.
- 4) Allow treated items and/or surfaces to remain wet with solution for one (1) minute.
- 5) Allow treated items and/or surfaces to air dry. Do not rinse.
- 6) Turn water off and detach hose-end sprayer when not in use.

To Refill Hose End Sprayer Bottle From Concentrate:

- 1) Remove spray applicator from empty hose end sprayer.
- 2) Wear rubber gloves when handling concentrate.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 20 of 26

- 3) Unscrew cap on refill concentrate and pour contents directly into empty hose end sprayer.
- 4) Replace spray applicator on hose end sprayer, hook hose onto spray unit and use according to directions.

Note: For best results, apply immediately after grass has been cut. Optimum treatment time is early morning or late afternoon.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE

Store in original containers in a cool, well-vented area, away from direct sunlight. Do not allow product to become overheated in storage. This may cause increased degradation of the product, which will decrease product effectiveness. In case of spill, flood area with large quantities of water. Do not store in a manner where cross-contamination with other pesticides or fertilizers could occur.

PESTICIDE DISPOSAL AND CONTAINER HANDLING

If empty — Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled — Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL

Store this product in a cool place. Keep out of direct sunlight. Do not freeze. Nonrefillable container. Do not reuse or refill this container. —or— Refill only with this product. Do not reuse or refill except as described in the directions for use. Place in trash or offer for recycling if available.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the pesticide
registered under EPA Reg. No.
70299-16

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

~~NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.~~

~~The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of BIOSAFE SYSTEMS LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold BIOSAFE SYSTEMS and Seller harmless for any claims relating to such factors.~~

~~BIOSAFE SYSTEMS warrants that this product conforms to the *chemical* description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above when used in accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or BIOSAFE SYSTEMS, and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BIOSAFE SYSTEMS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESSED OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.~~

~~To the extent consistent with applicable law, in no event shall BIOSAFE SYSTEMS or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF BIOSAFE SYSTEMS AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF BIOSAFE SYSTEMS OR SELLER, THE REPLACEMENT OF THE PRODUCT.~~

~~BIOSAFE SYSTEMS and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of BIOSAFE SYSTEMS.~~

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

This product is reasonably fit for the purposes described on the label when used in strict accordance with label instructions. The manufacturer is not responsible for any use of this product that is contrary to the label instructions on the container, or under abnormal conditions that are not reasonably foreseeable by the manufacturer and or seller. The buyer assumes all risk associated with use beyond label instructions or under abnormal conditions.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010
Under the Federal Insecticide,
Fungicide, and Rodenticide Act a
amended, for the pest
registered under EPA Reg. No.
70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Optional Label Claims:

- Microbiocide
- Algaecide
- Fungicide
- Bactericide
- Ready to Spray
- Roofing and Siding Treatment
- Marine and Boat Treatment
- Post Harvest Treatment
- Fast acting moss and algae control
- Heavy moss and algae deposits will often require a second application
- Textured surfaces may require scrubbing
- May discolor copper roofing and trim
- Liquid solutions have six-hour shelf life
- Brightens mold stained decking and wood
- Kills bacteria and fungi that cause odors
- Maybe used on sealed clay tiles, Terracotta, slate and concrete surfaces
- May be used on cedar shakes, cedar siding, redwood
- May be used on sealed stone, concrete and asphalt driveway and surfaces
- Contains no phosphates
- Deodorizes
- Leaves no residue
- Scent free
- Chlorine free
- Activated Peroxygen treatment
- Effectively eliminate offensive odors caused by mold and mildew
- Controls the growth of odor-causing and slime forming bacteria
- A treatment for the prevention and control of algae & cyanobacteria in waters.
- Easy to use.
- Effective over a wide range of pH conditions.
- Reduces organic build-up and noxious odors including hydrogen sulfide.
- Controls algae blooms.
- Controls odors.
- Roof and siding cleaner.
- Controls the growth of odor-causing and slime forming bacteria
- Effective over a wide range of pH conditions
- Kills algae

ACCEPTED
with COMMENTS
in EPA Letter Dated:
SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 23 of 26

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

- Non harmful to fish or aquatic life
- May be used in water features containing fish and plants
- Keeps water clean
- Rids water of algae
- Removes algae on contact
- Treats, controls, and prevents algae
- Use on water gardens, ornamental ponds, waterfalls, fountains, or stone water features
- Alternative to copper-based products
- Liquid algaecide for treating waterscapes
- Enhance water's quality and appearance
- Kills stubborn algae quickly
- Removes algae from your water
- Fast-acting algae control
- Pond algaecide
- Kills stubborn algae
- Reduces algae growth
- Inhibits growth of many types of algae
- Will not harm plants
- Contains no metals
- For use in water containing fish
- For pristine water
- For algae-free water
- Begins working immediately
- Eliminates algae
- Get rid of algae problems
- Non harmful to fish or aquatic life
- May be used in water features containing fish and plants
- Keeps water clean
- For use on water gardens, ornamental ponds, waterfalls, fountains
- For use on stone water features
- For use on Waterscapes
- For use on Pondless Waterfalls
- For use on Birdbaths
- Inhibits Growth of Algae
- Eradicate String Algae on contact
- Control Algae on rocks and gravel
- 32 fl oz container treats over 15,000 gallons
- Outdoor Algae Treatment
- Outdoor Algaecide
- Algae removal on hard surfaces around your home
- Quickly removes algae, moss, and mold
- Works on contact
- For use on outdoor furniture, retaining walls, stone, asphalt, poolsides, or any concrete surface
- For use on Planters, Fences, Gravel
- Kills algae on roofs, siding, patios, or retaining walls and buildings

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 17 2010

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010

Page 24 of 26

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

70299-16

- Outdoor cleaner for algae, moss, mold, and mildew
- Cleans and removes algae
- Ready to spray nozzle
- Hooks up to your garden hose for easy application
- Easy to use hose application
- Removes Algae
- Algae Cleaner
- Algae Remover
- No Odor
- Non-Staining
- Eliminates and Prevents regrowth
- Will not harm plants
- Effectively controls moss and algae without using any synthetic chemicals that may be damaging to soil biology.
- Begins to work immediately upon application
- Does not harm roofs or siding
- Controls algae on roofs, sidewalks and siding
- Remove algae and stains from statuary and fountains
- Chlorine-free
- Phosphate-free
- Meets National Organic Program standards
- May be used in pressure washers
- 32 fl oz makes up to 25 gallons of solution.
- For Patios, Decks and Siding
- Easy Spray Application
- No Harmful Residues
- Begins Working Immediately
- 32 oz Covers 1500 Feet
- Hardscape treatment
- Fungicide /Bactericide
- Moss, Mold and Mildew Treatment
- Mold & mildew treatment for awnings
- Treatment for barns, stalls and trailers
- Treatment for watering troughs & buckets
- Truck & Trailer Wash
- Use on outdoor patio furniture
- Grill cover treatment
- Tent mold and mildew treatment
- ~~Recycling containers and garbage can odor control~~
- Odor control for garbage cans and recycling containers
- Playscape treatments
- Composite decks
- Will not harm plants & lawns
- Shrub & Tree Treatment
- For Bedding plants
- Effective Fungicide
- Effective Bactericide

ACCEPTED

with COMMENTS
in EPA Letter Dated:

SEP 17 2010

under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide.
registered under EPA Reg. No.

70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16

Amendment REDLINE COPY Label version (4) dated June 14, 2010

- Won't burn plants
- Kills plant diseases such as: Botrytis, Downy Mildew, Powdery Mildew, Leaf Spot, Leaf Blight, Xanthomonas, Anthracnose, Rhizoctonia, and Pseudomonas
- Effective on Dollar Spot, Brown Patch, Fairy Ring
- Kills Disease such as: Anthracnose, Brown Spot, Dollar Spot, Copper Spot, Summer Patch, Stripe Smut, Take-All Patch, Leaf Spot, Fusarium, Fairy Ring, Pink Snow Mold, Pythium, Phytophthora, Rhizoctonia.
- Effective on all types of Turf grasses
- Liquid Algaecide
- Plant, Turf and Garden Disease Treatment
- Disease Treatment for Plants, Trees, & Shrubs
- Garden & Orchard Disease Treatment
- Treatment for Healthier Fruits & Vegetables
- No Mixing Required
- Treatment for Turf Diseases
- (1 gallon) (5 gallon) concentrate can be used to refill our convenient 32 oz. ready-to-use, hose-end spray bottle.
- Refillable container
- For refilling the GreenClean 6% 32 oz. hose-end spray bottle
- (1 gallon) (5 gallon) concentrate
- Plant Disease Treatment for healthier flowers, shrubs & lawns
- Garden Disease Treatment for healthier fruits and vegetables
- Treats up to 12,000 sq. ft.
- Hooks up to your garden hose
- Use GreenClean 6% Liquid to control plant diseases on bedding flowers, shrubs, trees, and lawns.
- Plant and Turf Disease Treatment
- Garden Disease Treatment
- Activated Peroxygen treatment begins working immediately
- Effectively eliminates offensive odors caused by mold and mildew
- Controls the growth of odor-causing and slime-forming bacteria

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 17 2010

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

70299-16

GreenClean 6% Liquid; EPA Reg. No. 70299-16
Amendment REDLINE COPY Label version (4) dated June 14, 2010