

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W Washington, D.C. 20004

EPA Reg. Number:

70341-3

Date of Issuance:

APR

2 2003

Term of Issuance:

Conditional

x Registration

NOTICE OF PESTICIDE:

Name of Pesticide Product:

Last Call™ CMH&G

Reregistration

Name and Address of Registrant (include ZIP Code):

IPM TECH, Inc.

4134 North Vancouver Avenue #105

Portland, OR 97217-2900

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- Submit and/or cite all data required for registration/reregistration of your product 1. under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- Make the following labeling changes: 2.
  - Revise the EPA Registration Number to read "EPA Reg. No. 70341-3".
  - At the end of the Environmental Hazards section, add the statement "Do not b. contaminate water when cleaning equipment or disposing of equipment washwaters."
  - In part 4(iii) of the Application instructions, revise the last two sentences to read as follows: "Do not apply droplets to flowers, fruits or buds. Apply only to non-vegetative parts of the tree (e.g. twigs, branches, trunk)."
- Submit two (2) copies of your final printed label before you release the product for shipment. 3. Refer to the A-79 enclosure for a further description of final printed labeling.

Signature of Approving Official:

Date

2 2003 APR

1. Staton, for George T. La Rocca

Page 2 EPA Reg. No. 70341-3

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

**Enclosures** 

# LAST CALL™CMH&G

An easy to use attracticide product for homeowner control of codling moth on apple, pear, walnut and nashi or asian pear.

## **ACTIVE INGREDIENTS**

Permethrin [CAS# 52645-53-1] 6.00% E, E-8,10-Dodecadien-1-ol [33946-49-9] 0.16%

OTHER INGREDIENTS

93.84%

TOTAL 100.00%

# **KEEP OUT OF REACH OF CHILDREN**

## CAUTION

ACCEPTED with COMMENTS In EPA Letter Dated:

See back panel for precautionary statements

Read all directions before using the product

APR 2 2003
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
7034/-3

IPM Tech, Inc. 4134 North Vancouver Avenue, #105 Oregon, 97217 1-888-IPM-TRAP

EPA Reg. No. 70341-G

EPA Est. No. 70341-OR-1

Questions? Telephone 503-288-2493
Monday through Friday 9am - 4pm [PST]
or
www.ipmtech.com

Net Contents: 1.76 oz [50 grams]

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if absorbed through the skin. Causes moderate eye damage. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

#### **FIRST AID**

## IF ON SKIN

- Take off contaminated clothing.
- ➤ Rinse skin immediately with plenty of water for 15 20 minutes.
- Call poison control center or doctor for treatment advice

## IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing the eye.
- Call poison control center or doctor for treatment advice.

Have product container or label with you when calling a control center or doctor, or going for treatment.

## **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to bees exposed to direct treatment or residues on flowers or blossoms. Do not apply this product to buds, flowers or fruit of trees or to blooming weeds. This product is extremely toxic to fish and other aquatic invertebrates. Do not add directly to water.

#### **USER SAFETY RECOMMENDATIONS**

## Users should:

- > Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- ➤ Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

## STORAGE AND DISPOSAL

# DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

**PESTICIDE STORAGE**: Store pesticide in original container in a locked storage area. Protect from temperatures below -10°C [14°F]. Avoid prolonged storage at temperatures above 35°C [95°F].

**CONTAINER DISPOSAL:** 

If empty:

Do not reuse this container. Place in trash or offer for recycling if available.

If partially filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Never place any unused product down any indoor or outdoor drain.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

1. CROP Apples, Pears, Nashis/Asian Pears, Walnuts

2. PEST Codling Moth [Cydia pomonella]

The product is supplied in an applicator calibrated to consistently deliver small, uniform droplets of product. Depending on the size of the trees, apply 20 to 50 droplets/tree. Trees less than 8 feet high x 8 feet wide: apply 20 droplets/tree; trees less than 12 feet high x 8 feet wide: apply 40 droplets/tree, and for trees greater than 12 feet high and 8 feet wide: apply 50 droplets/tree.

## 4. APPLICATION

- [i] The product is supplied in a sealed cannister and comes with a custom designed pump head engineered to deliver small, uniform droplets of formulation. Remove the cap and safety seal. Insert the dispensing tube into the pump opening. If the pump does not start to deliver, prime the pump by gently pushing the plunger on the bottom of the cannister towards the pumping head. Point pump head opening away from face when priming.
- [ii] One full depression of the pump trigger delivers at least one small uniform droplet of formulation; for maximum biological activity maintain spherical shaped droplets.
- [iii] Slowly press the pump trigger until a 3-4 mm (1/2") drop forms on the dispensing tube. Place this drop on the plant by touching the tip of the dispensing tube to the plant. Several smaller droplets are preferred over a single larger droplet. Do not apply droplets to flowers or fruits. Apply only to non-vegetative parts of the tree.

## 5. TIMING

- [i] Apply immediately prior to start of the codling moth emergence in the spring or at 10% bloom.
- [ii] The droplet releases pheromone for up to 35 days depending on environmental conditions.
- [iii] Reapply formulation to trees every 30 days throughout the season up to a maximum of five applications.

### 6. PRECAUTIONS

[I] Last Call CM prevents codling moth mating. However, if a source of mated females of this species is present in fields or gardens adjacent to the treated area, migration of these moths may significantly reduce the level of control achieved. Sources of fertilized females are likely to be unsprayed apples, pears, nashis, walnuts or other host species within 300 yards of the treated areas. In such cases supplementary applications of insecticides are advised. This should also be done when Last Call CM is used to control very high populations of codling moth. Other pests must be monitored so that timely intervention with insecticides is possible.

#### WARRANTY

Seller warrants that this product conforms to the chemical description and certified limits of the active ingredients, and makes no other express or implied warranty including any other express or implied warranty of fitness or merchantability of any kind. Seller's maximum liability for breach of this warranty shall not exceed the purchase price of this product. In no event shall the seller be liable for indirect or consequential damages. Buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this product.