

70369-2

5/3/2007

Page 184



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

MAY 3 2007

Georgia Anastasiou
Agent
c/o Chemlink Laboratories, LLC
122 C Street, N.W., Suite 740
Washington, D.C. 20001

Subject: Raycide
EPA Reg. No. 70369-2
Application Dated: February 5, 2007
Receipt Date: February 8, 2007

Dear Ms. Anastasiou,

The following amendment submitted in connection with registration under the section 3(c)(7)(a) of Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended is acceptable with comment.

Proposed Amendment

- Update the label.

Comments

Make the following changes to your label:

1. Since you are making a claim that your product is effective against the HIV, HBV, and HCV, the mandatory language must remain in the Special Instructions for Cleaning and Decontamination Against HIV-1(Aids Virus), HBV or HCV On Surfaces/Objects Soiled with Blood/And Body Fluids section. Please refer to Federal Register Volume 54.No. 26.


CONCURRENCES						
7510C						
5/3/07						

General Comments

A stamped copy of the accepted with comment labeling is enclosed. Submit one (1) copy of your final printed labeling before distributing or selling the product bearing the revised labeling

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,



Velma Noble
Product Manager (31)
Regulatory Management Branch 1
Antimicrobial Division
(7510c)

CONCURRENCES

7510c							
5/3/87							

3 74

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses. Wear protective clothing and gloves. Wash thoroughly with soap and water after handling, before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

(Note to Reviewer: Boxed format or bullets may be used in First Aid Section if label space permits.)

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

[If container size is 5 lbs or less, add the following statement:]

STORAGE AND DISPOSAL

Store this product in a cool, dry area away from direct sunlight and heat and in an area inaccessible to children. Do not reuse empty packet. Wrap packet and place in normal trash.

[If container size is greater than 5 lbs add the following statement:]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool, dry area away from direct sunlight and heat in an area inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Do not reuse empty packet. Wrap packet and place in normal trash.

RayCide

DISINFECTANT

**FOR USE IN SPAS, BEAUTY SALONS,
BARBERSHOPS, AND HAIR STYLING FACILITIES**

Effective against Staphylococcus aureus, Salmonella choleraesuis, Trichophyton mentagrophytes, Herpes Simplex Type 1, Herpes Simplex Type 2, HIV-1 (AIDS Virus), Hepatitis B Virus (HBV) & Hepatitis C Virus (HCV)

Active Ingredients:

Alkyl (60% C ₁₄ ; 30% C ₁₆ ; 5% C ₁₂ ; 5% C ₁₈) dimethyl benzyl ammonium chlorides	3.625%
Alkyl (68% C ₁₂ ; 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	3.625%
Other Ingredients:.....	92.75%
Total	100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

See [left] [right] [side] [back] [top] [other] panel for
Precautionary Statements and First Aid

EPA Reg. No. 70369-2

EPA Est. No. (as indicated on container)

Net Contents:

Tablet: 30g

Four (4) Tablets per [Container][Box]

[Manufactured by:] [For Exclusive Distribution by:]
Chemlink Laboratories LLC, Kennesaw, GA 30144

ACCEPTED
with **COMMENTS**
in EPA Letter Dated:

MAY 3 - 2007

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. **70369-2**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RayCide tablets are recommended for use on brushes, combs, rollers, manicure and other tools used in spas, beauty salons, barbershops, and hair styling facilities. RayCide tablets are effective for immersion and the disinfection of inanimate, non-porous surfaces. Drop one 30 gram tablet into [32 fl. oz.][1 liter] of warm water (2100 ppm active).

Salon (Barber) Instruments and Tools Disinfection: Thoroughly clean and rinse instruments before disinfection. Completely immerse combs, brushes, roller, razors, scissors, blades, manicure and other salon instruments and tools for 15 minutes at room temperature. Then remove, rinse thoroughly, and dry before reuse. Fresh solution must be prepared daily or more often if solution becomes visibly diluted or soiled.

Please Note: Plastics may remain immersed until ready to use. Stainless steel shears and instruments must be removed after 15 minutes, rinsed, dried and kept in a clean non-contaminated receptacle. Prolonged soaking may cause damage to metal instruments.

General Disinfection: Thoroughly pre-clean surfaces. Apply use solution with mop, sponge, or cloth, thoroughly wetting hard nonporous surfaces. Treated surfaces must remain wet for 15 minutes. Allow to air dry or wipe dry with cloth, sponge, or mop. Prepare a fresh solution daily or more often if the use solution becomes visibly soiled or diluted.

[PERFORMANCE: When tested with full immersion for 15 minutes in a solution prepared [as above] [in accordance with the directions for use], RayCide tablets have been found to be effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Trichophyton mentagrophytes*, *Herpes simplex Type 1 and Type 2*, *Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus)*, *Hepatitis B Virus* and *Hepatitis C Virus*.]

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS), HBV & HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

CONTACT TIME: Leave surface wet for 15 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.